$Can-am_{e}$

OFF-ROAD

Side-by-Side & ATV Product Spec Book

2023

Vehicle Specifications, Accessories, and Parts & Maintenance

TABLE OF CONTENTS

CAN-AM DEFENDER

Model Packages	6
Comparative Chart	18
Accessories	21
CAN-AM MAVERICK X3	

70 76 77

Model Packages	
Comparative Chart	
Accessories	

CAN-AM COMMANDER

Model Packages	116
Comparative Chart	120
Accessories	121

CAN-AM ATVs

Model Packages	168
Comparative Chart	176
Accessories	177

PARTS AND MAINTENANCE

Genuine Parts	223
Lubricant & Oil Change Kit	228
Maintenance Products	229
Care Products	231

CAN-AMOFFROAD.COM

© 2023 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment vithout incurring obligation. Some models depicted may include optional equipment. Product performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. Prices, if shown, are based on the manufacturer's suggested retail price. Dealers may sell at a different price. BRP recommends that all ATV-SSV drivers take a training course. See your dealer or call the ATV Safety Institute at 1+800-887-2887 (USA) or the Canadian Safety Council at 1+613-739-1535 (Canada). ATVs and SSVs can be hazardous to porate. Never carry passengers on any ATV-SSV not specifically designed by the manufacturer for such use. All adult-model Can-Am ATVs are category GATVs (general-use models) intended for recreational and/or utility use by an operator age 16 or older. Carefully read the vehicle's operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. ATVs and SSVs are for dif-road use only. never ride on paved surfaces or public roads. For your safety, the operator and possenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit can-am.brp.com.



BRP 12 MONTH LIMITED WARRANTY ON GENUINE PARTS & ACCESSORIES

For new Can-Am accessories & geninue parts products sold through BRP & our authorized dealer network.

The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty. See the complete limited warranty applicable to your product, or contact your authorized Can-Am Off-Road dealer. Applicable only to BRP products purchased at authorized BRP dealers or distributors. This limited warranty may not apply to factory-installed parts and accessories. Always refer to the product-specific limited warranty. Some states and provinces do not allow for some disclaimers, limitations and exclusions and, as a result, you have other specific rights.

CUSTOMISING MADE EASY

1 Select

model.

the

Select the package.

2

Customise colour, engine, and accessories (or accessory bundles) for your vehicle.


3

Click "Save" or "Send to dealer".

4



If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above. BUILD Yours Now



CAN-AM DEFENDER

MODEL PACKAGES

Can-Am Defender DPS HD7	7
Can-Am Defender XU HD9 / HD10	8
Can-Am Defender XU HD9 Competitive Chart	9
Can-Am Defender XT HD10	10
Can-Am Defender XT HD10 Competitive Chart	11
Can-Am Defender Limited HD10	12
Can-Am Defender X mr HD10	13
Can-Am Defender MAX DPS HD9	14
Can-Am Defender MAX XT HD10	15
Can-Am Defender 6x6 DPS HD10	16
Can-Am Defender Pro (Pick-Up) DPS HD10	17

18

COMPARATIVE CHART

Can-Am Defender Lineup

ACCESSORIES

Roofs	22
Cabs	23
Windshields & Mirrors	24
Doors	27
Rear Wind Protection	29
Aluminum Skid Plates	30
Bumpers & Guards	31
LinQ: Easy On, Easy Off Cargo	35
Cargo & Storage	40
Racks & Holders	43
Lights	46
Audio & Communication Systems	49
Electronic Accessories	50
Winches & Hitches	53
Seats	56
Performance	57
Apache Track Systems	60
ProMount Plows	62
Covers & Add-Ons	66
Tyres & Rims	66



65" Forward A-Arms: able to fit up to 30" tyres For Factory Limited and X mr packages

2023 CAN-AM DEFENDER DPS HD7



PACKAGE HIGHLIGHTS

- 650 cc single cylinder Rotax Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS[™])
- 14 in. cast-aluminium wheels

Yellow / HD7

ENGINE	HD7
Туре	52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Double A-arm/10 in. (25.4 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail Force 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES

DRAKES	
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,471 lb (667 kg)
LxWxH	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

,	
Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2-in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM DEFENDER XU HD9 / HD10



PACKAGE HIGHLIGHTS

- Full Hard Roof
- Brake Hold Mechanism
- Rotax[®] 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

Tellow / TID9		
Tundra Green /	HD9	/ HD10

ENGINES	HD9	HD10	
Туре	65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P		
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential		
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes		
Power Steering	Dynamic Power Steering (DPS™)		
SUSPENSIONS	HD9	HD10	
Front Suspension	Double A-arm/ 10 in. (25.4 cm) travel	Arched Double A-arm/ 11 in. (27.9 cm) travel	
Front Shocks	Twin tube gas-charged shocks		
Rear Suspension	TTA with external sway bar/ 10 in. (25.4 cm) travel	Arched TTA with external sway bar/ 11 in. (27.9 cm) travel	
Rear Shocks	Twin tube gas-charged shocks		

TYRES & WHEELS

Front Tyres	XPS Trail Force 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake holding mechanism

TALK TO US ABOUT OUR NEW UTILITY KIT (715008856)

• 3 position full glass tilt-up windshield with wipe/washer kit

Wiper and power cable

Roof power cable kit

Full Glass Rear window kit

DIMENSIONS & CAPACITIES	HD9	HD10
Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,623 lb (736 kg)	1,645 lb (746 kg)
L×W×H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	121 x 64 x 78 in. (307.1x162.5x198.1 cm)
Wheelbase	83 in. (211.5 cm)	
Ground Clearance	11 in. (27.9 cm)	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4	x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 10.4 gal (39.5 L)	
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,500 lb (680 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate, Full hard roof
Hitch Type	2 in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

		Can-Am Defender XU HD9	Polaris Ranger 1000 EPS	Honda Pioneer 700-2	Kawasaki Mule Pro-FX
Engine Size (cc)		976 cc	999 cc	675 cc	813 cc
No of Cylinders		2	2	1	3
Horsepower	+	65 hp	61 hp	36.1 hp	47 hp
Transmission	+	PRO-TORQ CVT Transmission with Quick Response System (QRS)	Automatic PVT (CVT)	3 speed with reverse; manual and automatic modes	Dual range (high/low) CVT with reverse
Front Diff. Type	+	Selectable Turf Mode/ 2WD/4WD with Visco-Lok [†] auto locking front diff.	AWD/2WD/Versatrac turf mode	2WD, 4WD, 4WD Lock	2WD/4WD dual mode differential
Turf Mode	=	Yes	Yes	No	Yes
Power Steering	=	Dynamic Power Steering	Electronic Power Steering	Electric Power Steering	Speed sensitive Electric Power Steering
Hill Descent Assistance	=	Electric hill descent control	No engine braking	Engine braking	Engine braking
Seating Capacity	=	3	3	2	3
Front Suspension	=	Double-A-arm	Dual A-arm	Independent Double-wishbone	Double wishbone
Rear Suspension	+	Torsional trailing arm with external sway bar	Dual A-arm	Independent Double-wishbone	Double wishbone
Wheel Size	+	14"	12"	12"	12"
Wheel Material	+	Aluminium	Steel	Steel	Steel
Tyre Ply Rating	+	8 ply	4 ply	4 ply	4 ply
Towing Capacity	=	1,134 kg	1,134 kg	680 kg	907 kg
Cargo Bed Capacity	I	454 kg	454 kg	408 kg	453 kg
Total Payload	=	680 kg	680 kg	604 kg	733 kg
Ground Clearance		28 cm	30.5 cm	27 cm	26.5 cm
Overall Length		307.1 cm	305 cm	291 cm	338.5 cm
Overall Width		157.5 cm	158 cm	152.5 cm	162.5 cm
Vehicle Dry Weight		736 kg	674 kg	583 kg	824 kg - kerb
Fuel Capacity		40 L	43 L	30 L	30 L
Winch		No	No	No	No
Speed Limiting Device	+	23 kph drivers seatbelt finder, plus optional speed limiting safety keys (40 kph, 70 kph, and open)	Drivers seatbelt limiter 25 kph	Drivers seatbelt limiter 25 kph	No
Warranty Period		2 Years/15,000 km, whichever comes first	1 year Unlimited km	3 years unlimited km	3 years unlimited km

2023 CAN-AM DEFENDER XT HDIO



PACKAGE HIGHLIGHTS

- 4,500 lb. (2,014 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS[™])
- 14 in. cast-aluminium wheels

ENGINE	HD10
Туре	82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail King 27 x 9 x 14 in.	
Rear Tyres	XPS Trail King 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	
	Brake holding mechanism	

DIMENSIONS & CAPACITIES

Profiled cage, ROPS approved		
1,623 lb (736 kg)		
125.7 x 64 x 80 in.		
(319.4 x 162.5 x 203.2 cm)		
83 in. (211.5 cm)		
13 in. (33 cm)		
38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)		
1,000 lb (454 kg)		
250 lb (113.4 kg)		
Total: 16.2 gal (61.3 L)		
2,500 lb (1,134 kg)		
1,500 lb (680 kg)		
10.6 gal (40 L)		
3		

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2
Lighting	Front lighting output 140 W, LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper, HMWPE full skid plate, Full hard roof
Hitch Type	2 in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

		Can-Am Defender XT HD10	Polaris Ranger XP 1000 HD EPS ADC	Honda Pioneer 1000-3
Engine Size (cc)		976 cc	999 cc	999 cc
No of Cylinders	=	2	2	2
Horsepower	=	82 hp	82 hp	72 hp
Transmission	+	PRO-TORQ CVT Transmission with Quick Response System (QRS)	Automatic PVC	Automatic dual clutch transmission
Front Diff. Type		Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential	High Performance On-Demand True AWD/2WD/Versatrac turf mode	2WD/4WD/4WD Lock
Turf Mode	=	Yes	Yes	Yes
Power Steering	+	Dynamic Power Steering	Electronic Power Steering	Electric Power Steering
Hill Descent Assistance		Electric Hill descent control	Active Decent Control	Engine braking
Seating Capacity	=	3	3	3
Front Suspension	+	Arched Double A-arm	Dual A-arm	Independent Double-wishbone
Rear Suspension	+	Arched torsional trailing arm with external sway bar	Dual A-arm, IRS	Independent Double-wishbone
Wheel Size	=	14"	14"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Ply Rating	=	8 ply	8 ply	6 ply
Tyre Size	=	27"	27"	27"
Towing Capacity	=	1,134 kg	1,133.9 kg	1,134 kg
Cargo Bed Capacity	=	454 kg	454 kg	454 kg
Total Payload		680 kg	871 kg	748 kg
Ground Clearance		33 cm	33 cm	34.5 cm
Overall Length	+	319.4 cm	305 cm	296.6 cm
Overall Width	+	162.5 cm	158 cm	159.9 cm
Vehicle Dry Weight		736 kg	723 kg	703 kg - Kerb
Fuel Capacity		40 L	43.5 L	30 L
Winch	+	Yes - 2,014kg with roller fairlead	No	No
Speed Limiting Device	+	23 kph drivers seatbelt finder, plus optional DESS speed limiting safety keys (40 kph, 70 kph, and open)	24 kph drivers seatbelt limiter	24 kph drivers seatbelt limiter
Anti Theft Device	+	Optional vehicle specific DESS keys - vehicle can not be hot wired	No	No
Warranty Period		2 Years/15,000 km, whichever comes first	1 year unlimited km	3 years unlimited km
Display	+	4.5" wide digital display	4" LCD	Multi-function LCD dash display

2023 CAN-AM DEFENDER LIMITED HDIO



PACKAGE HIGHLIGHTS

- Auto heating and air conditioning (HVAC) climate system
- · Full hard roof with liner and interior dome light
- · Full colour match doors with electric opening windows
- 3-position full glass tilt up windshield with wiper/washer kit
- Rear glass window
- Brake holding mechanism
- Panoramic mirror
- VERSA-PRO bolster bench seat with reinforced Limited seat skin and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra wide stable footprint
- LED signature lights
- 30 in. XPS Trac Force tyres
 4,500 lb (2,014 kg) winch
- 4,500 lb (2,014 kg) Will
- XT front bumper
- HMWPE full skid plate

Stone Gray / HD10

ENGINE	HD10
Туре	82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/12 in. (30.5 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trac Force 30 x 9 x 14 in.	
Rear Tyres	XPS Trac Force 30 x 10 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES	
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake holding mechanism

DIMENSIONS & CAPACITIES		
Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,976 lb (896 kg)	
LxWxH	126 x 65 x 81 in. (319 x 165.1 x 252 cm)	
Wheelbase	83 in. (211.5 cm)	
Ground Clearance	14 in. (35.56 cm)	
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	
Cargo Box Capacity	1,000 lb (454 kg)	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 12.7 gal (48.1 L)	
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,200 lb (544 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	

FEATURES

Gauge	7.6 in. wide digital display with keypad	
Battery	12 V (30 amp/h)	
Magneto	850 W	
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2	
Lighting	Front lighting output 140 W, LED signature lights, LED tail lights	
Winch	4,500 lb (2,041 kg) winch with roller fairlead	
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims	
Steering Wheel	Adjustable tilt steering	
Protection	XT front bumper, HMWPE full skid plate, Full hard roof with liner and interior dome light, Full colour match doors with electric opening windows, 3-position full glass tilt-up windshield with wiper/washer kit, Rear glass window	
	Panoramic mirror	
	Auto heating and air conditioning (HVAC) climate system	
Hitch Type	2 in. hitch receiver	

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM DEFENDER X MR HDIO



PACKAGE HIGHLIGHTS

- Smart-Lok front differential
- · Strategically positioned engine air intake and CVT inlet/outlet
- Brake holding mechanism
- VERSA-PRO bolster bench seat, reinforced seat skin featuring X package trims and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra high clearance Arched A-Arms
- LED Signature lights
- 30 in. XPS Swamp Force tyres
- 4,500 lb (2,014 kg) High mount winch
- Heavy-duty front steel bumper
- Aluminum rock sliders

DIMENSIONS & CAPACITIES

- HMWPE full skid plate
- Under passenger seat waterproof removable storage box

Mossy Oak* Break-Up Country Camo / HD10

ENGINE	HD10
Туре	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake and exhaust Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok technology
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/12 in. (30.5 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Swamp Force 30 x 9 x 14 in.	
Rear Tyres	XPS Swamp Force 30 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	_
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	
	Brake holding mechanism	

DIMENSIONS & CAPACITIES		
Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,746 lb (792 kg)	
LxWxH	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)	
Wheelbase	83 in. (211.5 cm)	
Ground Clearance	15 in. (38.1 cm)	
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	
Cargo Box Capacity	1,000 lb (454 kg)	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 16.2 gal (61.3 L)	
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,500 lb (680 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	

FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2
Lighting	Front lighting output 140 W, LED signature lights, LED tail lights
Winch	Relocated 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims
Steering Wheel	Adjustable tilt steering
Protection	Heavy-duty front steel bumper, HMWPE full skid plate, Aluminum rock sliders, Mudguards
Hitch Type	2 in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM DEFENDER MAX DPS HD9



Tundra Green / HD9

ENGINE	HD9
Туре	65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Double A-arm/10 in. (25.4 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail Force 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES

BRAKES	
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers

PACKAGE HIGHLIGHTS

- Rotax[®] 976 cc V-twin engine
- 6 seat capacity
- Longer wheelbase providing smoother ride over rough ground
- 27 in. 8 ply XPS Trail Force tyres
- 771 kg payload / 1,134 kg towing capacity / 454 kg tray capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES

DIMENSIONS & CAPA	DIMENSIONS & CAPACITIES		
Cage	Profiled cage, ROPS approved		
Estimated Dry Weight	1,771 lb (803 kg)		
LxWxH	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)		
Wheelbase	115.5 in. (294 cm)		
Ground Clearance	11 in. (28 cm)		
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)		
Cargo Box Capacity	1,000 lb (454 kg)		
Tailgate Load Capacity	250 lb (113.4 kg)		
Storage Capacity	Total: 11.1 gal (42.1 L)		
Towing Capacity	2,500 lb (1,134 kg)		
Payload Capacity	1,700 lb (771 kg)		
Fuel Capacity	10.6 gal (40 L)		
Person Capacity	6		

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM DEFENDER MAX XT HDIO



PACKAGE HIGHLIGHTS

- 6 seat capacity
- 4,500 lb. (2,014 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seats with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax[®] 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- · Rear differential with Turf Mode
- Dynamic Power Steering (DPS[™])
- 14 in. cast-aluminium wheels

Stone Gray / HD10

ENGINE	HD10
Туре	82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail King 27 x 9 x 14 in.
Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES

BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
	Brake holding mechanism	

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,928 lb (875 kg)
LxWxH	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.9 gal (63.9 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,700 lb (771 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2
Lighting	Front lighting output 140 W, LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper, HMWPE full skid plate, 2-piece full hard roof
Hitch Type	2 in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM DEFENDER 6X6 DPS HDIO



PACKAGE HIGHLIGHTS

- Dynamic Power Steering (DPS™)
- 64 in. wide with Arched A-arm
- 14 in. cast-aluminum wheels
- 27 in. XPS Trail King tyres

Tundra Green / HD10

ENGINE	HD10
Туре	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail King 27 x 11 x 14 in.	
Rear Tyres	XPS Trail King 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES

BIUTICEO	
Front	Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES		
Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,953 lb (886 kg)	
LxWxH	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	
Wheelbase	115.5 in. (294 cm)	
Ground Clearance	13 in. (33 cm)	
Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)	
Cargo Box Capacity	1,000 lb (454 kg)	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 10.4 gal (39.5 L)	
Towing Capacity	3,000 lb (1,360.8 kg)	
Payload Capacity	1,700 lb (771 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM DEFENDER PRO (PICK-UP) DPS HDIO



Yellow / HD10

ENGINE	HD10
Туре	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail King 27 x 9 x 14 in.	
Rear Tyres	XPS Trail King 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES

DRAKES	
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers

PACKAGE HIGHLIGHTS

- 712 kg. payload capability
- 6 ft. long tray
- Removable sides turning the tray into a flatbed
- 316.5 L undertray dust and water resistent storage locker
- Ultrasmooth ride thanks to longer chassis
- $\boldsymbol{\cdot}$ One of the quietest SXS on the market
- Rotax[®] 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- · 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES	
Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,815 lb (823 kg)
LxWxH	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 94 gal (356 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,570 lb (712 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seat flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

	DEFENDER	DPS	х	υ				
cc	DLOUR OPTIONS	Yellow	Yellow / Tundra Green	Tundra Green				
	Tuno	HD7	HD9	HD10				
	Туре	52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled				
	Fuel Delivery System	Intellig	gent Throttle Control (iTC™) with Electronic Fuel Injectic	n (EFI)				
ENGINES	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection, L/H/N/R/P	high-airflow ventilation, and E	th Quick Response System (QRS), lectronic Drive Belt Protection, H/N/R/P				
	Drive Train	Selectable	Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking fron	t differential				
	Driving Assistance	Ele	ctronic Hill Descent Control, ECO™/ECO™ Off/Work mo	ides				
	Power Steering		Dynamic Power Steering (DPS™)					
	Front Suspension	Double		Arched double A-arm/				
NOI	Front Shocks	10 in. (25.4	t cm) travel Twin tube gas-charged shocks	11 in. (27.9 cm) travel				
ENS		TTA with exte		Arched TTA with external sway bar/				
SUSPENSIONS	Rear Suspension	10 in. (25.4		11 in. (27.9 cm) travel				
	Rear Shocks		Twin tube gas-charged shocks					
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum						
s	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers						
BRAKES	Rear	Du	Dual 220 mm disc brakes with hydraulic single-piston calipers					
BR		N/A	Brake holdin	g mechanism				
	Cage		Profiled cage, ROPS approved	-				
	Estimated Dry	1,471 lb. (667 kg)	1,623 lb. (736 kg)	1,645 lb. (746 kg)				
	Weight	· · · -	2 x 76 in.	121 x 64 x 78 in.				
	LxWxH		.5 x 193 cm)	(307.1 x 162.5 x 198.1 cm)				
TIES	Wheelbase		83 in. (211.5 cm)					
PACI	Ground Clearance	11 in. (13 in. (33 cm)				
/ CA	Cargo Box Dimensions		38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)					
ONS	Cargo Box Capacity		1,000 lb (454 kg)					
ENSIONS / CAPACITIES	Tailgate Load Capacity		250 lb (113.4 kg)					
DIMI	Storage Capacity		Total: 10.4 gal (39.5 L)					
	Towing Capacity		2,500 lb (1,134 kg)					
	Payload Capacity		1,500 lb (680 kg)					
	Fuel Capacity		10.6 gal (40 L)					
	Person Capacity		3					
	Gauge		4.5 in. wide digital display					
	Battery		12 V (18 amp/h) 650 W					
	Magneto Instrumentation		DC outlet (10-A)					
	Lighting		Front lighting output 140 W, LED tail lights					
	Winch							
FEATURES	Seat	N/A VERSA-PRO bench seat with passenger seat flipping up, underside hooks						
	Steering Wheel		Adjustable tilt steering					
	Protection	Integrated front steel bumper, HIMWPE central skid plate	Integrated front steel bumper, HMWP	E central steel skid plate, full hard roof				
	Hitch Type		2 in. hitch receiver					
L								

 $^{\dagger}\mbox{Visco-Lok}$ is a trademark of GKN Viscodrive GmbH.

	DEFENDER	ХТ	Limited	X mr
C	DLOUR OPTIONS	Timeless Black	Stone Gray	Mossy Oak® Break-Up Country Camo
		HD10	HD10	HD10
	Туре	82 hp/69 lb-ft, Rotax® 97	6 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake
	Fuel Delivery System	Intellige	ent Throttle Control (iTC™) with Electronic Fuel Inject	
ENGINES	Transmission	high-airflow ventilation, and E	th Quick Response System (QRS), lectronic Drive Belt Protection, H/N/R/P	PRO-TORQ CVT Transmission with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake, and exhaust Extra L/H/N/R/P
	Drive Train	Selectable Turf Mode/2WD/4WD with	Visco-Lok [†] auto-locking front differential	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok* technology
	Driving Assistance	Elect	tronic Hill Descent Control, ECO™/ECO™ Off/Work m	nodes
	Power Steering		Dynamic Power Steering (DPS™)	
	Front Currentian	Arched double A-arm/	Arched double A-a	arm with sway bar/
SUSPENSIONS	Front Suspension	11 in. (27.9 cm) travel		5 cm) travel
NSIG	Front Shocks	· · · · · · · · · · · · · · · · · · ·	Twin tube gas-charged shocks	
SPE	Rear Suspension	Arched TTA with external sway bar/ 11 in. (27.9 cm) travel		external sway bar/ 5 cm) travel
su	Rear Shocks			
2°S			Twin tube gas-charged shocks	
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trac Force 30 x 9/10 x 14 in. 14 in. cast-aluminum	XPS Swamp Force 30 x 9/11 x 14 in. 14 in. cast-aluminum
	Front	Du	bers	
BRAKES	Rear	Dual 220 mm disc brakes with	Dual 220 mm disc brakes with hydraulic twin- piston calipers	
BR			piston calipers	
	Cage			
	Estimated Dry		Profiled cage, ROPS approved	
	Weight	1,623 lb (736 kg)	1,976 lb (896 kg)	1,746 lb (792 kg)
	L×W×H	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)	126 x 65 x 81 in. (319 x 165.1 x 252 cm)	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)
IIES	Wheelbase		83 in. (211.5 cm)	
ACIT	Ground Clearance	13 in. (33 cm)	14 in. (35.56 cm)	15 in. (38.1 cm)
CAP	Cargo Box Dimensions		38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	
NS /	Cargo Box Capacity		1,000 lb (454 kg)	
ENSIONS / CAPACITIES	Tailgate Load		250 lb (113.4 kg)	
DIME	Capacity Storage Capacity	Total: 16.2 gal (61.3 L)	Total: 12.7 gal (48.1 L)	Total: 16.2 gal (61.3 L)
	Towing Capacity		2,500 lb (1,134 kg)	
	Payload Capacity	1,500 lb (680 kg)	1,200 lb (544 kg)	1,500 lb (680 kg)
	Fuel Capacity	,	10.6 gal (40 L)	,
	Person Capacity		3	
	Gauge	4.5 in. wide digital display	7.6 in. wide digital	display with keypad
	Battery		12 V (30 amp/h)	
	Magneto	650 W	850 W	650 W
	Instrumentation		DC outlet (10-A), USB Port (10-A) x 2	
	Lighting	Front lighting output 140 W, LED tail lights		D signature lights, LED tail lights
	Winch	4,500 lb (2,041 kg) wi	nch with roller fairlead	Relocated 4,500 lb (2,041 kg) winch with
FEATURES	Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trim.	synthetic rope and roller fairlead VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring X package trim.
	Steering Wheel		Adjustable tilt steering	·
	Protection	XT front bumper, HMWPE full skid plate, full hard roof	XT front bumper, HMWPE full skid plate, full hard roof with liner and interior dome light, full colour match doors with electric opening windows, 3-position full glass tilt-up windshield with wiper/washer kit, rear glass window, panoramic mirror. Auto heating and air conditioning (HVAC) climate system	Heavy-duty front steel bumper, HMWPE full skid plate, aluminum rock sliders, mudguards
	Hitch Type		2 in. hitch receiver	

[†] Visco-Lok is a trademark of GKN Viscodrive GmbH. *Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

	DEFENDER	MAX DPS	MAX XT	PRO DPS	6x6 DPS		
cc	DLOUR OPTIONS	Tundra Green	Stone Gray	Yellow	Tundra Green		
	Туре	HD9 65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled	HD10	HD10 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	HD10		
	Fuel Delivery System		Intelligent Throttle Control (iTC™)	with Electronic Fuel Injection (EFI)			
ENGINES	Transmission	PRO-TORQ CVT Transmission wi	th Quick Response System (QRS), high-	airflow ventilation, and Electronic Drive	Belt Protection, Extra L/H/N/R/P		
	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential					
	Driving Assistance		Electronic Hill Descent Control	, ECO™/ECO™ Off/Work modes			
	Power Steering		Dynamic Power	Steering (DPS™)			
SN	Front Suspension	Double A-arm/10 in. (25.4 cm) travel	A	rched double A-arm/11 in. (27.9 cm) trav	vel		
SUSPENSIONS	Front Shocks		Twin tube gas-	charged shocks			
PEN	Rear Suspension	TTA with external sway bar/ 10 in. (25.4 cm) travel	Arched	TTA with external sway bar/11 in. (27.9 c	m) travel		
sns	Rear Shocks		Twin tube gas-	charged shocks			
LS/							
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum	-				
B	Front		Dual 220 mm disc brakes with	n hydraulic twin-piston calipers			
BRAKES	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers					
8		N/A	Brake holding mechanism	N	/A		
	Cage		Profiled cage, I	ROPS approved			
	Estimated Dry Weight	1,771 lb (803 kg)	1,928 lb (875 kg)	1,815 lb (823 kg)	1,953 lb (886 kg)		
	LxWxH	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)	154.1 x 6 (391.5 x 162.	4 x 78 in. 5 x 198.1 cm)		
ŝ	Wheelbase		115.5 in.	(294 cm)			
DIMENSIONS / CAPACITIES	Ground Clearance	11 in. (28 cm)		13 in. (33 cm)			
/ CAF	Cargo Box Dimensions	38 x 54.5 (96.5 x 138.	5 x 12 in. 4 x 30.5 cm)	72 x 54. (180.3 x 138	5 x 10 in. .4 x 25.4 cm)		
SNOIS	Cargo Box Capacity		1,000 lb	(454 kg)			
MENS	Tailgate Load Capacity		250 lb (1	113.4 kg)			
ā	Storage Capacity	Total: 11.1 gal (42.1 L)	Total: 16.9 gal (63.9 L)	Total: 94 gal (356 L)	Total: 10.4 gal (39.5 L)		
	Towing Capacity		2,500 lb (1,134 kg)		3,000 lb (1,360.8 kg)		
	Payload Capacity	1,700 lb	(771 kg)	1,570 lb (712 kg)	1,700 lb (771 kg)		
	Fuel Capacity		10.6 ga	al (40 L)			
	Person Capacity		3		3		
	Gauge		4.5 in. wide o	digital display			
	Battery	12 V (18 amp/h)	12 V (30 amp/h)	12 V (18	amp/h)		
	Magneto		650	0 W			
	Instrumentation	DC outlet (10-A)	DC outlet (10-A), USB Port (10-A) x 2		et (10-A)		
~	Lighting			140 W, LED tail lights			
URE	Winch	N/A	4,500 lb (2,041 kg) winch with roller fairlead	N	/Α		
FEATURES	Seat	VERSA-PRO bench seat with passenger seats flipping up, underside hooks	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.	VERSA-PRO bench seat with passen	ger seats flipping up, underside hooks		
	Steering Wheel		Adjustable	tilt steering			
	Protection	Integrated front steel bumper, HMWPE central skid plate	XT front bumper, HMWPE full skid plate, 2-piece full hard roof		t steel bumper, tral skid plate		
	Hitch Type			l h receiver			
	Hitch Type		2 in. hitcl	h receiver			

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH.



ROOFS

		Defender	715002430
Sport Roof		Defender MAX	715003038
	Robust injection-molded po Provides added protection	olypropylene construction. for rider and passenger from the elements.	
Deluxe Sport Roof		Defender	715002511
(Not illustrated)		Defender MAX	715003039
	and also diminishes noise v	to the seal kit and the liners included.	Includes - Sport Roof - Sport Roof Seal Kit - Front Roof Liner - Rear Roof Liner
		Defender	715003126
Sport Roof Seal Kit		Defender MAX	715003126
Bimini Roof with Sun Visor	or when installing the Front	individual cab components with Sport Roof t and Rear Roof Liners. Defender (not compatible for use with soft and rigid full doors) Defender MAX	715003418 · Black 715003030 · Black
	 Heavy-duty canvas made of Soft top comes with a hard Quick and easy installation. 	visor that allows for storage of rolled-up soft top and mounting	of Light Rack.
Front Roof Liner		Defender, Defender MAX	715008226
		roof-mounted lights and audio systems. of Windshield Wiper and Washer Kit.	
		Defender	715006334
Rear Roof Liner		Defender MAX ⁺ (Not illustrated)	715006391
	 Quick and easy vehicle enh 	ancement.	

†Needs to be installed with Sport Roof (715002430). ‡Needs to be installed with Sport Roof (715003038).

CABS

Hard Cabs

Cab Enclosure	Defender XT		715006333
	 Rigid cab enclosure ideal for Defender XT vehicles that come stock with a roof, but also fits on Base and DPS models with the addition of a roof. Offers good driver and passenger protection from the elements. Rear Wind Protection Installation Seal Kit (715006705) is required for installation on 2020 Defender models. 	Included: - Flip Glass Windshield - Full Doors with Power Windows - Rear Window	- Insulation Acoustic Kii - Window Harness - Roof Power Cable Kit - Hard Enclosure Roof Seal Kit

	Defender (all model years)	715007269
Clear Rigid Cab	Defender MAX 2022 & up (except X mr models)	715007270

9	
0121	A ASA

- Includes:
 Front Clear Pigid Deers
- Front Clear Rigid Doors
- Sport Roof
- Flip Glass Windshield
- Rear Polycarbonate Window
- Sport Roof Seal Kit

				715008607
Premium Rigid Cab Enclosure		Defender (except X mr models)		715006330 Rear Glass Window with Sliding Panel
	 Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer. 	 Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit 	- Full Doors with Power Windows - Rear Glass Window - Thermal Insulation Kit	- Wiper and Powered Windows Cable - Roof Power Cable - Rigid Cab Seal Kit
				715008608
Premium Rigid Cab Enclosure		Defender MAX (except X mr m	odels)	715006332 Rear Glass Window with Sliding Panel
	Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	 Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit 	- Full Doors with Power Windows - Rear Glass Window - Rear Full Doors	- Wiper and Powered Windows Cable - Roof Power Cable - Rigid Cab Seal Kit
		Defender 2022 & up (except X	mr models)	715007417
Deluxe Cab Enclosure		Defender MAX 2022 & up (exc	ept X mr models)	715007425
	 Provides driver and passenger with the best 	 Includes: Deluxe Sport Roof Kit 	- Front Deluxe Full Doors	- Wiper and Powered

Belaxe Gab Ellelogale		Delender MAX 2022 & up (exc		715007425
	Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	 Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit 	 Front Deluxe Full Doors and Colour Panels required (sold separately) Rear Glass Window with Sliding Panel 	- Wiper and Powered Windows Cable - Roof Power Cable

Soft Cabs

Soft Cab Enclosure

(Not illustrated)

Included:

- Sport Roof

- Full Windshield

- Hardcoated

- Soft Doors

Defender MAX 2018 & prior, Defender MAX 2021 & up (models produced after January 18)

- Rear Polycarbonate Window

715008063

715008064

Cab Kits	Cab Kits – Reference Chart									
	Cab Enclosure XT	Clear Rigid Cab	Clear Rigid Cab MAX	Premium Rigid Cab Enclosure	Premium Rigid Cab Enclosure (Rear Glass Window with sliding panel)	Premium Rigid Cab Enclosure MAX	Premium Rigid Cab Enclosure MAX (Rear Glass Window with sliding panel)	Soft Cab Enclosure	Soft Cab Enclosure MAX	
Kit	715006333	715007269	715007270	715008607	715006330	715008608	715006332	715008063	715008064	
Windshield	715002942	715002942	715002942	715002441	715002441	715002441	715002441	715002432	715002432	
Rear Window	715007081	715007081	715007081	715007079	715007080	715007079	715007080	715007081	715007081	
Roof	Stock	715002430	715003038	715002430	715002430	715003038	715003038	715002430	715003038	
Front Doors	715006331	715006261	715006261	715006331	715006331	715006331	715006331	715008059	715008059	
Rear Doors	-	-	715006262	-	-	715006329	715006329	-	715006318	
Others	710004462	715003126	715003583	710004462	710004462	710004462	710004462	-	-	
	715003094			715003094	715003094	715003094	715003094			
	715003126			715003126	715008226	715008226	715008226			
				715008226	715006334	715006391	715006391			
				715006334	715003126	715003583	715003583			

Defender

WINDSHIELDS & MIRRORS

Windshields

Powerflip Windshield		Defender, Defender MAX		715003885
cylinders that allow the rider to adjust the windshield opening at the touch of a button. • Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section. • Allows you to quickly adapt to changing conditions by adjusting the windshield as you go. • Comp		d fully closed for maximum protection from the eleme and in between, you have an infinite number of oper possibilities depending on protection, visibility and flow preferences.		
Flip Glass Windshield		Defender, Defender MAX		715002942
passenger from the controlled air flow.			 Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield. Ideal for muddy conditions. Can be used with Windshield Wiper & Washer Kit (715001638). Not EC compliant. 	
Flip Glass Windshield With	Wiper & Washer Kit	Defender, Defender MAX		715002441
 Curved and laminated glass frame. Provides excellent optical cl Seals firmly against the cage passenger from the element controlled airflow. Flip windshield can be set fu according to your preference. 		larity. e and protects rider and ts while allowing for ully closed or fully open		idshield. sher fluid dispenser. Cables: If equipped with the 10004462 & 715003094 are ne Audio Roof, Power Cables

Windshield Wiper & Washer K	it	Defender, Defender MAX		715001638
	 An ideal way to keep your w while riding through mud ar Includes single-speed wipe windshields frame mount. 	nd water.	required. If equipped with t	Cables: If equipped with the 10004462 & 715003094 are he Audio Roof, Power Cables re required. Not EC compliar
	Must be used with the Glass Flip Glass Windshield (7150 Windshield (715003885).			
Viper & Power Window Cable		Defender, Defender MAX		715008781
		9 Roof (715005206 or 71500687 2441), Windshield Wiper & Was rs (715006329).		
Viper & Power Windows Cabl	e	Defender, Defender MAX		710004462
	•	s with Power Windows (715006 ild your own cab enclosure fron		& Washer Kit (715001638).
lip Windshield – Hardcoated		Defender, Defender MAX		715002442
	 High-impact-resistant Makr. polycarbonate full windshie Provides excellent optical cl resistance. Seals firmly against the cag. passenger from the elemen controlled air flow. 	ld in metal frame. arity and better abrasion e and protects rider and	 3-position flip can be set at or fully open. Gas-shock-assisted operati Ideal for muddy conditions. 	on.
alass Windshield		Defender, Defender MAX		715001303
	 Curved and laminated glass frame. Seals firmly against the cag passenger from the elemen optical clarity. 	e and protects rider and	 Must be used with Windshi (715001638) to maintain cluriding conditions. Not EC compliant. 	
ull Windshield – Hardcoated		Defender, Defender MAX		715002432
	• .			
ull Windshield		Defender, Defender MAX		715002431
	 High-impact-resistant durab full windshield. Formulated to be non-yellow non-cracking with excellent optical clarity. 	ving, non-crazing,	 Protects driver and passen Quick and easy tool-less inst 	5
lalf Windshield		Defender, Defender MAX		715002433
	 High-impact-resistant durab half windshield. Formulated to be non-yellov non-cracking with excellent optical clarity. 	ving, non-crazing,	 Protects driver and passen Features reverse angle lip t Quick and easy tool-less ins Not compatible with Soft D 	o deflect air flow. stallation or removal.
ProVent Windshield		Defender, Defender MAX		715005276
	 High-impact-resistant Quan polycarbonate full windshie Optimal performance with F Controllable vents to manage Channels air into the cabin, closes to eliminate air flow. 	ld. Full Cab Enclosure. Je air flow.	 2 lower vents and one upper Provides excellent optical or resistance. Protects driver and passent Quick and easy tool-less instance. Not compatible with wiper 	larity and better abrasion ger from the elements. stallation or removal.

Side Wind Deflectors		Defender, Defender MAX		715005081
	 Clear polycarbonate air defl the cage. Not compatible with Full Dc Sold in pairs. Compatible with all windshi 		 Can be adjusted at three different for cabin air flow control whis installed: 1. Outside deflection to red and turbulence. 2. Inside deflection to incre 3. Windshield ventilation to 	nen a full windshield uce cabin air flow ase air flow in the cabin.
Side Mirrors		Defender, Defender MAX		715008100 · Black
	 Rugged black nylon 6/6 cor cast-aluminum mount. Dual adjustment (horizontal any rider. Convex optics deliver optim Spring-loaded pivots let mir 	and vertical) will suit al field of view (FOV).	 Fit with and without doors a Sold in pairs. 	and half doors.
		Defender, Defender MAX 202	20 & up	715008101
Side Mirror		Defender, Defender MAX 20	19 & prior	715002459
	 Molded heavy-duty aluminum mirror. Stays in place on rough trails. Ball-joint design for steady multi-angle adjustment and outstanding vision. 		 Use with or without any roof, windshield or doors Not for road use. Fits either side. Sold individually. 	
Panoramic Center Mirror		Defender, Defender MAX		715003638
	 Wide-angle convex mirror. Offers enhanced visibility. Can be used with ar without 	t roof or windshield and with c		

DOORS

Front Deluxe Full Doors		Defender, Defender MAX 202	22 & up (except X mr models)	715005214
	 Premium doors made from Offer excellent protection fr Easy to remove on hot and s Convenient integrated stora Doors' curved design provid Rear-hinge wide opening fo in the cockpit. Power window delivers add 	rom the elements. sunny days. age areas. des even more room. or ease of ingress/egress	Compatible with all BRP w Require Wiper & Power Wi Roof Power Cable (715003 Colour Door Trim are requi Hardware to install the Door	ndows Cable (710004462), 3094) and Seal Kit (715003126) ired (sold separately).
Rear Deluxe Full Doors		Defender MAX 2022 & up (ex	xcept X mr models)	715005215
	 Premium doors made from robust polyethylene. Offer excellent protection from the elements. Easy to remove on hot and sunny days. Convenient integrated storage areas. Curved design provides even more room. Rear hinge opens wide for ease of ingress/egress in the cockpit. 		 Roll-Down Window deliver Require Front Doors (7150 Windows Cables (7100044 and Sport Roof Seal Kit (71 Colour Door Trim are requi Hardware to install the Door 	05214), Wiper and Power 162), Power Cable (715003094 5003583). ired (sold separately).
Front Deluxe Half Doors		Defender, Defender MAX 202	22 & up	715007201
	 Premium colour matching of polyethylene. Premium fit and finish. Slim with interior pockets. Rear hinge wide opening fo in the cockpit. 		 Interior and exterior handle Colour accent panels are r Hardware to install the Door 	equired (sold separately).
Rear Deluxe Half Doors		Defender MAX 2022 & up		715007202
	 Premium colour matching of polyethylene. Premium fit and finish. Slim with interior pockets. Rear hinge wide opening fo in the cockpit. 		 Interior and exterior handle Colour accent panels are r Hardware to install the Door 	equired (sold separately).
Front Door Trim		Defender, Defender MAX 202	22 & up	
	 Customize your Defender b 	y adding colour-matched door	r panels.	
	Front Left Door Trim 705800818 · Liquid Titaniu 705800784 · Asphalt Gray 705800782 · Mossy Oak B 705800810 · Oxford Blue 705800814 · Tundra Greer 705800812 · Timeless Blat	reak-Up Country Camo n	Front Right Door Trim 705800819 · Liquid Titani 705800785 · Asphalt Gray 705800783 · Mossy Oak (705800811 · Oxford Blue 705800815 · Tundra Gree 705800813 · Timeless Bla	/ Break-Up Country Camo en
Rear Door Trim		Defender MAX 2022 & up		
	Customize your Defender b	y adding colour-matched door	r panels.	
32 31 1	Rear Left Door Trim		Rear Right Door Trim	
	705800832 · Liquid Titanium 705800820 · Asphalt Gray 705800828 · Mossy Oak Break-Up Country Camo 705800822 · Oxford Blue 705800826 · Tundra Green 705800824 · Timeless Black		 705800833 · Liquid Titanium 705800821 · Asphalt Gray 705800829 · Mossy Oak Break-Up Country Camo 705800823 · Oxford Blue 705800827 · Tundra Green 705800825 · Timeless Black 	

Rear Full Doors	Rear Full Doors		Defender MAX produced before January 18, 2021	
		om the elements. sunny days. hient integrated storage areas. In more roominess. Rear hinge ess/egress in the cockpit.	with the Sport Roof, Power 715003094 and Seal Kit 715	5003126 are required. If oof, Power Cables 715008781
Front Full Doors with Power	Windows	Defender & Defender MAX prod	uced before January 18, 2021	715006331
	 Doors' curved-design provid 	om the elements. sunny days. hient integrated storage areas.	with the Sport Roof, Power 715003094 and Seal Kit 715	dshields. bles and Seal Kit: If equipped Cables 710004462 & 5003126 are required. If bof, Power Cables 715008781
Half Doors		Defender (2 doors) Defender MAX (4 doors)		715006314 715006316
	 Half doors made of plastic. Metal frame for a higher lev Rear hinge wide opening fo ingress/egress in the cockp Interior pockets and liners for 	r ease of bit.		·
		Defender (2 doors)		715008059
Soft Doors		Defender MAX 2018 & prior, Defender MAX 2021 & up (mod	lels produced after January 18)	715006318
	 Bestop designed soft doors Weather-resistant soft doors 	s reinforced with steel frame	 Zip-down windows made of material for added ventilation Easily removable on bot out 	on.



	715006318		
 Bestop designed soft doors for Can-Am Defender. Weather-resistant soft doors reinforced with steel frame offer good protection from the elements. 		 Zip-down windows made of laminated polished vin material for added ventilation. Easily removable on hot sunny days. 	
 Made of heavy-duty UV-resistant canvas for excellent 		 Compatible with roofs and r 	mirrors.

- resistance to tear and abrasion.
- Rear hinge wide opening for ease of ingress/egress.
- Soft Door Installation Kit (715006238/2X for MAX) is required for installation of 2019 & prior doors, on 2020 Defender models.

Front Clear Rigid Doors		Defender (all model years), Defender MAX 2022 & up (ex	ccept X mr models)	715006261
	 Sturdy and compact steel-fr open field of view. Lower hardcoated polycarb maximizes visibility around y Upper portion composed of windows for unmatched air 	onate transparent panel your unit. two tempered-glass sliding	 EC- and ROHVA-compliant to remove the stock side pr cabin space. Sealed contour allows for ir in all weather. Lockable doors for peace o 	nproved rider comfort
Rear Clear Rigid Doors		Defender MAX 2022 & up (ex	ccept X mr models)	715006262
	 Sturdy and compact steel-fr 	ame doors for a robust yet	 EC- and ROHVA-compliant 	for optimal safety, allowing you




- to remove the stock side protection bar for increased cabin space.
- open field of view. Lower hardcoated polycarbonate transparent panel
- maximizes visibility around your unit. · Upper portion composed of two tempered-glass sliding
- windows for unmatched air circulation and versatility.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.



REAR WIND PROTECTION

Rear Glass Window with Slidi	ng Panel	Defender, Defender MAX (e>	(cept X mr models)	715007080
	Made of high-strength temp Ideal for preventing backdra environments. Sliding panel for enhanced v Quick and easy installation.	ft of dust or rain in harsh	 Sport Roof (715002430 or 7 for installation. Not compatible with Snorke 	
Rear Glass Window		Defender, Defender MAX (ex	ccept X mr models)	715007079
	 Made of high-strength temp Ideal for preventing backdra environments. Quick and easy installation. 	0	 Sport Roof (715002430 or 7 installation. Not compatible with Snork 	
Rear Polycarbonate Window		Defender, Defender MAX (ex	ccept X mr models)	715007081
	 High-impact-resistant polyc. Ideal for preventing backdra in harsh environments. Quick and easy installation. 		 Sport Roof (715002430 or 7 for installation. Not compatible with Snork 	<i>,</i>
Rear Wind Screen		Defender, Defender MAX		715002851
	 Full rear mesh screen reduc added cabin comfort. Installs quick and easily on r White Can-Am logo at top, to 	roll cage.		
Soft Rear Window		Defender, Defender MAX		715003249
	Clear, flexible window made Resists cold cracking to -4°F Blocks windshield backdraft entering, for added cabin cc	(-20°C). or dust and rain from	 Installs quick and easily on White Can-Am logo at top, 	•

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum $\frac{3}{6}$ " (4.5 mm) thick.

Ultimate durability

High strength

DEFENDER, DEFENDER MAX

		2019 8	& prior	2020 & up		
	er your Defender the full protection kit et parts individually	Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition	XT Cab 2018-2019, Lone Star Edition & X mr	62" Base, DPS (HD5, HD8 & HD9), XT (HD8 & HD9) & PRO (HD8)	64" 6x6 (DPS & XT) or Pro (DPS, XT), XT PRO, DPS (HD10), XT (HD10) & XT-P	67" XT Cab, Hunting Edition, Lone Star Edition, Limited, & X mr
Fu	II Protection Kit					
<u></u>	minum Skid Plate Protection Kit	715003711 (except MAX)	715006977 (3-up)	715006694 (except MAX)	715006696 (3-up & 6x6)	715006979 (3-up 2020 to 2021 only)
Aiu		715003712 (MAX only)	715006978 (MAX)	715006695 (MAX only)	715006697 (MAX & PRO)	715006980 (MAX 2020 to 2021 only)
Inc	dividual Aluminum Skid Plates					
1	 Front A-Arm Protectors Extra underside protection for your vehicle's steering mechanism and suspension (A-Arm). Sold in pairs. Not compatible with Apache Track Systems. 	715008274	715006975	715008274	715008275	715008275 (2022 & up) 715006975 (2020 to 2021 only)
2	 Front Skid Plate Protects the front underside of your vehicle when riding in rough terrain conditions. Adds style to the front of your vehicle. 	715002447	715002447	715002447	715002447	715002447
3	Central Skid Plate Central Skid Plate Kit includes central and lateral skid plates. • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Must be used with Underbelly Skid Plate Kit.	715003467 (MAX only)	715003467 (MAX only)	715003467 (MAX only)	715003467 (MAX only)	715003467 (MAX only)
4	Underbelly Skid Plate Kit • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Kit includes central, lateral and rear skid plates.	715002446	715002446	715007982	715007982	715007982
5	Rear A-Arm Protectors • Extra underside protection for your vehicle's suspension (A-Arm). • Sold in pairs. • Not compatible with Apache Track Systems.	715002445	715006976	715002445	715004388	715004388 (2022 & up) 715006976 (2020 to 2021 only)

BUMPERS & GUARDS

Bumpers

Front Bumper

Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020 & up)

715002418 715005754

- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Provides enhanced protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting points for lights.
- Required to install the Xtreme Front Bumper Plates, Front Rack and the Front Corner Protectors.

	Defender, Defender MAX (2019 & prior)†	715003005
Xtreme Front Bumper Plates	Defender, Defender MAX (2020 & up)‡	715005777

- · Made of high-strength heavy-gauge steel with rubber pads for increased protection.
- Inside and outside anti-corrosion coating with durable powder coat finish. Provide additional front-end protection.
- †Require Front Bumper (715002418) for installation.
- ‡Require Front Bumper (715005754) for installation.

Front Corner Protectors		Defender, Defender MAX (202 Defender, Defender MAX (202	. ,	715002833 715005774
	 Provide enhanced protection 	osion coating with durable pov		
	#Require Front Bumper (7150024	,		
Rancher Front Bumper		Defender, Defender MAX		715005410
	 The low front-end protection your vehicle within cattle here both the vehicle and the anity of the flat front portion facilitat pushing light objects, e.g., of the full frontage coverage elayer of defense to your heat Inside and outside anti-corr powder coat finish. 	erds and guard the safety of imals. tes gently prodding cattle or closing a fence. extends to provide an extra dlights and radiator.	 <u>Defender, Defender MAX (20</u> Improved approach angle. Compatible with front rack, tyre and track kits, winches 	snow plows,
XT Front Bumper		Defender, Defender MAX (20	19 & prior)	715004407
	 1.5" (3.8 cm) diameter steel Provides light-duty protection Inside and outside anti-corr powder coat finish. Light-kit compatible. 	on.	Standard on XT and XT Cab Not compatible with Xtreme Corner Protectors or LinQ F	e Front Bumper Plates, Front

X mr Front Bumper **715006143** · Black Defender, Defender MAX • Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. Includes a front tow hook. Inside and outside anti-corrosion coating with durable Standard on X mr models. finish. Winch sold separately. Provides additional front body protection. Integrated winch support plate for winch relocation at a higher position for easier access in muddy conditions or for auxiliary lights.

Cargo Bed Protectors & Tie Rails



Defender 6x6 & PRO models

715005415

- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. · Reliable cargo box protection and tie-down attachment point to secure large loads.
- Anti-corrosion coating with durable powder coat finish. · Designed to stay in place when cargo bed side walls are removed.

Rear Bumper	Defender, Defender MAX	715008109
	Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design.	 Inside and outside anti-corrosion coating with durable powder-coat finish.
Increased protection of rear box and lower box of while allowing normal tailgate function.		Required to install Rear Body Side Protector (715003055).
Rear Bumper Adapter	Defender 6x6& PRO models	715006060

• Required to install the Rear Bumper on Defender models with the long box. **Rear Body Side Protectors** 715003055 Defender, Defender MAX (except 6x6 & PRO) • Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. • Compatible with fender flares. Reliable cargo box protection. Integrated brush and low-lying branch deflector. • Require Rear Bumper for installation.



- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.

Body Side Protectors

Front Body Side Protectors Defender, Defender MAX 715003450 Heavy-duty 1.25" (3.2 cm) diameter steel-tube Sold in pairs. Require Front Bumper (715002418 or 715005754) with Front Corner Protectors (715002833 or 715005774) and construction. Front side protection for farm, ranch and forestry applications. Rock Slider (715002569 or 715003040 for MAX models) for installation. Offer complete front body protection. Inside and outside anti-corrosion coating with durable powder coat finish.

Front Rancher Body Side Protectors		Defender, Defender MAX		715003617
	 Heavy-duty 1.25" (3.2 cm) di construction. Front side protection for farr applications. Offer complete front body protections. 	m, ranch and forestry	 Inside and outside anti-correpowder coat finish. Sold in pairs. Require Rancher Bumper and the second second	osion coating with durable nd Rock Sliders for installation.

Fender Flares

Fender Flares

Defender (except 6x6 & PRO), Defender MAX	715006821
Defender 6x6	715005409
Defender PRO	715006001

- Robust injection-molded polypropylene construction.
 Perfect for keeping mud and debris outside the vehicle.
 - Include front and rear extension, and all mounting hardware.
 - Ideal for track equipped vehicles.



Sport Fender Flares		Defender (except 6x6 & PRO), Defender MAX	715003898
Sleek fender flares just the ri		ight size to reduce mud and debris kick-up from your tyres.	



 Robust injection-molded polypropylene construction. 	

Include front and rear extension, and all mounting hardware.

Rock Sliders

	Defender	715006671 · Black	
	Defender	715006675 · Manta Green 715006672 · Red 715006673 · Yellow	
Rock Sliders	Defender MAX, Defender PRO	715006721 · Black	
 Heavy-duty rock sliders made of painted %6" (5 mm) aluminum 			

- with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Lodge tight up against vehicle body for better clearance inc
- Not compatible with other rock sliders.
- Sold in pairs.
- Standard on Defender X mr, Defender MAX X mr and Defender XT-P models.

Rock Sliders		Defender, Defender 6x6 Defender MAX, Defender PRO	715002569 715003040
Made of heavy-duty 1.5" (3.8)		Indercarriage against large obstacles. cm) diameter steel tubing.	

- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated step for easy cargo box access.

Sold in pairs.

Mud Flaps

Mud Flaps

Defender, Defender MAX

715003041

- Keep mud and debris out of cargo area and protect trailer or vehicles behind you.
- Add aesthetic appeal to your vehicle.
- Made of EPDM rubber.
- Require Rear Bumper for installation.

Sold in pairs.

S3 for Can-Am				
S3 Front Winch Bumper		Defender, Defender MAX (20	19 & prior)	715003779 · Black
	 Made of 1.5" (3.8 cm) diame powder coat finish. Specifically developed for m Integrated mounting plates Allows higher winch positio in mud. 	nud riding enthusiasts. accommodate all winches.	 Added body protection. Not compatible with LinQ F Mounting Kit, Super-Duty F and Plow Pulley. "S3 for Can-Am" branded. Winch not included. 	
Rear Winch Electrical Harness (Not illustrated)		Defender, Defender MAX (20	19 & prior)	715004233
Required for the installation of a wCompatible with complete Defend			ch Bumper.	
S3 Nerf Bars		Defender, Defender 6x6		715005094 · Sunburst Yellow
	 Made of 1.5" (3.8 cm) diameter steel tubing with durat powder coat finish. Specifically developed for mud riding enthusiasts. Protect vehicle's lower sides without affecting ground clearance. 		 Integrated step makes ingress easier. Not compatible with Front Body Side Protectors, Front Rancher Body Side Protectors and Apache 360 LT Track System. "S3 for Can-Am" branded. 	

LINQ: EASY ON, EASY OFF CARGO

DEFENDER'S LINQ ACCESSORIES


Mounting location and requirements

 No tools needed: Quickly install and remove accessories by hand Equip your Can-Am for specialized tasks in no time Sturdy mounting system that holds up to the roughest terrain 	Cargo Bed (long box bed LinQ)	LinQ Cargo Rack 715006140	Adventure Roof Rack 715003870 / 715004391
LinQ Accessories with 16" Base	 Lower loading capacity that 	nches apart, center-to-center. n the LinQ with 36" base acce: V and SSV vehicles, Can-Am S -Doo snowmobiles.	ssories.
LinQ 4.2 Gal Cooler 295100698 • Gray 219400964 • Black		LinQ Base Installation Kit 715008125	No compatibility
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111		No further requirements	No further requirements
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit 715008125		
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			No compatibility
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles.	
	 Higher loading capacity that 	an the LinQ with 16" base acce	
with 36" Base LinQ 12 Gal (45 L) Cargo Box	 Higher loading capacity that 	an the LinQ with 16" base acce	
with 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ 23 Gal (86 L) Trunk Box	 Higher loading capacity that 	an the LinQ with 16" base acce	essories.
With 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ 23 Gal (86 L) Trunk Box 715004923 LinQ 11.5 Gal (43 L) Audio Cargo Box	 Higher loading capacity that 	an the LinQ with 16" base acce	essories.
with 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ 23 Gal (86 L) Trunk Box 715004923 LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 LinQ 8 Gal (30 L) Cooler Box 715004778 • Black	Higher loading capacity tha Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	essories. No further requirements
With 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ 23 Gal (86 L) Trunk Box 715004923 LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 LinQ 8 Gal (30 L) Cooler Box 715004778 · Black 715004698 · Gray LinQ Premium Storage Bag by OGIO ⁻	Higher loading capacity tha Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	essories. No further requirements
With 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ 23 Gal (86 L) Trunk Box 715004923 LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 LinQ 8 Gal (30 L) Cooler Box 715004778 · Black 715004698 · Gray LinQ Premium Storage Bag by OGIO' 715002923 · Black LinQ Heavy Duty Basket	Higher loading capacity tha Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	No further requirements
With 36" BaseLinQ 12 Gal (45 L) Cargo Box 715003879LinQ 23 Gal (86 L) Trunk Box 715004923LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018LinQ 8 Gal (30 L) Cooler Box 715004778 · Black 715004698 · GrayLinQ Premium Storage Bag by OGIO' 715002923 · BlackLinQ Heavy Duty Basket 715001215LinQ Low Profile Basket	Higher loading capacity tha Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	No further requirements
With 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ 23 Gal (86 L) Trunk Box 715004923 LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 LinQ 8 Gal (30 L) Cooler Box 715004778 · Black 715004698 · Gray LinQ Premium Storage Bag by OGIO' 715002923 · Black LinQ Low Profile Basket 715004282	Higher loading capacity tha Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	No further requirements

LinQ Accessories with 16" base

				715005494 · (10 L)
LinQ Modular Box		Defender, Defender MAX		715007112 · (20 L) 715006830 · (30 L)
	 Allows stacking of other mo Always have the right box s Can be installed on any Lini See table for installation loc 	dular boxes to always have the righ ize to fit everything. Q base with a 16" width.	nt gear accessible.	
Thermal Insert for LinQ Mod	ular Box (10 L)	Defender, Defender MAX		219401110
	 Insulated liner. Fits very well in the LinQ Me Can contain five 473 ml car 	()		
LinQ Tool Box		Defender, Defender MAX		715008111
	 High precision injected HD 5 gal (19 L) maximum capace Weather-resistant, sealed a Easy one-second on/off too All the benefits of LinQ—sin See table for installation loce 	d and lockable cover. tool-less system. -simple, fast and secure.		
LinQ Tool Kit		Defender, Defender MAX		715006829
	 Includes: Cutter pliers Long-nose pliers Locking plier Ratchet wrench %" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	%" drive - 6pts - Socket 18 mm %" drive - Long-socket 17 mm %" drive - 6pts - Socket 15 mm %" drive	- Combined wrench 19 mm - Combined wrench 18 mm - Combined wrench 15 mm - Combined wrench 13 mm - Combined wrench 10 mm - Combined wrench 8 mm	 Socket Torx¹ T40 %" drive Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirements.
LinQ 4.2 Gal (16 L) Cooler		Defender, Defender MAX		219400964 · Black 295100698 · Gray
	 Premium-quality foam insul 	or exceptional rigidity and durability ation for optimal ice retention. n (Patent US 8777531 and US 8875 I-less system.		
LinQ SR 5.5 Gal (21 L) Bag		Defender, Defender MAX		860202449
	 Semi-rigid expandable bag. 5.5 gal (21 L) capacity. See table for installation loc 			

je Bag by	OGIO	Defender, Defender MAX	715002923 · Black
ļ		bag organization.	ehicle.



• 4.5 gal (17 L) capacity.

Rigid bottom, semi-rigid top.

LinQ Roll-Top Bag

See table for installation location and requirements.

Defender, Defender MAX

Defender, Defender MAX Fully waterproof roll-top dry bag will securely store and confine your equipment.

Ling	LinQ mounted using heavy- High capacity storage soluti Bottom foam liner for additid Integrated handle for easy to Sea-Doo: marinized LinQ foo See table for installation loc	ion (40 L). onal equipment protection. ransportation on/off the vehicle. r salt water uses.	
LinQ Accessories wit	h 36" base		
LinQ 12 Gal (45 L) Cargo Box		Defender, Defender MAX	715003879
	 Holds cargo safely and secu See table for installation loc 		
LinQ 23 Gal (86 L) Trunk Box		Defender, Defender MAX	715004923
	 Lockable and weather-resis Holds cargo safely and secu See table for installation loc 	urely while riding.	
LinQ 11.5 Gal (43 L) Audio Ca	rgo Box	Defender, Defender MAX	715003018
	The rear installation does no Mounts on/off easily to hold The Bluetooth enabled rece		tegrated in the cover.
LinQ 8 Gal (30 L) Cooler Box		Defender, Defender MAX	■ 715004698 · Gray ■ 715004778 · Black
		rovides exceptional rigidity and durability. ation for optimal ice retention. compartment protects food.	

- Robust rubber latches keep the cover tightly closed.
- Weather-resistant.

LinQ Premium Storage

860202447

715008110

LinQ Heavy-Duty Basket		Defender, Defender MAX	715001215			
esta atta atta atta atta atta atta atta	Made of high-strength, low- See table for installation loc					
inQ Low Profile Basket		Defender, Defender MAX	715004282			
	 Low profile, open basket increases cargo space. Perfect for easy access to tools, rope, winch and plow accessories. Multiple bungee cord and tie-down anchor points. Made of impact-resistant injected polypropylene. See table for installation location and requirements. 					
		Defender, Defender MAX (except 6x6 and PRO models)	715002464			
inQ Tailgate Extension		Defender 6x6 & PRO	715005412			
	falling off the back. • Stores neatly out of the way bed wall as a mini headach • Anti-corrosion coating with		unted upside down on the from			
inQ Tyre Holder		Defender (except 6x6 & PRO models), Defender MAX	715003448			
Contraction	 Mounts on top of the bed w Compatible with Bed Wall E Uses BRP standard wheel b Accommodates BRP tyres w 	ion. rosion coating with durable powder coat finish. ralls using the easy, tool-less LinQ System.				
inQ Cargo Rack		Defender, Defender MAX	715006140			
	 Allows the installation of Line 2 racks can be installed at t 	he same time. on cargo bed, accommodates 5 gal (19 L) bucket. in place. ie-down anchor points. e in the cargo box.				
LinQ Front Rack		Defender, Defender MAX	715006064			
	 Heavy-duty 1.25" (3.2 cm) d Inside and outside anti-corr Flip-up configuration provid Allows the installation of Lin Kit includes LinQ Base. Multiple bungee cord and t 	(715005410) or Front Bumper (715002418 or 715005754) for	xet [715004282]).			

• Allows the installation of LinQ Low Profile Basket.

LinQ Tool Holder		Defender, Defender MAX	715007358
ļļ	 Suitable for installation onto Loadout Rack. 	ws tools to be stored in any orientation. • the cargo walls, Deluxe Headache Rack, Bed Wall Extender, . eadache Rack or the Bed Wall Extender, LinQ Adapter is requi	
LinQ Gear Grips		Defender, Defender MAX	715005340
YY	 Heavy-duty design for carry Quick-release button opens Heavy-duty base system but 	rovide a custom fit for a variety of items from 1" to 4" (2.5 cm t ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. Ilt for the toughest adventures. s a snap by combining the Gear Grips with the LinQ System.	o 10 cm) in diameter.
LinQ Mounting		Defender, Defender MAX	715003058
) *) *.	 Allows the installation of the Sold in pack of 4. 	L LinQ Tool Holder to the Bed Wall Extender or the Deluxe Hea	
LinQ Lock		Defender, Defender MAX	860201968
- Term	 Simple way to securely lock r Lock cover protects lock from Corrosion resistant. Pack of 1, includes 2 keys. Not compatible with LinQ 4.2 		Gear Grips.
LinQ Base Installation Kit		Defender, Defender MAX	715008125
0.0	Unique mounting fastener u Included: 2 LinQ Cargo Base	isable on any LinQ System accessory. es and hardware.	
LinQ Replacement Part		Defender, Defender MAX	715001707
	Unique mounting fastener u Tool-less installation and rer Sold in pairs.	isable on any LinQ System accessory. moval.	

CARGO & STORAGE

Loadout Rack		Defender, Defender MAX	715005447			
	 Adjustable height that goes Modular basket adapts to d Multiple hooks and holes to Basket accommodates mul Combine with cargo net to 	a that creates a second level of storage. If from mid cab height to roof line. Ifferent cargo with folding front and rear panels. If hang items both inside and outside the rack. Tiple LinQ positions. Create a hanging storage net below the basket for additional Defender Pro & Defender 6x6.	space.			
Hanging Storage Box Kit		Defender, Defender MAX	715005449			
	along the sidewall, and out Includes Can-Am branded s	an be tailored to hold the crates in multiple positions: headac side the box along the side wall.	he rack position, inside the box			
Can-Am Storage Box		Defender, Defender MAX	708303237			
· · · · · · · · · · · · · · · · · · ·		tic storage box with Can-Am branding.				
	 Perforated bottom allows w 	rater and debris to escape.				
Exterior Cargo Reinforceme (Not illustrated)	nt Panel	Panel				
	 Plate that attaches to the bed side to further support and protect bed wall when in outward position. Recommended use of the hanging storage box and/or gun and tool holder when installed outside of the bed wall (except Defender 6x6 & PRO). 					
Deluxe Headache Rack		Defender, Defender MAX	715002423			
	 Protects cab components f Increases box capacity whe Required to install the Bed Compatible with gear rail. 	en used in tandem with the Bed Wall Extender (715002421).				
Headache Rack		Defender, Defender MAX	715003873			
	 Full rear roll cage coverage and the load in your cargo t Compatible with gear rail. Rack's open design helps n Not compatible with Bed W 	naintain a clear rear view. all Extender.	your head or cab's components			
		Defender, Defender MAX (except Defender 6x6 & Defender PRO)	715002421			
Bed Wall Extender	1	Defender 6x6 & PRO models	715005411			
	 Increases box capacity. Quick and easy tool-less mo Easily removable rear door Variable full or half height s Foldable top panels come c Requires Deluxe Headache 	can be latched open. ettings. off in seconds.				

Tonneau Cover		Defender 2018 & up (except Mossy Oak Break-Up Country Camo model), Defender MAX	715008306				
	 Prevents splash from entering Rolls up to the front. Easily removable for quick and the formation of the second sec						
Removable Storage Bin		Defender, Defender MAX	715004344				
	 Provides 1.7 gal (6.3 L) of sto 	ool box will make sure you have your critical equipment wher brage and clips on and off in a snap. our contents remain safe and dry. opt Base.	e you need it.				
Removable Storage Bin – Pass	senger	Defender, Defender MAX	715003314				
		underseat storage. gal (14 L) storage capacity bin. a snap and comes with an integrated handle.					
Driver Underseat Storage Bin		Defender, Defender MAX	715003399				
	 Front opening for quick and 	I (15 L) capacity bin fits securely under the driver's seat. easy access. sistant items, such as ropes, tow straps and winch accessorie	s that are needed at a				
Center Underseat Storage Bin	l	Defender, Defender MAX	715003446				
	 Polypropylene-injected 2 ga Watertight design keeps ice Easy to drain and wash by re Accessible by lifting center in the second second	and drinks cold. emoving it with integrated handle.					
Cargo Bed Rails		Defender (except 6x6 & PRO), Defender MAX	715003444				
Guit-ant	Added cargo box protection Inside and outside anti-corr Heavy-duty 1" (2.5 cm) diam Add height to the bed side v	osion coating with durable powder coat finish.	ves.				
Cargo Bed Net		Defender (except 6x6 & PRO), Defender MAX	715003445				
	 Solid net designed to hook t Keeps items tightly against t 	o the bottom of the cargo box for secure and compact confin he bed floor.	ement of your cargo.				

• Perfect for securing items in the dash storage area.

• To be installed when Lower Dashboard for Heating System is installed.

Lower Dashboard for Heating	g System	Defender, Defender MAX (2019 & prior)	715003441			
	passenger to conve • To be installed wher • Use together with th	oard that comes stock with the vehicle, and features a niently store small items in the dash. In the Defrost, Heat & Ventilation System is installed. The Dash Storage Compartment Net for Heating System mpartment from falling.				
Dash Storage Compartment	Nets	Defender, Defender MAX (except Limited mod	dels) 715003129			
	•	items in the dash storage area. n Defrost, Heat & Ventilation System.				
Bed Tool Box		Defender, Defender MAX	715003028			
	 Large 40 gal (150 L) multifunction weather-resistant tool box designed for cargo beds. Rotomolded construction provides exceptional rigidity and durability. Features cup holders and integrated groove for pipe or 2x4 cutting. Sized to give you the option of installing 2 tool boxes in the cargo bed (quick bolt-on installation). Double side openings with lockable covers and rubber latches. 					
Soft Storage Bag		Defender, Defender MAX	715003759			
	 11.8 gal (45 L) capac 3 sections. Weatherproof. 	city soft cargo bag designed with vehicle's rear in min	d to maximize potential storage.			
Backrest Rear Storage		Defender MAX	715003019			
	Netting installs easi Made from polyeste Sold in pairs.	ly. r that won't discolour.				
Storage 2.6 Gal (10 L) Bag		Defender, Defender MAX	269502121			
(CONTRACTOR OF	Roll-top dry bag for t	fully protecting your cargo from the elements.				

RACKS & HOLDERS

Rear Accessory Bar		Defender, Defender MAX	715005450				
B72	Holes for carabiners, duck d	ng installation or hanging items off the back. lecoy hangers or other items. ion of many LinQ accessories.					
		Defender Loads of up to 40 lb (18 kg). Defender MAX	715003870				
Adventure Roof Rack	Loads of up to 75 lb (34 kg). 715004391						
	 Built with heavy-duty 1.25" (Modular LinQ support plate Integrated mounting points 	separately. ne Cargo Box Elastic Net cargo in the rack.	iy and completely.				
Spare Tyre Ratchet Tie-Down	S	Defender, Defender MAX	280000955				
E M B	 Adjustable to accommodate Ratchet and junction ring m 	trap with loop ends. pare tyres on accessories equipped with integrated spare ty e most common UTV tyre sizes. ade of durable zinc-plated steel. chment on Adventure Roof Rack.	re attachment points.				
LinQ Tool & Gun Holder		Defender, Defender MAX (except 6x6 and PRO models)	715005466				
REA	 Includes 5 locations to security with gunstock shaped mold Easy to remove, install or regional or regional of the static security of the static security of the security of	sed both on the job or on the hunt. Irrely hold tools and guns using rubber grips and retention str ling at the bottom. position using our simple and secure LinQ System. positions along the cargo bed walls, facing inside or outside the Exterior Cargo Reinforcement Panel (715006198) when i	the bed.				
LinQ Gun Case		Defender, Defender MAX	715004968				
	Adapt to different weapon s	to store shotguns and rifles up to 52" (132 cm) even with mo hapes and features with foam cushions that can be repositic and secure storage, locked in place with only a quarter turn.					
LinQ Gun Case Mounting Kit		Defender, Defender MAX	715006443				
4 + 8 *	 Required to install the LinQ Allows you to install up to tv 	Gun Case on a Defender and Defender MAX. vo LinQ gun cases.					

Gun Boot 6.0† Impact by Kolpi	n'	Defender, Defender MAX	715001419					
	Extra room for pistol-grip	rip-type weapons and small bipods.						
	 Easily fits firearms up to 51" (1.3 m) in total length. Provides ample room for 2.4" (60 mm) scopes. Hatchback design allows easy access. Snap-close cover with locking capability. 							
Mar Charles								
	 Ergonomically designed handle and molded attachment points for sling. 							
	 Designed to accommodate left- and right-hand bolt-action rifles and shotguns. 							
	Requires Gear Rail and Gun Boot Mount by Kolpin for installation.							
	 Includes removable, sho 	ck-absorbing foam and nylon Impact liner						
	for superior interior prote	ection.						
	Compatible for dual mou	nt with additional Gun Boot Mount.						
Stronghold Gun Boot Impact [†]	by Kolpin⁺	Defender, Defender MAX	705011442					
	 Compact low-profile desi with optics. 	ign with Kolpin Stronghold styling securely holds up to 52"	(132 cm) long rifles and shotgun					
	 Includes a removable, sh 	lock absorbing foam Impact ⁺ liner.						
	 Single-handed opening w 	with an attached lid for quick access along with an integrat	ed closure strap.					
	• For use with the Kolpin S	tronghold Auto Latch Mount System.						
Stronghold Auto-Latch Mount	by Kolpin	Defender, Defender MAX (except X mr models)	715003899					
			1-					
		vides quick and secure gun boot attachment to your vehic	le.					
	-	gged high impact, reinforced nylon and coated steel.						
	 For use with Stronghold Gun Boot. 							
	 Requires Gear Rail for St 	ronghold (715004089).						
52.0								
Gear Rail For Stronghold		Defender, Defender MAX	715004089					
	- Designed for the Strong		713004003					
		nold Auto-Latch Mount by Kolpin. Ighold Gun Boots (two Latch mounts required).						
		715002423) or Gear Rail Adapter (715003392) required.						
	- Deluxe Headache Rack (715002425) of Gear Kail Adapter (715005592) required.						
Gun Boot Mount by Kolpin		Defender, Defender MAX	715001420					
9	Fits one Kolpin Gun Boot 6.0 Impact.							
41	 Lightweight and extreme 	ely durable.						
	 Easily adjustable without 	t the use of any tools.						
S 11	Offers precision gun ang	le adjustability.						
	Requires Gear Rail for ins	stallation.						
Additional Gun Baat Marriet								
Additional Gun Boot Mount		Defender, Defender MAX	715001586					
			, 1000 1000					
Dual Gun Holder		Defender, Defender MAX	715005265					
	 Accommodates shotgun 	s, rifles or muzzleloaders.						
	•	or board between driver and passenger.						
<u>N</u>								
R.								
		-						
		ations governing the transportation of firearms before purc						
	 Mounts in the cab, on flo Rubber pads provide gur Can be removed to allow Anti-corrosion coating w Comes with all hardware Keeps your weapons with 	or board between driver and passenger. n protection. r a center passenger. ith durable powder coat finish. r for easy installation. hin easy reach and protected within the cab area.						

Gear Rail		Defender, Defender MAX (except X mr models)	715003391
	 Universal mounting options Rail is made with heavy-duty Mounts on roll bar. Includes one versatile Gear 	ally designed for your side-by-side vehicle. for many Kolpin accessories like Gear Grips and Universal S y 7-gauge extruded anodized black aluminum. Rail Mount by Kolpin. Rack (715002423), Headache Rack (715003873) or Gear Rai	
Gear Rail Adapter		Defender, Defender MAX (except X mr models)	715003392
	Allows the installation of ge	ar rails directly onto the cargo box without the need for a hea	dache rack.
Gear Rail Mount by Kolpin		Defender, Defender MAX	715001422
	 Accessory bracket for mour Includes C-clamp and meta 	ting additional accessories to the Gear Rail. I mounting brackets.	
			715003133 · Black
Double Gun Bag		Defender (except XT Cab, X mr models), Defender MAX (except XT Cab and Limited package)	T15003134 · Mossy Oak Break-Up Country Camo
Constant.	 while the thick interior pade Fits perfectly on rear cage, a Design features include a restorage pockets for hunting Solid, quick installation. Not compatible with rear with 	y-duty, weather-resistant polyester to shelter guns from dust ling protects the guns from shocks. and guns are readily accessible from both sides of vehicle. emovable center pocket that can be mounted on both sides o gear. nd protection, headache racks and gear rails. nction of the Defender 6x6 or Defender PRO models' bed.	
Universal Saw Press by Kolpi	n	Defender, Defender MAX (except X mr models)	715001423
	 Heavy-duty, black powder-c Rubber pads provide cushic Hinged design for quick ren 	-	
LinQ Gear Grips		Defender, Defender MAX	715001421
Y9	 cm) in diameter. Heavy-duty design for carry Quick-release button opens Heavy-duty base system but 	on and protect while providing a custom fit for a variety of ite ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. ilt for the toughest adventures. racks, extension racks, brackets or bumpers.	ms from 1" to 4" (2.5 cm to 10

LIGHTS

1 Choose your	2 Find your		3 Choose your lights						
mount point	platform	10" (25 cm) Double Stacked LED Bar	15" (38 cm) Double Stacked LED Bar	39" (99 cm) Double Stacked LED Bar	4" (10 cm) Round LED LIGHTS (Sold in pairs)	3.5" (9 cm) LED Lights (Sold in pairs)			
Front Bumper Rancher Bumper XT Front Bumper	Defender Defender MAX 2019 & prior	715002933 PLUS 715002454 (Light Power Cable)	715002934 PLUS 715002454 (Light Power Cable)	N/A	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715002454 (Light Power Cable)				
X mr Front Bumper (w/o winch) X-TP Front Bumper	Defender Defender MAX 2020 & up	715002933 PLUS 715006034 (Light Power Cable)	715002934 PLUS 715006034 (Light Power Cable)	N/A	715002935 715003665 0 715003666 PL 715006034 (Lig	(3.5" Flood) r i (3.5" Spot) JS			
Light Rack or Light Bars *Roof Power Cable and Front Roof Liner may not be required	Defender & Defender MAX (except XT Cab)	715002933 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715002934 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & 715008226 (Front Roof Liner)	715002935 715003665 9L 715003094 (Ro 8 715003094 (Ro 8 715008226 (Fr	(3.5" Flood) r ; (3.5" Spot) JS of Power Cable)			
if already installed with other accessories.	Defender Defender MAX XT Cab Limited	715002933	715002934	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable)	715002935 (4" Round), 715003666 (3.5" Flood) or 715003666 (3.5" Spot)				
Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories.	Defender & Defender MAX (except XT Cab Limited)	N/A	Front only: 715002934 PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front only: 715004007 PLUS 715005822 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front o 715002935 715003665 90 715003666 PL 715003417 (8 715003094 (Ro 8 715008226 (Fr	(4" Round), (3.5" Flood) r ; (3.5" Spot) JS Power Cable) c of Power Cable)			
	Defender, Defender MAX XT Cab Limited	N/A	Front only: 715002934 PLUS 715003417 (Power Cable)	Front only: 715004007 PLUS 715005822 (Power Cable)	Front or Rear: 715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003417 (Power Cable)				
4 Order		*Note: When ins		numbers in int	ersecting box	g kit is required.			
Roof Power Cable	Required for insta	Defender	; Defender MAX rical accessories.		7150030	94			
Light Kit Power Cable	Brings power from Power cable for in	Defender Defender	; Defender MAX (2019 ; Defender MAX (2020 ble Can-Am light kits	0 & up)	7150024 7150060				

10" (25 cm) Double Stacked LED Light Bar (60 W)	Defender, Defe	ender MAX	(Defender, Defender MAX 715002933						
		20 m									_
THE REPORT OF	5,400 lumens	0	-								
C. S.	lumens	-20						_		_	
		0	100	200	300	400	500	600	700	800 m	
Equipped with twelve 5 W Cree LEDs.	 Requires ligit 	ht power c	able for	installa	tion.						
5,400 lumens.	 Lights up to 		1,500 f	t (460 m) in fror	nt of the	vehic	le and	around	l 65 ft (2	0 m)
Packs a big punch for its size.	wide on eac • EC compliar										
Rugged and waterproof.	- EC compliai	π.									
Can be installed on front bumpers, sport roof and Bimini roof with sun visor.											
5" (38 cm) Double Stacked LED Light Bar (90 W)	Defender, Defe	ender MAX	(715	002934	4	
				1	1		1		1		
	8,400	20 m -									
5.5.5.5.5.5.	lumens	-20							_	_	
		L	100	200	300	400	500	600	700	800 m	
Equipped with 18 5 W Cree LEDs.	 Lights up to 										0 m)
8,400 lumens.	wide on eac		1,3001	t (560 m) 111 11 01		venic		around	10511(2	0 111)
Complements the Light Racks and most bumpers.	 EC compliar 	nt.									
Rugged and waterproof.								_			
9" (99 cm) Double Stacked LED Light Bar (270 W)	Defender, Defe	ender MA)	(715	004007	7	
		20 m				_		1			
E A A A A A A A A A A A A A A A A A A A	24,300	0									
- 「「「「」」「「」」」」「「」」」」」」」」」」」」」」」」」」」」」」」	lumens	-20									
		0	100	200	300	400	500	600	700	800 m	
Equipped with 54 5W Cree LEDs.	Compatible	on the Adv	venture	Roof Ra	ck.						
24,300 lumens.	Compatible	with Flip V									e Lig
Lights up to more than 2,900 ft (900 m) in front of the vehicle and		174 50000		or iviou/	nting K	It For 3	9. (99	Cm) LE	DLIgn	t Bar	
	(715005822)	(7150062) is installe	ed.a								
around 115 ft (35 m) wide on each side.) is installe						715	00293	5	
around 115 ft (35 m) wide on each side.	(715005822)) is installe				1		715	00293	5	
around 115 ft (35 m) wide on each side.	(715005822)) is installe ender MAX 20 m						715	00293	5	
around 115 ft (35 m) wide on each side.	(715005822)) is installe						715	00293	5	
around 115 ft (35 m) wide on each side.	(715005822)) is installe ender MAX 20 m 0			1	00		7150	200 m	5	
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W)	(715005822 Defender, Defe) is installe ender MAX 20 m 0 -20 0			1	00		715		5	
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights.	(715005822)) is installe ender MAX 20 m -20 - -20 - 0 nded grill.			1	00		715		5	
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens.	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m 0 -20 -20 -20 -20 -20 -20 -20 -20 -20 -			1	00		7150		5	
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof.	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m -20 c -20 c onded grill. ht power c			1	00		7150		5	
around 115 ft (35 m) wide on each side. F" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m -20 - -20 - o nded grill. ht power c pliant.	able.		1	00		· 			
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m -20 - -20 - o nded grill. ht power c pliant.	able.		1	000		· 	200 m		
	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m -20 c -20 c o nded grill. ht power c pliant.	able.		1	00		· 	200 m		
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m -20 - -20 - 0 nded grill. ht power c pliant. 15 m 0 0	able.		1	000		· 	200 m		
around 115 ft (35 m) wide on each side. F" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m 0 -20 2 0 nded grill. ht power c pliant. 15 m	able.	30 44				· 	200 m		
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. 3.5" (9 cm) LED Driving Lights (2 x 14 W) EXAMPLE Complete	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m -20 - -20 - 0 nded grill. ht pour c pliant. 15 m 0 -15 - c	able.		5 60	75		715	200 m	6	otate
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W)	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m - 20 - - 20 - - - 20 - - 20 - - - 20 - - - 20 - -	able.	ts. If one	5 60 e attach	75 Imment p		715	200 m	6	rotate
around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	(715005822 Defender, Defender, Defen) is installe ender MAX 20 m -20 - -20 - -20 - - 0 mded grill. -15 m -15 m -15 c 0 0 -15 c 0 0 -15 c 0 0 0 -15 c 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	able.	ts. If one	5 60 e attach	75 Imment p		715	200 m	6	rotate

3.5" (9 cm) LED Flood Ligh	ts (2 x 14 W)	Defender, Defender MAX	715003665
		1,260 lumens -15 0 15 30 45 6	0 75 90 105 m
14 W LED lights producing 1,260 lur Flood lens for a wide light beam spr applications like plowing or cornerir riding conditions. Equipped with six high-power LEDs aluminum housing.	ead, ideal for working g. Suitable for dusty or foggy	 Features two attachment points. If one atta the next channel point and remount the lig Sold in pairs. EC compliant. 	
ight Bar Support		Defender, Defender MAX	715006226
	Mounting Bracket that allo Low and forward mounting Compatible with all windsh		715004007).
ight Rack		Defender, Defender MAX	715002456
A	 Lights not included. Front Roof Liner is required Power Cable, Sport Roof, D 	serves as both mount and protection for acces I for installation on the roof (except Cab models leluxe Sport Roof or Sport Roof for MAX require amlessly into our roof products.	s or with Deluxe Sport Roof).
lear Cargo Light		Defender, Defender MAX (2020 & up)	715007077
	 Not EC compliant. 	-	MAX (715003038) is required for installation
AM [†] LED Spotlight		Defender, Defender MAX (2019 & prior)	710005423
	 540 lumens LED light (9 wa ball and socket system. 	att) heavy-duty spotlight standard-equipped wit	h 1" (2.5 cm) diameter rubber-coated doub
Dome Light		Defender, Defender MAX	715002455
Y	 LED array integrates perfect Wiring included. Can be installed on cage of 	r roof, with or without roof liner.	
LED Signature Lights		Defender, Defender MAX (2020 & up)	715006896
	The stylish LED set puts th Included on Limited and Lo	e finishing touch to your Defender, accentuatin one Star models.	g its aggressive stance.

AUDIO & COMMUNICATION SYSTEMS

an-Am Audio Roof		Defender		715005206
	 Full roof with sleek built-in a Fully sealed and waterproof Easy to install: one wire con electronics. Four 8" speakers, one 280 w weatherproof source unit su Speakers include LED lighti designed to uniformly illumi A 3" full-colour LCD display, lighting themes for visibility. 	nects the roof to the vehicle's watt amplifier, and one upplied by JL Audio'. ng integrated into the grille, nate with an RGB glow. with separate day/night	 AM/FM tuner. To install the Audio Roof wit the Power Harnesses 7150 required: Flip Glass Windshield With W Windshield Wiper & Washe Front Full Doors With Powe Rear Full Doors (715006325 (715005214), Rear Deluxe F Not compatible with Advent 	03094 & 715008781 are /iper & Washer Kit (71500244 r Kit (715001638), r Windows (715006331), 9), Front Deluxe Full Doors full Doors (715005215).
an-Am Audio Roof MAX		Defender MAX		715006879
Vetsound Stealth XT 6 Can-A	 watt amplifier and 70 watt M AM/FM tuner. Expertly tuned for exceptior Defender MAX. Speakers include adjustable controlled via an app on you 	components and ctor connects the roof to the Six 7.7" coaxial speakers, 280 Mediamaster® source unit. aal sound on the move in your e RGB LED cone illumination, ar smartphone.	 Mediamaster[®] source unit (LCD display, with day/night Designed to not drain the basis of the type of riding To install the Audio Roof with the Power Harnesses 71500 required: Flip Glass Windshield With W Windshield Wiper & Washe Front Full Doors (715006325 (715005214), Rear Deluxe F Not compatible with Advent 4 marine-rated 3" full range 	lighting modes. attery. J. In the following accessories, J3094 & 715008781 are /iper & Washer Kit (71500244 r Kit (715001638), r Windows (715006331), r Windows (715006331), iul Doors (715005215) iure Roof Rack.
	 Built-in Broadcast mode. Backlit control panel with In lights. Integrated LED Dome. IP67 rated RF wireless remotes a success a suc	te control.	 2 marine-rated 1" tweeters. Operating voltage: 12 V. IP rated: IP67. Length: 21.31" Width: 4.04" Height: 3.85" Sound Bar Mounting Kit required 	uired for installation.
ound Bar Mounting Kit		Defender, Defender MAX		715007840
Dverhead Audio System			• 30 programmable AM/EM s	
	 Rugged waterproof Jensen¹ System offers multi-source i (iPod[®] and iPhone[®] ready). Convenient white LED-back Stream from any Bluetooth- MP3 player). Powerful 4x40W amplifier w Voice-control of AVRCP-action 	input: AM/FM/WB and USB lit LCD display and buttons. enabled device (smartphone, ith remote turn-on.	 30 programmable AM/FM s pre-set scan. Separate RCA audio output UV-resistant finish/corrosio Requires Sport Roof (7150024 (715008226) or Deluxe Sport F Cable (715003094). 	and input. n-resistant components. 30), Front Roof Liner
				715002019
omplete Overhead Audio Sy	stem	Defender, Defender MAX		715002015
omplete Overhead Audio Sy		,	2 rear) and 4 black speaker box	

Rugged Radios Car-to-Ca	r System	Defender, Defender MAX	715003440 · US ONLY
	 Perfect for communicating with friends and family on group rides. Push-to-talk button conveniently mounted on the steering wheel. May be connected with the Rugged Radios Intercom System (with provided adapter cable). 	 This kit includes: 5-watt V3 Radio: UHF/VHF + FM frequency, programmable c includes belt clip, recharging cable, high capacity, all day lith NOAA weather channels, 1-touch FM radio, backlit screen/b Helmet Speaker/Mic Kit: Clear Hear audio speakers, Full Flex Velcro mount speakers, quick & easy install. Harness & Cables: Single Person Harness, Driver Coil Cord F radio mounting bracket, complete plug & play kit. 	hium-ion battery, 1-3 mile range, buttons. x mic boom, cloth mic cover,
Rugged Radios Intercom	System	Defender, Defender MAX	715002891 · US ONLY
	 Specifically designed to faci 	litate clear in-vehicle communication between driver and pass	senger(s).

• Expandable to 4 people.

- Includes music port for enjoying your favorite tunes.
- Seamless integration with in-dash switch panel.
- May be synched with the Rugged Radios Car-to-Car System (715003440).

ELECTRONIC ACCESSORIES

ear View Mirror & Camera Mo	onitor	Defender, Defender MAX	715004905
	•	e seen with the rear view camera, to see what you need. v mirror (screen is integrated in the unit's replacement rear vie	w mirror).

Back-Up Monitor and Came	ra Kit	Defender, Defender MAX	715003834	
Fully waterproof rear The camera is one of mm lens with 130° vie		arest and sharpest available on the market, with 250,000 pixel	l image resolution and a 2.1	
	 Features 18 infrared lights th to light intensity changes an 	nat allow up to 50 ft. (15.24 m) visibility in complete darkness, a Id an adjustable sunshade.	an auto iris sensor that adapts	
	• 7" (17.78 cm) digital TFT LCD colour monitor comes with power harness and can support up to two camera inputs.			
	 The camera can be roof more cargo box for hitching purport 	unted to monitor your cargo load or to see farther behind, and ose.	it can be mounted under the	
	 Not compatible with Defrost 	t Heat and Ventilation System or HVAC.		
		1		

Canadian Map for Garmin N (Not illustrated)	lontana 680t GPS	Defender, Defender MAX	710005065
	 Additional and readily progr Requires Garmin Montana 6 	ammable Canadian basemap for Garmin Montana 680T C 580T GPS.	GPS system.
		Defender (except 6x6), Defender MAX (2020 & up)	715007096
Power Tilt Bed		Defender 6x6	715007204
	 Powerful cargo box tilter wit Electrical actuated hydraulion 	th dash-integrated switch. cs for a strong and quick tilting system.	



Battery Charger/Maintainer			715005061
	 Keeps stored lead-acid batteries charged. 	 Auto-voltage detection. 	
	 Charges and maintains small batteries. Microprocessor controlled multi-stage charging for added precision, safety and battery life. 	 Press the display button to show the charge progr Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness 	
	 Automatically detects 6 or 12 volt batteries. 	with weather cap, owner's	
C.	 Reverse hook-up protection helps protect battery and charger from damage. 	 Not EC compliant. 	
ımp Starter			715005062
	 IPX3 water-resistant and enclosed output ports. 4 LED battery indicators for easy read on battery charge level. 		ection against reverse polarity high temperature and reverse
	 Compact design, will conveniently fit in your backpack, glove box or any other storage compartment. 2.4A + 1A/5V USB ports for fast charging of all USB devices. 		s). ter, SA858 smart cable clamp cable, travel bag, user manua
uick Connect Battery Cable			715005408
0	Quickly and easily connect and charge different batteries	with your charger.	
	Included in the Battery Charger/Maintainer.		
	Sold individually.		
			1
uick Connect Cable with Ba	ttery Indicator		715006055
uick Connect Cable with Ba	• Quickly and easily connect and charge different batteries	with your charger.	715006055
Quick Connect Cable with Ba	-		715006055
Puick Connect Cable with Ba	Quickly and easily connect and charge different batteries		715006055
Ruick Connect Cable with Ba	 Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in 		715006055
uick Connect Cable with Ba	 Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in 		715006055
	 Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in 		715006055 715004445
	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually.	dication.	
	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc	/eco modes.	715004445
	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy.	/eco modes.	715004445
	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc	/eco modes.	715004445
	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount.	/eco modes.	715004445
-Mode Switch	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount.	/eco modes.	715004445
-Mode Switch	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount.	/eco modes.	715004445
B-Mode Switch	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount. Standard on 2020 models.	/eco modes.	715004445
B-Mode Switch	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount. Standard on 2020 models. Allows for GPS integration onto vehicle.	/eco modes.	715004445
AM GPS Mount	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount. Standard on 2020 models. Allows for GPS integration onto vehicle. Standard AMPS hole pattern for Garmin Cradle.	/eco modes.	715004445
Ande Switch	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Switches quickly and conveniently between normal/work, Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount. Standard on 2020 models. Allows for GPS integration onto vehicle. Standard AMPS hole pattern for Garmin Cradle.	/eco modes.	715004445 pact. 715003325
AM GPS Mount	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Our Market Switches quickly and conveniently between normal/work Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount. Standard on 2020 models. Allows for GPS integration onto vehicle. Standard AMPS hole pattern for Garmin Cradle. Standard AMPS hole pattern for Garmin Cradle. Defender, Defender MAX Top-security anti-theft protection for your vehicle. Encrypted chip technology restricts access to your	 /eco modes. eleration and reduced load im • 3 programmable modes: • Work mode: Limits vehic 	715004445 pact. 715003325 715002458 le speed to 40 kph (25 mph)
AM GPS Mount	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Our Market Service Servic	 /eco modes. eleration and reduced load im • 3 programmable modes: • Work mode: Limits vehic but does not limit engine 	715004445 pact. 715003325 715002458 le speed to 40 kph (25 mph) e torque.
AM GPS Mount	Quickly and easily connect and charge different batteries 3-colour LED indicator provides constant battery health in Sold individually. Defender, Defender MAX Our Market Switches quickly and conveniently between normal/work Work mode: Reduced throttle sensitivity for smoother acc Eco mode: Increased fuel economy. In-dash plug-and-play mount. Standard on 2020 models. Allows for GPS integration onto vehicle. Standard AMPS hole pattern for Garmin Cradle. Standard AMPS hole pattern for Garmin Cradle. Defender, Defender MAX Top-security anti-theft protection for your vehicle. Encrypted chip technology restricts access to your	 /eco modes. eleration and reduced load im • 3 programmable modes: • Work mode: Limits vehic but does not limit engine 	715004445 pact. 715003325 715002458 le speed to 40 kph (25 mph) a torque. hicle speed to 70 kph (44 mph)

		Defender, Defender MAX (201	19 & prior)	715003758
Auxiliary Battery Installation	Kit	Defender, Defender MAX (202	20 & up)	715006035
R.	 Allows you to add a second battery setup that will give y to power auxiliary electrical system or winch. Additional battery sold sepa 	you the extra juice you'll need components like a sound		battery junction block, all
JSB Power Outlet Kit		Defender, Defender MAX (202	20 & up)	219400510
	 Recharges your electronic of Dual port USB connectors. 	devices while riding [.] (smartpho	ne, MP3, heating gear, etc.).	
USB	*The power outlet is not capable o	of recharging all device types while	riding.	
Defrost, Heat & Ventilation Sy	ystem	Defender, Defender MAX 201 (not compatible with HD5 Mo		715004917
	 Best integrated system on the speed and in-dash adjustable. Adjustable/directional vents 10 vents specially positione side windows defrosting/definition. 	ole temperature. s. ed for better windshield and	 Easy-service air filter. Once installed, you might the Lower Dashboard for I Storage Compartment Ne 	
	Defender, Defender MAX 2020	0 (except Defender PRO & HD5 I	models)	715005904
	Defender, Defender MAX (202	1 & up)		715008093
	 Best integrated in-dash syst speeds and adjustable temp Adjustable/directional vents concentrate heat at specific A total of 8 vents specially p occupant heating. 	perature. s can be closed to c areas.	for the heating system.	lower dashboard compartmen nt Net for Heating System is
leated Steering Wheel		Defender, Defender MAX		715003837
	 Ruggedly constructed steer withstand cold conditions w to your hands. Perfect for making hand mo available, e.g., hunting, man Replaces stock steering wh 	vhile channeling heat directly bility and grip readily ual farming.	 Draws a maximum of 45W Heated Accessory Electric required on all models exc 	
Radiator Winter Front		Defender, Defender MAX (201	19 and prior)	715005108
	Allows you to get higher hea Defrost, Heat & Ventilation s conditions.	ating temperature out of the System in extremely cold		
Heated Grab Bar Cover		Defender, Defender MAX		715003835
	 Made tough to hold up to th this heated cover will keep and securely gripped during Easy to install and remove. This kit includes the heated in-dash switch. 	your passenger's hands warm g long cold outings.	Heated Accessory Electric required on all models exc models, which require Hea Harness (715006036).	cept XT cab 2020 and PRO

Heated Seat		Defender, Defender MAX		715006112
	 25W seat heater delivers ch High/low temperature setti desired degree of warmth. This kit includes one carbo and in-dash switch. Installs directly in the origin 	ngs allow you to control the n fiber seat heater, foam sheet	Limited models. Heated Accessories Wiring	front seat. Harness (715006036) is Defender XT Cab, PRO and
Heated Seat Harness for MA	K Model	Defender MAX		715006004
	 Electric harness required to 	o hook up and operate rear heat	ed seats.	
Heated Visor Outlet		Defender, Defender MAX		715001246
	 Strategically positioned on Optional visor outlet that de Quick and easy installation. Sold individually. Heated Visor not included. 			
		Defender, Defender MAX (Mo ventilation system), All Defend	dels with defrost, heat & ler PRO models	715006036
Heated Accessories Wiring Harness (Not illustrated)		Defender, Defender MAX (Models without defrost, heat	& ventilation system)	710005757
		b hook up and operate heated ac 2 hand accessories (grab bar/s		ers.

WINCHES & HITCHES

Can-Am HD Winches

Can-Am HD 4500 Winch		Defender, Defender MAX		715006416
Canterna	 Ergonomic clutch handle. Rugged all-steel gears and bus durability. Automatic 100% load-holding l Sealed solenoid for all-weather Weather sealed corded remote EC compliant. 	brake. r protection.	 Pulling strength capability of 43' of 1%4" (13.1 m of 6.3 mm) Heavy-duty 4-way roller fairlea Winch Electrical Harness (71) installation on a Defender 200 Electrical Harness (71500815 on a Defender Base and DPS 	wire steel cable. ad. 5007078) is required for 21 and prior. Winch 52) is required for installation
Can-Am HD 4500-S Winch		Defender, Defender MAX		715006417
Canan	 Ergonomic clutch handle. Rugged all-steel gears and bu durability. Automatic 100% load-holding Sealed solenoid for all-weath Weather sealed corded remo switch. 	g brake. er protection.	 Pulling strength capability o 50' of ¼" (15.2 m of 6.35 mm Corrosion-proof aluminum h Winch Electrical Harness (7 installation on a Defender 2 Electrical Harness (715008' installation on a Defender B) synthetic rope. lawse fairlead. 15007078) is required for 021 and prior. Winch 152) is required for

WARN VRX 45 Winch		Defender, Defender MAX (except XT Cab 2018-2019, Lc DPS Cab & Hunting Edition 20		715006110
WART MARK	 Extreme IP68-rated waterpro- elements out. Durable all-metal construction Black powder-coated finish a for corrosion resistance. Robust new clutch design b WARN 4 WD hub lock know- Load-holding brake for great smooth and reliable all-meta train. 	on. and stainless steel fasteners ased on 70+ years of -how. : control.	 Dash-mounted rocker control Limited lifetime warranty (n (electrical). Pulling strength capability of 50' of ¼" (15 m of 6.3 mm) v Roller fairlead. Winch Electrical Harness (7 installation on a Defender 2 Electrical Harness (715008 installation on a Defender 2 2) 	hechanical), 3-year warranty of 4,500 lb (2,041 kg). vire steel cable. 715007078) is required for 1021 and prior. Winch 152) is required for
WARN VRX 45-S Winch		Defender, Defender MAX (except XT Cab 2018-2019, Lc DPS Cab & Hunting Edition 20		715006111
	 Extreme IP68-rated waterprodelements out. Durable all-metal construction Black powder-coated finish a for corrosion resistance. Robust new clutch design back wARN 4 WD hub lock know Load-holding brake for great train. 	on. and stainless steel fasteners ased on 70+ years of -how. : control.	 Dash-mounted rocker contribution Limited lifetime warranty (m (electrical). Pulling strength capability of 50' of ¼" (15 m of 6.3 mm) s Cast aluminum hawse fairle Winch Electrical Harness (7 installation on a Defender 2 Electrical Harness (715008 installation on a Defender 2 2 (1998) 	nechanical), 3-year warranty of 4,500 lb (2,041 kg). ynthetic rope. aad. 715007078) is required for 1021 and prior. Winch 152) is required for
Cargo Bed Winch		Defender, Defender MAX		715006355
	 Allows you to pull heavy loads into the cargo box easily. Perfect for hunting applications, i.e., loading game. Includes support base made of heavy-duty 2" (5 cm) steel tubing, winch and weather-sealed corded remote. 750 lb (340 kg) maximum pulling capacity. 		 Electronic security module to prevent vehicle damage that could occur if loaded vehicle exceeds manufactu gross weight rating. Adapter Kit (715004709) required for installation with Gear Rail Adapter. Requires Powertilt bed for Defender 6x6 and PRO. Not EC compliant. 	
Synthetic Winch Cable*		With WARN winch		715007783
			nch. nthetic cable to avoid damage a	nd premature wear of the
		1		1
Synthetic Winch Cable*	- 50' of 1/" (15.2 m of 6.25 mm	With Can-Am HD winch	ID winchoo	715006430
	 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. Hawse Fairlead (715006426) required when upgrading to a synthetic cable to avoid premature cable damage and wear. 			
	*Ask your dealer or visit canamoff	road.com for price details.		
Synthetic Cable Extension				715001120
		ameter, easy to handle and wo le to provide additional 50' (15 e capacity.	-	

Replacement Wire Rope*		With WARN winch	715006699		
	 55' of ¼" (16.8 m of 6.35 mn 4,500 lb (2,041 kg) pulling s 	n) wire rope for WARN winch kit. trength.			
	*Ask your dealer or visit canamofi				
Replacement Wire Rope*		With Can-Am HD winch	705014978		
	• 43' of ¹⁵ ⁄ ₄ " (13.1 m of 6.3 mr	•			
	• 4,500 lb (2,041 kg) pulling s *Ask your dealer or visit canamofi				
WARN Hawse Fairlead*		With WARN winch	715007785		
	 Double-powder-coated con Required to use the Synthet To be used with synthetic w 	tic Winch Cable (715007783) on WARN winches.			
Can-Am HD Hawse Fairlead		With Can-Am HD winch	715006426		
		ur winch with a synthetic cable, this corrosion-proof alum			
	cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.				
	 Must be used with synthetic 	c cables only.			
Roller Fairlead		With Can-Am HD winch	710007082		
	Heavy-duty replacement fai	irlead for winches.			
Multimount Winch Harness		Defender MAX, Defender 6x6	710005082		
	Converts Removable Winch	Mounting Kit into a practical multimount winch kit.			
Nired Remote Control		With Can-Am HD winch	715006504		
		rs to add the hand-held remote to vehicles with a stock w	inch.		
	 Works in conjunction with t Remote control and connect EC compliant. 	he mini-rocker switch. stion socket are included with Can-Am HD winch.			
Wireless Remote Control		With WARN winch (Defender 2019 & prior)	715002542		
		sy to install, thanks to a wiring harness with an integrated	antenna and all necessary		
	 Mounting hardware. Allows you to operate your to operate you	winch from anywhere within a 50' (15.2 m) radius, increas rproof.	sing your recovery options.		
Drop Tow Bar		Defender, Defender MAX	715002521		
	 Sturdy 2" (5 cm) ball-less to 	w bar.	ł		
r	 Conveniently set at standar Requires Higher Front Receiption 	d trailering height.			

	Kit	Defender, Defender MAX (except Limited models)	715001652
	the rear of the vehicle. Not compatible for use w 	ur winch when needed. the Multimount Winch Harness to quickly and conveniently r vith the Lower Front Receiver Hitch. eceiver Hitch (715003109).	elocate a front-mounted winch t
ower Front Receiver Hitch		Defender, Defender MAX	715002519
	 Expand and enhance fur) kg) towing capacity 2" (5 cm) receiver hitch. nctionality by pairing it with Higher Front Receiver Hitch and I from its standard mounting position).	Removable Winch Mounting Kit
ligher Front Receiver Hitch		Defender, Defender MAX (except Limited models)	715003109
) kg) towing capacity 2" (5 cm) receiver hitch. ch from its standard mounting position.	
		Defender Defender MAX (2010 & prior)	715003093
Vinch Electrical Harness		Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020 & 2021)	715003093
VINCN Electrical Harness		Defender, Defender MAX 2022	715008152
	 Required to install a wind 	ch on a Defender without a factory-installed winch.	
ront and Rear Hitch Drawba	r	Defender, Defender MAX	715008350
	Forged steel.		705204503
Rubber Receiver Plug	 Rubber cap for 2" (5 cm) 	Receiver Hitch.	705204503
SEATS	• Rubber cap for 2" (5 cm)		
SEATS		Defender, Defender MAX	715005163
SEATS	Headrest for front-center Front Headrests are avai Headrests are required for Not EC compliant.		715005163
Hant-ann	Headrest for front-center Front Headrests are avai Headrests are required for Not EC compliant.	Defender, Defender MAX r-seating position on 3-seated models and for rear-center-sea lable separately for front passengers on MAX models. or all passengers on some regulated trails.	715005163

PERFORMANCE

S3 Front High Clearance A-A	rm	Contact your authorized dealer or visit our online store at can-amoffroad.com	715003784 · Black
A COL		er rough terrain. ity and turning radius without reducing performance. ie 360 LT Track System and Front A-Arm Protectors.	
S3 Rear High Clearance A-Aı	'n	Contact your authorized dealer or visit our online store at can-amoffroad.com	■ 715003785 · Black ■ 715005118 • Sunburst Yellow
The second		rer rough terrain. ity and turning radius without reducing performance. ie 360 LT Track System and Rear A-Arm Protectors.	
Brake Holding Mechanism		Defender, Defender MAX	715004733
	 Maintains constant pressure the transmission in P (park) 	re on the brake pedal to keep the vehicle from moving on slop).	ed terrain, without having to put
Heavy-Duty Spring Kit		Defender (2019 & prior), Defender HD8 (2020 & up), Defender (select 2022 models)	715005084
	 Perfect for reducing vehicle clearing. Complete kit of 4 springs. 	ngs will stiffen your suspension. e overall sag when shocks are under heavy demand: heavy loa der HD5, XT CAB, Mossy Oak Edition & X mr models and Defe	
850 W Magneto Kit		Defender, Defender MAX (2020 & up except HD5 & HD7)	715007122
	 Increases the magneto out Includes rotor, stator and re 	•	
Emergency Kit		Defender, Defender MAX	715006102
	powersport enthusiasts ca	r compressor, tyre repair kit, first aid kit, ratchet tie-down, duc	

	Smart-	Lok To	echno	logy
--	--------	--------	-------	------

Smart-Lok Differential		Defender, Defender MAX (2019 & prior)	705402936	
Performance Half Shaft	 controlled automatic mode Choose your differential set for a fully locked 4 wheel dr Using multiple input source moment to procure maximu feeling of confidence. The Smart-Lok Kit comes st Requires Performance Half High-performance design in desert riding. 	tings according to your riding need: "2x4" for rear wheel trac rive, and "4x4 Smart Modes" that offer preset, intelligent calib es, "Smart Modes" will instantaneously engage locking with t um traction while retaining low-speed maneuverability, allowi	tion only, "4x4 Front Diff Lock" rations for your type of riding. ne right load at the right ng for optimal placement and 705402353 705402575	
Mud Smart Mode Module Not illustrated)	Differential Kit.	Models with Smart-Lok Differential o add the Mud, Rock or Trail Activ Smart Mode to vehicles eq or traction in the deepest mud holes.	715005282 uipped with the Smart-Lok	
	The system will stay locked	nd/or slippage is detected, Smart-Lok will fully lock the front o until throttle release. ule can be installed at a time.	end.	
Rock Smart Mode Module		Models with Smart-Lok Differential	715005283	
	Differential Kit. • Designed to help cross cha • When high engine torque is engaged until throttle relea • The progressive engageme	ow you to add the Mud, Rock or Trail Activ Smart Mode to vehicles equipped with the Smart-Lok ross challenging rocks. torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay ttle release to prevent wheel slippage and provide optimal traction. ngagement allows for easier steering when maneuvering the vehicle. ode Module can be installed at a time.		
Trail Activ Smart Mode Module		Models with Smart-Lok Differential	715005284	
	Differential Kit. • Designed for aggressive rid • When high engine torque a front end and maintain it en • The progressive engageme	o add the Mud, Rock or Trail Activ Smart Mode to vehicles eq ding delivering the ultimate cornering precision. nd/or an increase in vehicle speed is detected, Smart-Lok wil ngaged until throttle release or vehicle speed reduction. ent allows for lower smooth steering effort. ule can be installed at a time.		

Air Intakes & Exhaust					
Snorkel Kit		Defender, Defender MAX (except Defender HD5, HD7 and Defender PRO)	715003727		
	the engine. • Not compatible with Heada Washer Kit. • Snorkel Extension Kit is avai	I CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to ache Racks, Gear Rail equipment, DragonFire Cargo Bed Roll Bar and Windshield Wiper & ailable for roof level air intake and CVT exhaust. 5004414) and Sealed Air Box (707801033) are required for installation on 2017 and prior			
Snorkel Extensions		Defender, Defender MAX	715004415		
	conditions. Not compatible with all rear	of engine and CVT air intake. vehicle and help keep your intakes clear from mud, snow, dus panels and windows, Rear Cargo Light and roof-mounted Rea equired, except for X mr models.	· •		
Adapter for Snorkel Kit		Defender and Defender MAX 2017 & prior	715004414		
	Required for the installation of Snorkel Kit (715003727) on Defender 2017 and prior models. Includes rear firewall for Snorkel Kit and hardware. Standard on Defender 2018 & up models.				
Sealed Air Box		Defender, Defender MAX 2017 & prior	707801033		
	 Required when installing the Standard on Defender 2018 	e Snorkel Kit (715003727) on Defender and Defender MAX 20			
Snorkel Pre-FILTER		Defender, Defender MAX (except Defender PRO)	715005597		
AC	 Helps keep air filter cleaner. Filter blocks particles larger Necessary to maintain vehic 	r engine in harsh riding conditions.	715008651 for the CVT inlet.		
Air Intake Pre-Filter		Defender (except X mr models), Defender MAX	715003483		
	 Helps keep air filter cleaner. Filter blocks particles larger Easy, tool-less installation. Necessary to maintain vehice 	than 0.007" (0.19 mm). cle warranty when tracks are installed. he and Backcountry Track Systems.			
Foam Air Filter by Twin AIR [†]		Defender, Defender MAX	715003630		
	 The best choice for the hars Multiple staged oiled filterin Washable and reusable. 	hest conditions. Ig foam for superior dust retaining capacity with high air flow.			
CVT Air Intake Relocation Kit		Defender, Defender MAX (except X mr, HD5 & PRO models) Defender, Defender MAX 2020 & up (except HD5)	715004183 715008651		
	•	protected in the cab area. ay from snow splashing from wheels or tracks. bed 2020 & up Defender models HD10 and higly recommend t			

A HAR AVEL

APACHE TRACK SYSTEMS

Winter Tracks

Apache BackCountry LT Tracl	k Kit	Defender, Defender MAX (except 6x6)		715005891
the market with unmat and traction on snows		igger than the Apache 360 LT.	maximum traction on snow. • Apache Backcountry LT Mounting Kit, Track DPS Modul and Engine & CVT Pre-Filter are required.	
	keep the vehicle over the sn		 Fine-tune your track system Sliders with Vespel Inserts 	
	 Lightweight snowmobile-ins 	spired rail design.	 For winter use only. 	
				715005888
Apache Backcountry LT Mour	nt Kit			715005493
(Not illustrated)	See table for fit, compatibility		and requirements.	715006196
	 Required for installation of the Apache Backcountry LT Track System. DPS module and engine pre-filter are required and sold separately. 		track-equipped 2020 & up I highly recommended for otl separately.	
Rail Ice Scratchers		Apache Backcountry and Back	country LT Track Systems	860201728
	 Rail mounted, small, light. 	on in hard and icy conditions an cept to allow reversing without se.		
Extra Wheel Kit		Apache Backcountry LT Whee	l kit	715006293
	Additional wheel kit for Backcountry LT rear tracks. Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.			

Reduces drag and rolling resistance in hard
 Extends slider life in hard snow conditions.

- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

Apache Backcountry LT Tracks Fitting Guide

Model Year	/ Model	Length	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Prior	Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715005888			745005507
2019 & Prior	Defender XT Cab 2018-2019, Lone Star Edition & X mr	67"	-	715006196	-		715005597
2020 & Up	Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9)	62"	-	715005888	_	715003483	
2020 & Up	Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT	64"	715005891	715005493	715007338	& 715004183 (except X mr)	
2020 to 2022	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715006196	-		715005597 & 715008651
2023	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"		715005493			

Year-Round Tracks Apache 360 LT Track System Defender, Defender MAX (except 6x6) 715005103 Image: State of the state of the

Apache 360 LT Mounting Kit				715004831
(Not illustrated)	See table for fit, compatibility ar		ility and requirements.	715005492
	 Required to install Apache 360 LT Track System. DPS module and engine pre-filter are required and sold separately. 			on kit is MANDATORY for Defender models HD10 and ther models. This kit is sold
Track DPS Module (Not illustrated)				715007338
	 An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease. 			
	 Required to install the Apac 	he and Backcountry Track	Systems.	

Apache 360 LT Tracks Fitting Guide

Model Year	/ Model	Length	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Prior	Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715004831			715005597
2019 & Prior	Defender XT Cab 2018-2019, Lone Star Edition & X mr	64"		715004832			/1500559/
2020 & Up	Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9)	62"	-	715004831	-	715003483	
2020 & Up	Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT	64"	715005103	715005492	715007338	& 715004183 (except X mr)	
2020 to 2022	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715004832	-		715005597 & 715008651
2023	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715005492	-		

PROMOUNT PLOWS

Can-Am ProMount Flex2 Plow kit

Can-Am ProMount Flex2 72" (183 cm) Blade Plow Kit

Defender, Defender MAX

715008170

715004485

715008172 · Black

715008171 · Yellow

Blade design provides best snow roll-off at any angle.

Compatible with Can-Am ProMount Blade accessories to

Clears 66" (168 cm) when plow is fully angled.

Blade height of 17" (43 cm).

further enhance plow versatility.

to



- These kits include:
- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting plate

Can-Am ProMount Flex2 Blades

Can-Am ProMount Flex2 66"	(168 cm) Blade	Fits ProMount Push Frame		715006265
	 Plow blade made of UHMW absorbing material prevents accidental impact occurs. Replacable wear blade. Large pin designed for easy snow buildup at pivot point. 	damaging your plow when blade rotation to eliminate	 Blade design provides best Clears 60" (152 cm) when pl Blade height of 17" (43 cm). Compatible with Can-Am Pr further enhance plow versa 	low is fully angled. oMount Blade accessories to

Fits ProMount Push Frame

Can-Am ProMount Flex2 72" (183 cm) Blade

- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.

Can-Am ProMount Steel Plow Kit

Can-Am ProMount Steel 72" (183 cm) Blade Plow kit

bese kits include:

ade Plow kit | Defender, Defender MAX



- These kits include:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting plate

Can-Am ProMount Steel Blades

Can-Am ProMount Steel 66	" (168 cm) Blade	Fits ProMount Push Frame		■ 715006337 · Black ■ 715006338 · Yellow
1559HD-810H	 Plow blade made from 12-ga Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. Blade design provides best stated for the set of the s	blade rotation to eliminate	 Clears 60" (152 cm) when p Blade height of 17" (43 cm). Compatible with Can-Am Pr further enhance plow versa Not compatible with S3 Higl 	oMount Blade accessories to tility.

Can-Am ProMount Steel 72" (183 cm) Blade Fits ProMount Push Frame 715004474 · Black • Plow blade made from 12-gauge steel. • Clears 66" (168 cm) when plow is fully angled. • Replaceable wear blade. • Blade height of 17" (43 cm). • Large pin designed for easy blade rotation to eliminate snow buildup at pivot point. • Clears 66" (168 cm) when plow is fully angled.

- Blade design provides best snow roll-off at any angle.
- Not compatible with S3 High Clearance Front A-Arm.

ProMount Plow Kits - Reference Charts

	66" Black Steel	66" Yellow Steel	66" Flex2	72" Black Steel	72" Yellow Steel	72" Flex2		
Plow Kit	-	-	-	715008172	715008171	715008170		
Blade	715006337	715006338	715006265	715004474	715006021	715004485		
Push Frame	715008116	715008116	715008116	715008116	715008116	715008116		
Mounting Plate	715007745	715007745	715007745	715007745	715007745	715007745		

Can-Am ProMount Angle Plows

Can-Am ProMount 66" (168 State Blade	cm) Steel Oneway	Fits ProMount Push Frame		715007263
an	 Make the job easier with the and make the task easier by out of the way. 		 One-way "winged" state plo higher. Rubber flap (715007299) de 	Ũ
	 Wing end of plow measures down to 16" (41 cm). 	26" (67 cm) high and tapers		accessory (sold separately).

Can-Am ProMount 72" (183 State Blade	s cm) Steel Oneway	Fits ProMount Push Frame		715007264
	 Make the job easier with the and make the task easier by out of the way. 		 One-way "winged" state plo snow higher. Rubber flap (715007299) de 	J.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Wing end of plow measures down to 16" (41 cm). 	26" (67 cm) high and tapers		accessory (sold separately).

Can-Am branded.

Can-Am ProMount Plow Accessories

Can-Am ProMount Edge Ma	arkers	Defender, Defender MAX	715004206
1	 Help locate the edges of you 	ur plow.	
	 Height: 24" (60 cm). 		
	 Sold in pairs. 		
	 Compatible with Can-Am Pr 		
	blades with or without Blade Can-Am ProMount Steel 54		
an-Am ProMount 66" (168	cm) Plastic Wear Blade	Defender, Defender MAX	715004482
an-Am ProMount 72" (183	cm) Plastic Wear Blade	Defender, Defender MAX	715004483
	 To help prevent scratches of markable surfaces. 		
an-Am ProMount Drift Cut	tters	Defender, Defender MAX	715006258
can-Am ProMount Drift Cut	 Help keep snow in the plow. 		715006258
an-Am ProMount Drift Cut			715006258
can-Am ProMount Drift Cut	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. 	cm x 33 cm).	715006258
Can-Am ProMount Drift Cut	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr 	cm x 33 cm). oMount Steel and Flex2	715006258
Can-Am ProMount Drift Cut	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. 	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for	715006258
Can-Am ProMount Drift Cut	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr blades with or without Blade 	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for	
	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr blades with or without Blade the Can-Am ProMount Stee 	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for	715006258 ■ 715004205 · Black ■ 715004205 · Black ■ 715005319 · Yellow
	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr blades with or without Blade the Can-Am ProMount Stee 	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for I 54" (137 cm) Blades).	■ 715004205 · Black
	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr blades with or without Blade the Can-Am ProMount Stee 	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for I 54" (137 cm) Blades). Defender, Defender MAX oMount Blades (except for	■ 715004205 · Black
Can-Am ProMount Drift Cut	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr blades with or without Blade the Can-Am ProMount Stee Ktensions Add 3" (8 cm) each side. Compatible with Can-Am Pr 	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for I 54" (137 cm) Blades). Defender, Defender MAX oMount Blades (except for " [137 cm] Blade). nstalled to further extend the	■ 715004205 · Black

Back Drag Blade		ProMount Plows (60" and mor	re)	715007794
	 ¼ thick steel swivel scraper Lifts up when the vehicle is affect the scraping. Increased capacity to pull s More aggressive scraping i 	moving forward so as not to	 Lifts the scraper off the gro Adjustable in length for cor 72" blades. Compatible with ProMount 	mpatibility with 60", 66" and
Can-Am ProMount Push Fram vith Quick-Attach System	e	Defender, Defender MAX		715008116
	traction. Designed for maximum plo Features a self aligning qui	es ultimate push strength and	 Plow Limit Switch recomm lifespan. Can-Am ProMount Mounti installation. Blade swivels left or right, 5 Large pin designed for eas dirt and snow buildup at pi 	ng Plate required for positions. y blade rotation to eliminate
an-Am ProMount Push Fram	e Extension	Defender, Defender MAX		715006257
Can-Am ProMount Mounting	Plata	Defender, Defender MAX (202	1.9 aria)	715007743
	·	r Fairlead. nt High Clearance A-Arm (7150	03784).	1
Can-Am ProMount Mounting	Plate	Defender, Defender MAX (202	2 & up)	715007745
	 Mounting plate precision-d Comes with the Plow Roller 	Am ProMount Push Frame with esigned to stay on year round w r Fairlead. Int High Clearance A-Arm (7150	vithout compromising ground o	slearance.
Plow Angling System*		Defender, Defender MAX		715006022
	 Allows you to have full up/d Using one hand to control a Push Frame Extension (715) 	into an easy-to-control unit fron lown and left/right plow control all plow motions will allow you to 5006257) is required for installat le Backcountry Track System.	at your fingertips by using the easily concentrate and manage	ge your plowing tasks.
ProMount Plow Limit Switch Not illustrated)		Defender, Defender MAX		715006259
	 For controlling the cable ter Prevents winch, plow push Sensor relocated for optimal 		ow system.	
Plow Roller Fairlead		Defender, Defender MAX		715001223
1997	 Cylindrical roller fairlead 			

Super-Duty Plow System

Super-Duty 72" (183 cm) Bla	ade Plow Kits	Defender, Defender MAX		715003416
con-am	 A comprehensive plow syster angling. Ultra-durable 72" (183 cm) b with integrated reinforcement tubes to tackle the most der Requires a winch for raising Convenient disconnect syster installation or removal. Front mount provides minimitian 	blade made of 12-gauge steel int and heavy-duty push manding jobs. and lowering. em for quick and easy	This kit includes: - 72" (183 cm) Super-Duty P - Super-Duty Plow Push Fra - Super-Duty Plow Mounting	me.

Super-Duty Plow Hydraulic A	ngling Kit	Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020 & up)	715002840 715006038
	,	full up/down and left/right plow control at your fingertips. comes with everything you need to turn your Super-Duty Plov	v into a quick, easy-to-control unit from
	 Using one hand to your plowing tasks. 	control all plow motions with the supplied joystick will allow y	you to easily concentrate and manage
	 With this commercial 	ial grade kit, you will send snow exactly where you want relia	bly all winter long.

Winch and plow sold separately.

Super-Duty Plow Push Fran (Not illustrated)	me Extension	Super-Duty Plow	715001221
	 Comes with Plow Magnetic 	Duty Plow with the Apache 360 LT Track System. Switch and Plow Pulley. Front Accessory Bar for installation.	
Plow Blade Extensions		Super-Duty Plow	715001217
	 Side extensions for widenin Include rubber flaps for extension Sold in pairs. 	g your plow blade by 6" (15 cm) on each side. ension parts.	
Plow Edge Markers (Not illustrated)		Super-Duty Plow	715001216
	 For a more accurate view of Allows you to work closely a 		
Plow Drift Cutter (Not illustrated)		Super-Duty Plow	715001218
	 Keeps snow securely in the Allows you to cut a cleaner Sold individually. 		
Plow Rubber Flap (Not illustrated)		Super-Duty Plow	715001219
	 Keeps snow away from the 	driver and helps snow to roll in front of the plow.	
Plow Pulley (Not illustrated)		Super-Duty Plow	715002042
	 For use with the Super-Duty Helps winching efficiency. Requires Front XT Bumper. 	y Plow.	
Plow Magnetic Switch (Not illustrated)		Super-Duty Plow	715001995
	 Magnetic switch that stops For use with Super-Duty Place 	the winch to prevent cable, winch and frame damage. ow.	

COVERS & ADD-ONS

		Defender, Defender 6x6, Defe	nder PRO	715004453
Frailering Cover		Defender MAX		715004454
5	polyester.	of UV-resistant solution-dyed vindshield and coloured panels re reinforced with a double	 during storage and trans Opening for fuel cap. Quick and easy installation Designed to perfectly fit y Can-Am accessories. 	
Bolt-On [†] Retractable Ratche	eting Tie-Downs			295101072
	 Perfect for transporting y securing loads. Mounts easily: Bolts on a frame). 1" x 6' (2.5 cm x 1.8 m) tie 	ny flat surface (e.g., truck bed or -down strap with heavy-duty 00 lb (226 kg) working load	mechanism tightens the vehicle or load into placeRubber ratcheting handle	res away strap, while the ratche strap snugly to secure your
Ratchet Tie-Downs				715008309 · Black/Gra
	 1" x 10' (2.5 cm x 3 m) stra Deluxe ratchet with rubbe Coated S hooks. Pack of 2. 	ap with Sea-Doo, Ski-Doo and Car er handle.	n-Am logos.	
leavy-Duty Ratchet Tie-Do	wn			715008308
	 1.5" x 6' (38 mm x 1.8 m) s Deluxe ratchet with rubbe Black-coated clip hooks. 12" (300 mm) webbing in Pack of two. 	er handle.		
TYRES & RI	MS			705403201 · Front
PS Swamp Force Tyres		Defender X mr, Defender MAX	K X mr	705503387 · Rear
	 Front: 30" x 9" x 14" Rear: 30" x 11" x 14" 			
331 30				
				705403080 · Front
KPS Trac Force		Defender (Limited & Lone Sta	r models)	705403080 · Front 705503354 · Rear

(PS Trail Force Tyres	HD10 (front only)	fender DPS CAB HD8, Defender LTD HD10, Defender MAX LTD	705402754 · Front 705503103 · Rear		
	All-terrain radial tyre.		resource near		
A CONTRACTOR	 All-terrain radial tyre. 8-ply construction offered in 27X9R14. 				
	 Versatile and suitable for Aggregative tread pattern 	many types of terrain. for better traction on dirt, mud and rocky terrains.			
	 Aggressive tread pattern Tread depth: 20 mm. 	for better traction on dirt, mud and rocky terrains.			
	• Max PSI: 42.				
			705402504 · Front		
TP Cryptid		Defender X mr	705502913 · Rear		
	• Front: 30" x 9" x 14". • Rear: 30" x 11" x 14".	 Graduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the mud without compromising ride comfort on trails and hard pack. 6-ply rated. 			
laxxis Bighorn 2.0 Tyre					
			705402168 · Front		
	• Front: 27" x 9" x 14".		705400961 · C€ 705502665 · Rear		
22	• Rear: 27" x 11" x 14".	Defender (XT, XT Cab)	705501295 · CE		
			705402560 · Front		
	• Front: 27" x 9" x 12".		705401386 · CE		
	• Rear: 27" x 11" x 12".	Defender	705502938 · Rear 705501818 · CE		
	• Front: 28" x 9" x 14".		705402080 · Front		
	 Rear: 28" x 11" x 14". 	Defender	705502603 · Rear		
			705402107 · Front		
laxxis M923J/M924J		Defender (Base & DPS models only)	705502626 · Rear		
	Rear: 25" x 10" x 12".				
			715003839 · 27" x 9"x 14"		
ear Tyre Chains			715003839 · 27" x 9"x 14" 715000225 · 29" x 9"x 14"		
	Improve your traction in r Sold in pairs.	mud and snow.			
ear Tyre Chains	 Improve your traction in r 	mud and snow.			
Rims 4" Rim	 Improve your traction in r 	mud and snow.	715000225 · 29" x 9"x 14"		
Rims 4" Rim	Improve your traction in r Sold in pairs. Front: 14" x 6.5"	Defender, Defender MAX • Black with clear coat aluminum rim.	715000225 · 29" x 9"x 14" 705401594 · Front		
Rims 4" Rim	 Improve your traction in r Sold in pairs. Front: 14" x 6.5" offset = 41 mm. Rear: 14" x 8" 	Defender, Defender MAX	715000225 · 29" x 9"x 14" 705401594 · Front		
Rims 4" Rim	Improve your traction in r Sold in pairs. Front: 14" x 6.5" offset = 41 mm.	Defender, Defender MAX • Black with clear coat aluminum rim. • Choice of beadlock colour (not included). • Needs 16 bolts (250000787) for installing the beadlock.	715000225 · 29" x 9"x 14" 705401594 · Front 705503191 · Rear		
Rims 4" Rim lot illustrated)	 Improve your traction in r Sold in pairs. Front: 14" x 6.5" offset = 41 mm. Rear: 14" x 8" 	Defender, Defender MAX • Black with clear coat aluminum rim. • Choice of beadlock colour (not included).	715000225 · 29" x 9"x 14" 705401594 · Front 705503191 · Rear		
Rims 4" Rim lot illustrated)	Improve your traction in the Sold in pairs. Front: 14" x 6.5" offset = 41 mm. Rear: 14" x 8" offset = 51 mm. Cast aluminum beadlock	Defender, Defender MAX Black with clear coat aluminum rim. Choice of beadlock colour (not included). Needs 16 bolts (250000787) for installing the beadlock. Defender, Defender MAX To5401586 · Manta Greer To5401702 · Octane Blue	715000225 · 29" x 9"x 14" 705401594 · Front 705503191 · Rear 705401837 · Can-Am Re		
	Improve your traction in the Sold in pairs. Front: 14" x 6.5" offset = 41 mm. Rear: 14" x 8" offset = 51 mm. Cast aluminum beadlock	Defender, Defender MAX Black with clear coat aluminum rim. Choice of beadlock colour (not included). Needs 16 bolts (250000787) for installing the beadlock. Defender, Defender MAX T05401586 · Manta Greer T05401702 · Octane Blue	715000225 · 29" x 9"x 14" 705401594 · Front 705503191 · Rear 705401837 · Can-Am Re		

12" Rim		Defender Defender MAY		 705401678 · Black · Fron 705502244 · Black · Real
Not illustrated)	Frank 40" - 0"	Defender, Defender MAX		■ 705502244 · Black · Rea
	 Front: 12" x 6" offset = 41 mm. 	 Black with clear coat aluminum rim. Choice of beadlock colour (not include) 	d)	
	 Rear: 12" x 7.5" offset = 51 mm. 	Needs 16 bolts (250000787) for installing		
I2" Beadlock Rings		Defender, Defender MAX	705401816 705401815 705401814 705401814	Orange Crush Yellow
	 Cast aluminum beadlock. Must be installed on From and Rear Rim (705502244) 			
	Matching Nuts - 250100184 Matching Cap - 705400928			
			■ 705401848 · ■ 705401849 ·	Black and machinged · Front Black · Front
Outlander X mr and Defender	Rim	Defender, Defender MAX (front wheels)	705502397 · 705502398 ·	Black and machinged · Front Black · Rear
RR	 Cast aluminum rim with trendsetting explosive styling so you can ride—and look—like a trailblazer. Front: 14" x 6.5" offset = 10 mm. Rear: 14" x 8.5" offset = 23 mm. 			
S.S.	Matching Nuts - 250100184 Black, 250100185 Chrome Matching Cap - 705401541			
			705402338	Black · Front
Defender Cast-Aluminum 14"	Rim	Defender, Defender MAX	705502778	Black · Rear
	 Front: 14" x 7" offset = 41 Rear: 14" x 8.5" offset = 51 			
	Matching Nuts - 250100184 Matching Cap - 705401541			
one Star Cast-Aluminum 14"	Rim		705402334 · Fr	ont
Not illustrated)		Defender, Defender MAX	705502775 · Re	ear
	 Front: 14" x 7" offset = 41 Rear: 14" x 8.5" offset = 51 			
	Matching Nuts - 250100184 Matching Cap - 705401541			
		705402120 · Black · Front		
		705402118 · Silver and machinged ·		37 · Black · Rear
		705402118 · Silver and machinged · Front 705402121 · Black and machinged ·	7055026	34 · Silver and machinged · Rea
Defender Rim Not illustrated)	 Front: 14" x 7" offset = 41 Rear: 14" x 8.5" offset = 51 	 705402118 · Silver and machinged · Front 705402121 · Black and machinged · Front mm. 	7055026	

CAN-AM MAVERICK X3

CAN-AM MAVERICK X3

MODEL PACKAGES

Can-Am Maverick X3 X ds Turbo RR	71
Can-Am Maverick X3 X ds Turbo RR Competitive Chart	72
Can-Am Maverick X3 X rs Turbo RR	73
Can-Am Maverick X3 X rc Turbo RR 72"	74
Can-Am Maverick X3 MAX X rs Turbo RR	75


76

COMPARATIVE CHART

Can-Am Maverick X3 Lineup

ACCESSORIES

Roofs	78
Soft Cab Enclosure	79
Windshields & Mirrors	79
Doors	81
HMWPE Skid Plates	83
Bumpers & Guards	84
Seat Accessories	87
LinQ: Easy On, Easy Off Cargo	88
Racks & Storage	93
Lights	94
Audio & Communication Systems	98
Electrical & Electronic Accessories	99
Winches & Hitches	101
Performance	103
Trailering	107
Apache Track Systems	108
ProMount Plows	110
Tyres & Rims	113



WHAT'S NEW

Sport Roof & 4-Point Retractive Harness

For Maverick X3 X ds Turbo RR packages

New Premium Colouration

Mineral Gray & Desert Tan: Can-Am Maverick X3 X rc Turbo RR 72" package

2023 CAN-AM MAVERICK X3 X DS TURBO RR



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- Smart-Lok front differential
- FOX[†] 2.5 PODIUM RC2[†] piggyback shocks
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am signature LED lights
- 14 in. aluminum beadlock wheels
- Maxxis Carnivore 30 in. tyres
- 64 in. wide with more than half a metre of suspension travel
- Full roof
- HMWPE full skid plate

Triple Black / TURBO RR

ENGINE	TURBO RR	
Туре	200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler, and high-perfomance air filter	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P	
Drive Train Lockable front differential with exclusive Smart-L technology. True 4 modes traction system: 2WD/ with front diff. lock/4WD TRAIL ACTIV/4WD TRA		
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	

SUSPENSIONS

Front Suspension	Double A-arm with sway bar/20 in. (50.8 cm) travel		
Front Shocks	FOX 2.5 PODIUM RC2 Piggyback with dual speed compression and rebound adjustments		
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel		
Rear Shocks	FOX 2.5 PODIUM RC2 Piggyback with dual speed compression, rebound adjustments and bottom-out control		

TYRES & WHEELS

Front Tyres	Maxxis Carnivore [†] 30 x 10 x 14 in.		
Rear Tyres	Maxxis Carnivore [†] 30 x 10 x 14 in.		
Wheels	14 in. cast-aluminum beadlock		

BRAKES

Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES

DIMENSIONS & CAFACITIES				
Estimated Dry Weight	1,554 lb (704.9 kg)			
Chassis/Cage	Dual-phase 980 steel			
LxWxH	132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm)			
Wheelbase	102 in. (259.1 cm)			
Ground Clearance	14 in. (35.6 cm)			
Rack Capacity	200 lb (91 kg) with LinQ [®] Quick-Attach			
Storage Capacity	Total: 2.5 gal (9.4 L)			
Fuel Capacity	10.5 gal (40 L)			
Person Capacity	2			

FEATURES

Gauge 7.6 in. wide digital display with keypad		
DC outlet (10-A)		
RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		
LED headlight, LED signature lights, LED tail lights		
N/A		
agneto 850 W		
Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook		

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	100 hours / 12 months / 3000 km

	0	Can-Am Maverick X3 X DS Turbo RR	Polaris Pro XP Premium EPS	Yamaha YXZ1000R SS XT-R - 2023
Engine Size (cc)		900 cc	925 cc	998 cc
No of Cylinders	=	3	2	3
Horsepower	+	200 hp	181 hp	103 hp
Turbo	=	Yes	Yes	No
Transmission	+	pDrive primary and Quick Response System X CVT	Automatic PVT (CVT)	Constant Mesh 5 speed, paddle shift, auto clutch, with reverse
Front Diff. Type	+	Lockable front differential with exclusive Smart-Lok	Isolated Xtreme performance true on demand AWD/2WD	On command 3 way locking differential 2WD/4WD/diff lock
Power Steering	+	Hi torque tri-mode Dynamic Power Steering	Electronic Power Steering	Electronic Power Steering
Seating Capacity	=	2	2	2
Front Suspension	=	Double A-arm with sway bar	High clearance dual a-arm with stabilizer bar	Independent double wishbone with anti-sway bar
Rear Suspension	=	4-link torsional trailing arm X with sway bar	Trailing arm with stabilizer bar	Independent double wishbone with anti-sway bar
Wheel Size	=	14"	14"	14"
Wheel Material	=	Aluminium	Aluminium	Aluminium
Tyre Height	=	30"	30"	29"
Ground Clearance		35.6 cm	36.8 cm	33 cm
Overall Width	=	335.3 cm	320 cm	312.1 cm
Overall Length	+	162.5 cm	162.6 cm	162.6 cm
Vehicle Dry Weight		704.9 kg	809 kg	689.9 kg
Fuel Capacity		40 L	45.4 L	34 L
Anti Theft Device	+	RF Digitally Encoded Security system (D.E.S.S)	None	None
Warranty Period		2 years/15,000 km, whichever comes first	1 year unlimited km	3 years unlimited km
Display	+	7.6" wide digital display with keypad	7" glove touch display	Supersport-style dashboard

2023 CAN-AM MAVERICK X3 X Rs **TURBO RR** <u>with smart-shox</u>



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- 72.7 in. wide with over 55cm of suspension travel
- Smart-Lok front differential
- Smart-Shox Technology featuring DDA Valve
- + FOX^{\dagger} 3.0 PODIUM^{\dagger} shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am LED signature lights
- 14 in. aluminum beadlock wheels
- 32 in. Maxxis Carnivore[†] tyres
- Full roof
- HMWPE full skid plate

Intense Blue, Carbon Black, & Chalk Gray / TURBO RR

ENGINE	TURBO RR
Туре	200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P
Drive Train	Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Double A-arm with sway bar/22 in. (55.9 cm) travel/ Trophy truck inspired arms
Front Shocks	FOX 2.5 PODIUM Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel
Rear Shocks	FOX 3.0 PODIUM remote reservoir with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
TYRES & WHEELS	

THEO & MILEE	
Front Tyres	Maxxis Carnivore [†] 32 x 10 x 14 in.
Rear Tyres	Maxxis Carnivore [†] 32 x 10 x 14 in.
Wheels	14 in. cast-aluminum beadlock

BRAKES

DRAKES	
Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES

DIVIENSIONS & CAPA	ci i i ci i ci i ci i ci i ci i ci i c
Estimated Dry Weight	1,699 lb (770.7 kg)
Chassis/Cage	Dual-phase 980 steel
LxWxH	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)
Wheelbase	102 in. (259.1 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	200 lb (91 kg) with LinQ [®] Quick-Attach
Storage Capacity	Total: 2.5 gal (9.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	2

FEATURES

Gauge	7.6 in. wide digital display with keypad
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlight, LED signature lights, LED tail lights
Winch	N/A
Magneto	850 W
Protection	Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	100 hours / 12 months / 3000 km

2023 CAN-AM MAVERICK X3 X RC TURBO RR 72"



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- 72.8 in. wide with over 55cm of suspension travel
- Smart-Lok* front differential
- FOX[†] 3.0 PODIUM RC2[†] shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am LED signature lights
- 15 in, aluminum beadlock wheels
- 32 in. Maxxis Liberty[†] tyres
- · Front bumper, half-doors, aluminum roof, intrusion bar
- Front tow hook
- 4,500 lb (2,041 kg) winch with synthetic rope
- HMWPE differential and under bumper skid plates
- HMWPE front and rear suspension arm
- UHMWPE rock sliders

Mineral Gray & Desert Tan / TURBO RR

ENGINE	TURBO RR
Туре	200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P
Drive Train	Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Trophy truck inspired arched double A-arm with sway bar/22 in. (55.9 cm) travel
Front Shocks	FOX 2.5 PODIUM RC2 Piggyback with bypass, dual speed compression, and rebound adjustments
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel
Rear Shocks	FOX 3.0 PODIUM RC2 remote reservoir with bypass, dual speed compression and rebound adjustments

TYRES & WHEELS

Front Tyres	Maxxis Liberty [†] 32 x 10 x 15 in.
Rear Tyres	Maxxis Liberty [†] 32 x 10 x 15 in.
Wheels	15 in. cast-aluminum beadlock

BRAKES

Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES

DIVIENSIONS & CAP	DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,843 lb (836 kg)	
Chassis/Cage	Dual-phase 980 steel	
LxWxH	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)	
Wheelbase	102 in. (259.1 cm)	
Ground Clearance	16 in. (40.6 cm)	
Rack Capacity	200 lb (91 kg) with LinQ [®] Quick-Attach	
Storage Capacity	Total: 2.5 gal (9.4 L)	
Fuel Capacity	10.5 gal (40 L)	
Person Capacity	2	

FEATURES

Gauge	7.6 in. wide digital display with keypad			
Instrumentation	DC outlet (10-A)			
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button			
Lighting	LED headlight, LED signature lights, LED tail lights			
Winch	4,500 lb (2,041 kg) winch with synthetic rope			
Magneto	850 W			
Protection	Front bumper, Half doors, Aluminum roof, Intrusion bar, 4-point harness with shoulder pads, UHMWPE rock sliders, HMWPE skidplates: full heavy-duty with differential/under bumper/front and rear suspension arm			

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first		
Service Intervals	100 hours / 12 months / 3000 km		

2023 CAN-AM MAVERICK X3 MAX X RS TURBO RR with smart-shox



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- 72.7 in. wide with over 55cm of suspension travel
- Seating for 4 people
- Smart-Lok front differential
- Smart-Shox Technology featuring DDA Valve
- + FOX † 3.0 PODIUM † shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am LED signature lights
- 14 in. aluminum beadlock wheels
- 32 in. Maxxis Carnivore[†] tyres
- Full roof
- HMWPE full skid plate

Intense Blue, Carbon Black, & Chalk Gray / TURBO RR

ENGINE	TURBO RR
Туре	200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P
Drive Train	Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension Double A-arm with sway bar/22 in. (55.9 cm) tr Trophy truck inspired arms			
Front Shocks	FOX 2.5 PODIUM Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)		
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel		
Rear Shocks	FOX 3.0 PODIUM remote reservoir with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)		

TYRES & WHEELS Front Tyres Maxxis Carnivore[†] 32 x 10 x 14 in.

Wheels	14 in. cast-aluminum beadlock	
Rear Tyres	Maxxis Carnivore [†] 32 x 10 x 14 in.	
Front Tyres	Maxis Carrivore' 32 x 10 x 14 m.	

BRAKES

Bit ites		
Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers	

DIMENSIONS & CAPACITIES

DIVIENSIONS & CAP	DIMENSIONS & CAPACITIES				
Estimated Dry Weight	1,942 lb (880.9 kg)				
Chassis/Cage	Dual-phase 980 steel				
LxWxH	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)				
Wheelbase	135 in. (342.9 cm)				
Ground Clearance	16 in. (40.6 cm)				
Rack Capacity	150 lb (68 kg) with LinQ [®] Quick-Attach				
Storage Capacity	Total: 3 gal (11.4 L)				
Fuel Capacity	10.5 gal (40 L)				
Person Capacity	4				

FEATURES

Gauge	7.6 in. wide digital display with keypad			
Instrumentation	DC outlet (10-A)			
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button			
Lighting	LED headlight, LED signature lights, LED tail lights			
Winch	N/A			
Magneto	850 W			
Protection	Integrated front bumper, Quarter doors, Full roof, 4-point harness with shoulder pads, HMWPE full skid plate, Rear tow hook			

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	100 hours / 12 months / 3000 km

MAVERICK X3		X ds TURBO RR	X rs TURBO RR	X rc TURBO RR 72"	MAX X rs TURBO RR		
co	DLOUR OPTIONS	Triple Black	Intense Blue, Carbon Black, & Chalk Gray	Mineral Gray & Desert Tan	Intense Blue, Carbon Black, & Chalk Gray		
	Туре	200 hp, Rotax®	1 900 cc turbocharged triple-cylinder engine Ind high-perfomance air filter	e, liquid-cooled			
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)					
ES	Transmission	pD	rive primary and Quick Response System	X (QRS-X) CVT with high airflow, L/H/N/F	8/P		
ENGINES	Drive Train	Lockable front differential with exclusive traction system: 2WD/4WD with front d	e Smart-Lok* technology. True 4 modes	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL.	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL.		
	Driving Assistance		High torque Tri-Mode Dyna	mic Power Steering (DPS™)			
	Front Suspension	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms	Trophy truck inspired arched double A-arm with sway bar/ 22 in. (55.9 cm) travel	Double A-arm with sway bar/22 in. (55.9 cm) travel/ Trophy truck inspired arms		
SUSPENSIONS	Front Shocks	FOX [†] 2.5 PODIUM RC2 [†] Piggyback with dual speed compression and rebound adjustments	FOX [†] 2.5 PODIUM Piggyback with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX [†] 2.5 PODIUM RC2 [†] Piggyback with bypass, dual speed compression and rebound adjustments	FOX [†] 2.5 PODIUM Piggyback with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)		
SUSPEN	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel		
	Rear Shocks	FOX [†] 2.5 PODIUM RC2 [†] Piggyback with dual speed compression, rebound adjustments and bottom-out control	FOX [†] 3.0 PODIUM remote reservoir with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX [†] 3.0 PODIUM RC2 [†] remote reservoir with bypass, dual speed compression and rebound adjustments	FOX [†] 3.0 PODIUM remote reservoir with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)		
TYRES/ WHEELS	Front/Rear Tyres Wheels	Maxxis Carnivore [†] 30 x 10/10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Carnivore [†] 32 x 10/10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Liberty [†] 32 x 10/10 x 15 in. 15 in. cast-aluminum beadlock	Maxxis Carnivore [†] 32 x 10/10 x 14 in. 14 in. cast-aluminum beadlock		
KES	Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers					
BRAKES	Rear		Dual 248 mm disc brakes with	n hydraulic twin-piston calipers			
	Estimated Dry Weight	1,554 lb (704.9 kg)	1,699 lb (770.7 kg)	1,843 lb (836 kg)	1,942 lb (880.9 kg)		
IES	Chassis/Cage		Dual-phas	e 980 steel			
MENSIONS/CAPACITIES	LxWxH	132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm)	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)		
CA	Wheelbase		102 in. (259.1 cm)		135 in. (342.9 cm)		
No No	Ground Clearance	14 in. (35.6 cm)		16 in. (40.6 cm)			
ISN	Rack Capacity	200 lb (91 kg) with LinQ® quick-attach 150 lb (68 kg) with LinQ® quick-attach					
	Storage Capacity		Total: 2.5 gal (9.4 L)		Total: 3 gal (11.4 L)		
□	Fuel Capacity			al (40 L)			
	Person Capacity		2		4		
	Gauge			display with keypad			
	Instrumentation	DC outlet (10-A)					
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S™) with Start/Stop button					
S.	Lighting	LED headlight, LED signature lights					
FEATURES	Winch	N,	Ά	4,500 lb (2,041 kg) winch with synthetic rope	N/A		
FEA	Magneto		850	0 W			
Ë	Protection	Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook		Front bumper, half doors, aluminum roof, intrusion bar, 4-point harness with shoulder pads, UHMWPE rock sliders, HMWPE skidplates: full heavy-duty with differential/under bumper/ front and rear suspension arm	Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook		
L			1				

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. **Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.



ROOFS

		Maverick X3		715005521
Sport Roof		Maverick X3 MAX		715003750
	 Impact-resistant injected p Excellent protection from th Provides excellent downhil Windshield compatible. 	ne elements.	 Standard on X rs model. Easy, tool-less installation ¼ turn fasteners and Velcr 	and removal with quick-release o straps.
ProVent Roof Module Kit		Maverick X3, Maverick X3 M	AX	715005279
	 Provides fresh air in the cal Optimal performance with 4 vents provide infinite adjuand passenger. Filter and pre-filter to limit of Easy cleaning of filter and p 	full cab enclosure. Istment of air flow for driver dust intrusion.	out of cabin while maintai • Outer plug closes air intak heavy weather. • Sport Roof requires ProVe	e completely for winter or nt Module Adapter Kit. nounted LED bars, roof racks
Duel/out De of Medule Adout	w Kit for Snort Doof	Maverick X3		715006199
ProVent Roof Module Adapte Not illustrated)		Maverick X3 MAX		715006371
	 Adapter for fitting ProVent I onto Maverick X3. 	Roof Module Kit	 Includes roof adapter and Requires ProVent Roof Mc 	
Aluminum Roof		Maverick X3		 715004224 · Black 715002900 · Silver
Bimini [†] Roof with Sun Visor	Windshield compatible. Easy and tool-less installati	on.		715002901
	 Innovative soft top comes v 	UV-resistant solution-dyed po vith a hard visor that allows for and removal with quick-release	•	ıps.
Tinted Sun Visor		Maverick X3, Maverick X3 M	AX	715007098
	 Tinted polycarbonate cons Extra protection for driver a Not compatible with Alumin 	truction.		
		Maverick X3 produced after J	anuary 1, 2017	715005508 · Hyper Silve 715005507 · Black 715004436 · Can-Am Rec
Lonestar Racing Aluminum F	Roof	Maverick X3 MAX		 715005516 · Hyper Silve 715005515 · Black 715004341 · Can-Am Rec
	 0.083" (2.1 mm) thick alumi Durable and lightweight. Enhances the vehicle's raci authentic sporty look comb Offers you protection from ta a personalized touch. 	ng appearance thanks to an ined with unique graphics.	 Compatible with Lonestar Not compatible with LinQ Bar and Full Windshields. "Lonestar Racing for Can- Includes middle intrusion 	Pivoting Rack, Light Support Am" branded.

SOFT CAB ENCLOSURE

Soft Cab Enclosure Protection for rider and pase For added cabin comfort, construction of the search of the se		Maverick X3 (except X mr models) Maverick X3 MAX (except X mr models)		715003754 715003755
		0	 Includes: Bimini roof with sun visor Full windshield — hardcoa Upper soft door panels Front lower door panels Soft rear window 	ated
Cab Seal Kit (Not illustrated)		Maverick X3 Maverick X3 MAX		715004433 715004434

· Prevents dirt, dust and wind infiltration in the cab area.


· Improves cabin comfort for driver and passenger.

Recommended with Soft Cab Enclosures.

WINDSHIELDS & MIRRORS

Windshields

PowerFlip Windshield



· Compatible with Can-Am roofs.

Windshield Wiper for PowerFl	ip Windshield	Maverick X3, Maverick X3 MAX	715006310

- An ideal way to keep your windshield clear in rain or while riding through mud and water.
- Wiper from the top allows windshield pivoting. Includes single-speed wiper and washer-fluid dispenser.
- Wiper mechanism and washer-fluid dispenser perfectly concealed within the vehicle.
 - Must be installed with the PowerFlip Windshield (sold separately).

Provent Windshield	Maverick X3, Maverick X3 M	ЛАХ	715005277
	 High-impact-resistant Quantum hardcoated polycarbonate full windshield. Controllable vents to manage air flow. Optimal performance with full cab enclosure. Channels air into the cabin, defogs windshield, fully closes to eliminate air flow. One upper vent and one lower vent with pre-filters. Formed polycarbonate construction for enhanced rigidity. Provides excellent optical clarity and better abrasion resistance. 	 Protects driver and passe Quick and easy tool-less i Not compatible with wipe Ultra HD Can-Am Edition Upper vent channels air in Lower vents defog windsi 	nstallation or removal. r kits and Wet Sounds Stealth (Sound Bar. nto the cabin.

Glass Windshield		Maverick X3, Maverick X3 MAX	715008859
	 Provides the best optical of Must be used with Windsh severe riding conditions, s 	ge and protects rider and passenger from the elements. larity and abrasion resistance. nield Wiper & Washer Kit to maintain clear visibility during	
Glass Windshield with Wiper	& Washer Kit	Maverick X3, Maverick X3 MAX	715008858
9	dispenser. • Seals firmly against the ca • An ideal way to keep your	a curved and laminated glass windshield with a single-speed of ge and protects rider and passenger from the elements. windshield clear in rain, or while riding through mud and water in rear wind protection to maximize comfort for passenger.	
Full Windshield		Maverick X3, Maverick X3 MAX	715002907
	 High-impact-resistant durable polycarbonate full windshield. Formed polycarbonate construction for enhanced rigidity. Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity. Protects driver and passenger from the elements. Quick and easy tool-less installation or removal. Recommended to use with rear wind protection to maximize comfort for passenger. 		
Full Windshield – Hardcoated	ł	Maverick X3, Maverick X3 MAX	715004417
	 Formed polycarbonate cor Provides excellent optical Protects driver and passer Quick and easy tool-less in Recommended to use with 	-	
		Maverick X3, Maverick X3 MAX Fit with Full Windshield Hardcoated (715004417)	715004762
Windshield Wiper & Washer	Kit	Maverick X3, Maverick X3 MAX Fit with Glass Windshield (715008859)	715003282
1.7	 Includes single-speed wip 	windshield clear in rain, or while riding through mud and water er and washer fluid dispenser. sher fluid dispenser perfectly concealed within the vehicle.	
Half Windshield		Maverick X3, Maverick X3 MAX	☐ 715002909 · Clear 715004291 · Tinted
	 Formed polycarbonate cor 	to deflect air flow.	and optical clarity.

1.				
М	п	1	17	
		μ.		Γ.

Rear Mirror & Camera Monitor

Maverick X3, Maverick X3 MAX - Fully waterproof rear view camera and monitor kit.

- Multiple camera feeds can be seen with the rear view camera, to see what you need.
- Unit replaces stock rear view mirror (screen is integrated in the unit's replacement rear view mirror).
- Camera uses infrared light for night vision capabilities.

			715004236 • For stock quarter doors
Side Mirrors		Maverick X3, Maverick X3 MAX	715005315 • For aluminum doors
	 Rugged cast aluminum mot Multi-position adjustable ba Convex optics for a wide vie Spring-loaded pivots let mir Door mounted. Compatible with Upper Soft Sold in pairs. 	all-joint mounted mirrors. ewing angle. rrors fold back completely.	
Racing Side Mirrors		Maverick X3, Maverick X3 MAX	715002898
	 Dual adjustment provides o Multi-position adjustable ba Flat optics deliver improved Spring-loaded pivots let mir 	Il-joint mounted mirrors. I distance perception.	
Rally Side Mirrors		Maverick X3, Maverick X3 MAX	715005262
	 4" (10 cm) convex surface p 	aluminum for extreme durability. rovides a wider field of view and better visibility around ht on the cage A-pillar for optimized rider vision. all-joint-mounted mirrors. rors fold back completely.	d the unit.

DOORS

Aluminum Half Doors		Maverick X3, Maverick X3 MA Maverick X3 MAX	х	715007971 · Front 715007972 · Rear
	 Lightweight half doors made aluminum. Smooth finish. Engineered for maximum rig Designed for a perfect fit an the vehicle's lines. Contoured with a thick seal elements. 	gidity and durability.	 Easy installation using the s Includes the easy-to-operate Compatible with the Upper 100 Window Nets and Upper Dot Not compatible with the Low Sold in pairs. 	e Deluxe Door Handles. Soft Door Panels, the oor Storage Bags.

715004905



Deluxe Door Handles		Maverick X3, Maverick X3 MAX Maverick X3 MAX		715004758 · Front 715004860 · Rear
	 Convert the standard door s Include inside and outside h 	straps into easy-to-access door handles. nandles for each door.		
	 Greatly facilitate door openi 			
	 Standard on accessory Alur 	minum Half Doors.		

Sold in pairs.

Lower Door Panels		Maverick X3, Maverick X3 MAX	715002903 · Front 715003751 · Rear
	 Robust injection-molded polypropylene construction designed to match vehicle. 		
	 Extend stock doors at bottom 	to protect and seal cab area.	
Citil Prov	 A great-looking add-on. 		

- Easy and quick installation.
- Sold in pairs.

	Maverick X3	715006693 · Front
	Maverick X3 MAX	715004694 · Front
Window Nets	Maverick X3 MAX	715006700 · Rear

• Window mesh screen for added protection from wind. n be easily lowered in seconds.

	 Can be easily
- PAV	 Sold in pairs.
	Not compatib

Not compatible with Can-Am Audio Roof.

		Maverick X3 (except X mr models)	715008091 · 2 doors
Upper Soft Door Panels		Maverick X3 MAX (except X mr models)	715008092 · 4 doors
	 Weather-resistant panels rei 	nforced with aluminum frame offer good protection from the e	lements.

• Extend stock quarter doors at the top.

- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.
- Not compatible with Racing Side Mirrors and Can-Am Audio Roof.

Rear Wind Screen		Maverick X3, Maverick X3 MAX (except X mr models)	715006701
Full rear mesh screen reduct Installs quickly and easily on		es windshield backdraft for added cabin comfort. n roll cage.	




Rear Polycarbonate Window		Maverick X3, Maverick X3 MAX (except X mr models)	715006387
	 High-impact-resistant polyc Blocks windshield backdraft Quick and easy tool-less ins Ready for MTX Audio System 	t or dust and rain from entering for added cabin comfort. tallation.	
Soft Rear Window		Maverick X3. Maverick X3 MAX (except X mr models)	715006702

Clear, flexible window made from transparent vinyl. Desire and exacting to 4°E (20 °C)	Soft Rear Window		Maverick X3, Maverick X3 MAX (except X mr models)	715006702
	Clear, flexible window made to the sense of the sens			

- Ideal for preventing backdraft of dust or rain in harsh environments.

• Quick tool-less installation.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed 3/8" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

· Lighter than aluminum.

- Superior stress crack resistance.
- High-impact strength.

	MAVERICK X3, MAVERICK X3 MAX						
HMWPE Skid Plates are standard on Maverick X3 X rc models.	Maverick X3 64" models	Maverick X3 Max 64" models	Maverick X3, Maverick X3 Max 72" models (except Base models)	Maverick X3 Base 72" models	Maverick X3 Max Base 72" models		
HMWPE Skid Plate Protection Kit							
	715003713	715003747	715003718	715006767	715006769		
Individual HMWPE Skid Plates							
(1) HMWPE Front A-Arm and Trailing Arm Protectors	715002905	715002905	715003552	715003552	715003552		
HMWPE Front Skid Plate	715003933	715003933	715003933	715003933	715003933		
③ HMWPE Central Skid Plate	_	715003731	Standard on X rc models only	_	715003731		

715004904

715004904

MAVEDICK V2 MAVEDICK V2 MAV

Standard on X rc models only

715004904

715004904

(4) HMWPE Underbelly Plate

BUMPERS & GUARDS

Bumpers

Front Pre-Runner Bumper

	 Inside and outside anti-corr Added heavy-duty protection 	eter steel tubing with a ¼" (3 mm) aluminum plate for ex rosion coating with durable powder coat finish. on in extreme driving conditions. plate and mount points for lights.	xtra durability.
Rear Pre-Runner Bumper		Maverick X3, Maverick X3 MAX	715002880 · Black 715003436 · Can-Am Red
		tible.	
Dune Front Bumper		Maverick X3, Maverick X3 MAX	715002961 · Black 715003432 · Can-Am Red
	 Inside and outside anti-corr Provides added protection 	eter aluminum tubing with a ½" (3 mm) aluminum plate. rosion coating with durable powder coat finish. without sacrificing the agility and performance advanta ed attack angle and integrated mounting points for light	iges of a lighter weight design.
		Maverick X3, Maverick X3 MAX 2021 & prior	715002962 · Black 715003437 · Can-Am Red
Dune Rear Bumper		Maverick X3, Maverick X3 MAX 2022 & up	715009242 · Black
	 Inside and outside anti-cord Provides added protection Protects vehicle bodywork Rear hitch compatible. 	eter aluminum tubing with a ¼" (3 mm) aluminum plate. rosion coating with durable powder coat finish. without sacrificing the agility and performance advanta and exhaust system. Cage Extension and Lonestar Racing Spare Tyre Holder.	nges of a lighter weight design.
X rc/X mr Front Bumper		Maverick X3, Maverick X3 MAX	715004788 · Black
	 Inside and outside anti-corr 	rc and X mr models.	
		Maverick X3, Maverick X3 MAX (not compatible X mr and X rc models)	715005510 • Hyper Silver 715005509 • Black
Lonestar Racing Front Bump	er	Maverick X3, Maverick X3 MAX	715004161 · Can-Am Red
		eter steel tubing with durable powder coat finish and a ion in extreme driving conditions.	%" (3 mm) thick aluminum plate for

Maverick X3, Maverick X3 MAX

- Sleek styling enhances the vehicle's race-inspired look.
- Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar.
- Not compatible with stock Smart-Shox

715002878 · Black

715003433 · Can-Am Red

Lonestar Racing Rear Bumper		Maverick X3, Maverick X3 MAX 2021 & prior	 715005512 · Hyper Silver 715005511 · Black 715004162 · Can-Am Red
	 Made of 1.5" (3.8 cm) diame 	eter steel tubing with durable powder coat finish. rear bodywork and exhaust system protection in extreme drivi vehicle's race-inspired look.	ļ
S3 [†] Front Bumper		Maverick X3, Maverick X3 MAX	715004867 · Black
	 Inside and outside anti-corr Added heavy-duty protectio Integrated winch support pl 	eter steel tubing with a ¼" (3 mm) aluminum plate for extra dur osion coating with durable powder coat finish. n in extreme driving conditions. ate and mount points for lights. s you to keep the winch hook within easy reach when riding in	
S3 Rear Bumper		Maverick X3, Maverick X3 MAX 2021 & prior	715004869 · Black 715005232 · Can-Am Red
	 Inside and outside anti-corr Added heavy-duty protectio Permits installation of a win "S3 for Can-Am" branded. Engineered to sustain heavy Compatible with Can-Am HI on the bumper. 	(3.8 cm) diameter steel tubing. osion coating with durable powder coat finish. n in extreme driving conditions—protects vehicle bodywork a ch at a higher location to improve accessibility in muddy cond y winch loads without damaging the vehicle's frame. D and WARN VRX winches—Rear Winch Harness 715006007 nook to facilitate vehicle recovery.	litions.
Rock Sliders			
Rock Sliders		Maverick X3 (except X rc) Maverick X3 MAX	 715002963 · Black 715003438 · Can-Am Red 715003730 · Black 715003888 · Can-Am Red
Can-amon		osion coating with durable powder coat finish. undercarriage against large obstacles.	
X rc UHMWPE Rock Sliders		Maverick X3	715004730
		and brackets for installation. undercarriage against large obstacles. cle body for better clearance from obstacles.	
		Maverick X3 (except X rc models)	 715005514 · Hyper Silver 715008845 · Black 715008846 · Can-Am Red
Lonestar Racing Rock Sliders		Maverick X3 MAX	 715005518 · Hyper Silver 715008847 · Black 715008848 · Can-Am Red
	enhance your vehicle with v • Made of 1.5" (3.8 cm) diame	l ar Racing's trademark standards for toughness, these stylishly	

Intrusion Bars

Front Intrusion Bar

Matches vehicle styling.

• Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.

Maverick X3, Maverick X3 MAX

715002889 · Black


715003918 · Black

715002973

715003943

715004164 · Can-Am Red

715003435 · Can-Am Red



• Not compatible with windshields and Lonestar Racing Aluminum Roof.



Lonestar Racing Front Intrus	ion Bar	Maverick X3, Maverick X3 MAX	 715006342 · Hyper Silver 715003916 · Black 715004163 · Can-Am Red
	 Made of 1.5" (3.8 cm) diame Enhances the racing look of Compatible with Lonestar R Not compatible with windsh 	acing Aluminum Roof only.	

Lonestar Racing Rear Intrusion Bar

Maverick X3 (except X mr models), Maverick X3 MAX

Maverick X3, Maverick X3 MAX

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish. - Sleek styling enhances the vehicle's race-inspired look.
- Required for the installation of the Lonestar Racing Spare Tyre Holder.
- Not compatible with LinQ mounted accessories and Pre-Filter in the cargo bed.

Other Accessories

Fender Flares

- Extended fender flares made from injection-molded polypropylene.
- · Keep mud and debris out of vehicle.
- · Designed for quick and easy installation.
- Include front and rear extensions and mounting hardware.

Lonestar Racing Spare Tyre H	older	Maverick X3, Maverick X3 MAX 2021 & prior (except X mr models)	 715006344 · Hyper Silver 715003922 · Black 715004166 · Can-Am Red
	 Adjustable height to fit Can- Requires Lonestar Racing R 	ter steel tubing with durable powder coat finish. Am tyres up to 30 in. ear Bumper and Lonestar Racing Rear Intrusion Bar for installa Quickshot Wheel Jack and Off-Road Screw Jack.	ation.

· Wheel not included.

• Not compatible with the S&B Particle Separator and LinQ accessories intended for the rear of the vehicle.

Lonestar Racing Number Plate Holder

- Maverick X3, Maverick X3 MAX • Includes a pair of sturdy aluminum number plates that mount on either side of the vehicle rear.
- Not compatible with LinQ Pivoting Rack.
- Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
- Black background.

Rear Cage Extension		Maverick X3 (except X mr models), Maverick X3 MAX	715008298 · Black 715008299 · Can-Am Red
	 Durable 1.5" (3.8 cm) diameter steel tubing. Inside and outside anti-corrosion coating with durable powder coat finish. Allows holding a spare tyre in place (wheel not included). Custom tie-down strap for fast tyre installation or removal. Rear Pre-Runner Bumper required for installation. Not compatible with LinQ Pivoting Rack, cargo boxes (except LinQ 20 gal (73 L) Deluxe Modular Bag and Lonestar Racing roofs. 		
S3 Rear Pull Plate		Maverick X3, Maverick X3 MAX 2021 & prior	715004870 · Black 715005233 · Can-Am Red
	 Offers a solid place to hook Allows you to attach most s "S3 for Can-Am" branded. 	onto in case towing is needed. traps and hooks.	

SEAT ACCESSORIES

			715008033 · Driver
4-Point Harness		Maverick X3, Maverick X3 MAX	715008034 · Passenger
V	Exclusive controlled deceler Designed to offer maximum Easy one-click latch and rele Patent pending. Not EC compliant.	0	onal energy in case of accident.
			715005021 · Driver
Retractable 4-Point Harness		Maverick X3, Maverick X3 MAX	715005022 · Passenger
Retractor Protector		-	•••••
(You musualed)	 Protective pad required for t Protects the passengers fro Sold individually. 	the installation of the Retractable 4-Point Harnes	
Seat Belt Shoulder Pads		Maverick X3, Maverick X3 MAX	715002894
Gentan	 Provide additional riding con Fit with stock 3-point seat be Easy Velcro installation. Can-Am branded. Sold in pairs for driver and p 		ck and shoulder.

LINQ: EASY ON, EASY OFF CARGO

MAVERICK'S LINQ ACCESSORIES

Mounting location and requirements

 No tools needed: Quickly install and remove accessories by hand Equip your Can-Am for specialized tasks in no time Sturdy mounting system that holds up to the roughest terrain 	Standard Cargo Bed	LinQ Pivoting Rack 715008295/715008296	Adventure Roof Rack 715003868/715006225
LinQ Accessories with 16" Base	 Lower loading capacity that 	nches apart, center-to-center. n the LinQ with 36" base acce IV and SSV vehicles, Can-Am S i-Doo snowmobiles.	ssories.
LinQ 4.2 Gal Cooler 295100698 • Gray 219400964 • Black			LinQ Base Installation Kit 715008125
LinQ Tool Kit 715006829			No further requirements
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Anchor Adapter Kit 715004960	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			No further requirements
LinQ Roll-Top Bag 715008110			LinQ Base Installation Kit 715008125
LinQ Accessories with 36" Base	 Mount on LinQ racks often Higher loading capacity that Usage is limited to Can-Am 	used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles.	s. essories.
LinQ 12 Gal (45 L) Cargo Box 715003879	No compatibility		
LinQ 23 Gal (86 L) Trunk Box 715004923	No further requirements		
LinQ 32 Gal (121 L) Trunk Box 715001748	*Not compatible if the LinQ Pivoting Rack is installed.		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018			
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Gray	No further requirements	No further requirements	No compatibility
LinQ Premium Storage Bag by OGIO [†] 715002923 • Black	No further requirements		
LinQ Heavy Duty Basket 715001215	No further requirements		
LinQ Low Profile Basket 715004282	No further requirements		
LinQ Holders			
LinQ Gear Grips 715005340	No further requirements	No further requirements	Side wall installation
LinQ Tool Holder 715007358	No further requirements	No further requirements	LinQ Adapters 715003058

				715005494 · (10 L)
				715007112 · (20 L)
LinQ Modular Box		Maverick X3, Maverick X3 MAX		715006830 · (30 L)
	Modular LinQ cargo boxes Allows stacking of other mo Always have the right box s Can be installed on any Ling See table for installation loc	dular boxes to always have the ri ze to fit everything. Q base with a 16" width.	ight gear accessible.	
Thermal Insert for LinQ Modu	lar Box (10 L)	Maverick X3, Maverick X3 MAX		219401110
	 Insulated liner. Fits very well in the LinQ Me Can contain five 473 ml car 			
LinQ Tool Box		Maverick X3, Maverick X3 MAX		715008111
	Weather-resistant, sealed a Easy one-second on/off toc All the benefits of LinQ—sir See table for installation loc	I-less system. nple, fast and secure. ation and requirements.		1
₋inQ Tool Kit		Maverick X3, Maverick X3 MAX		715006829
	 Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench ¾" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	 Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive 	 Socket 8 mm %" drive Combined wrench 19 mm Combined wrench 18 mm Combined wrench 15 mm Combined wrench 13 mm Combined wrench 10 mm Combined wrench 8 mm Socket Torx T40 %" drive 	 Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirement
inQ 4.2 Gal (16 L) Cooler.		Maverick X3, Maverick X3 MAX		■ 219400964 · Black 295100698 · Gray
and the	 Premium-quality foam insul 	or exceptional rigidity and durabil ation for optimal ice retention. n (Patent US 8777531 and US 88 I-less system.		
inQ 4.5 Gal (17 L) Sport Bag		Maverick X3, Maverick X3 MAX		860202447
	 17-liter (4.5 US gallon, 1,03) Rigid bottom, semi-rigid top See table for installation loc 			
R				

SR 5.5 Gal (21 L) LinQ Bag		Maverick X3, Maverick X3 MAX	860202449
	 All the benefits of LinQ—sin 	nple, fast and secure.	
	 Semi-rigid expandable bag. 		
	 5.5 gal (21 L) capacity. 		
	- Utilizon LinO mounting over	m (Potent LIG 9777521 and LIG 9975920)	

Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).

Easy one-second on/off tool-less system.

• See table for installation location and requirements.

LinQ Roll-Top Bag

Maverick X3, Maverick X3 MAX

	 Fully waterproof roll-top dry bag will securely store and confine your equipment.
	 LinQ mounted using heavy-duty rigid plastic base.
N- Contraction of the second s	 High capacity storage solution (40 L).
Ling	 Bottom foam liner for additional equipment protection.
	 Integrated handle for easy transportation on/off the vehicle.
	 See table for installation location and requirements.

LinQ 12 Gal (45 L) Cargo Box		Maverick X3, Maverick X3 MAX		715003879	
	 LinQ mounted for ea 	asy-on, easy-off installation.			
	0,	nd securely while riding.			
	 See table for installa 	tion location and requirements.			
inQ 23 Gal (86 L) Trunk Box.		Maverick X3 (except X mr models), Maveri	ick X3 MAX	715004923	
	 LinQ mounted for ea 	asy-on, easy-off installation.			
1	 Holds cargo safely a 	nd securely while riding.			
	 See table for installa 	ition location and requirements.			
LinQ 32 Gal (121 L) Trunk Box		Mayoriak V2 (avaant V mr madala) Mayori		715001748 (Nie reerteillicht	
		Maverick X3 (except X mr models), Maveri		715001748 · (No rear tail light)	
		inQ System, the rear trunk box plugs in and out in			
	• · ·	apacity with unobstructed space to maximize stor- olded polyethylene, double walled in critical areas	•	ss to the trunk's interior.	
		protects your belongings from dust, moisture and t			
	 No rear tail light. 				
	•	ailable in many colours to match your vehicle (sold	l separately).		
	 See table for installa 	tion location and requirements.			
		Fit with LinQ 32 Gal (121 L) Trunk Box			
inQ 32 Gal (121 L) Trunk Bo	k Panels	EUROPEAN VERSION (EC compliant)			
	Colour panels to match the LinQ 32 gal (121 L) Trunk Box to your vehicle.				
	 No rear tail light 				
		715001397 · Black	7150061	22 · Manta Green	
		715001398 · Yellow	7150061	23 · Orange Crush	
		715002483 · White	7150061	24 · Viper Red	
		715006121 · Can-Am Red			
				715004778 · Black	
inQ 8 Gal (30 L) Cooler Box		Maverick X3, Maverick X3 MAX		715004698 · Gray	
	 LinQ mounted for ea 	asy-on, easy-off installation.			
	 Rotomolded constru 	action provides exceptional rigidity and durability.			
-2		m insulation for optimal ice retention.			
N NI	 Integrated, fully rem 	ovable compartment protects food.			
	•				
	•	es keep the cover tightly closed.			

90 CAN-AM MAVERICK X3 ACCESSORIES

- 0

Convenient drain plug.

See table for installation location and requirements.

LinQ 11.5 Gal (43 L) Audio	Cargo Box	Maverick X3, Maverick X3 MAX	715003018		
	 The rear installatio Mounts on/off easi Backlit control pan Water-resistant spe The Bluetooth¹ ena Automatic shut-off 	d quick solution for adding music and storage to your next ride. ion does not use up any cab space and allows easy listening at an average speed. sily to hold/carry cargo safely and securely. nel perfect for night riding. peakers. habled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover. ff function protects your battery by turning the system off after 10 minutes of inactivity. allation location and requirements.			
_inQ Heavy-Duty Basket		Maverick X3, Maverick X3 MAX	715001215		
		igth, low-alloy steel. iy-on, easy-off installation. lation location and requirements.			
LinQ Premium Storage Bag	by OGIO	Maverick X3, Maverick X3 MAX	715002923 · Black		
	 17.2 gal (65 L) capa Buckle and elastic 3-section lid for pa Inside separators for 	n and removal thanks to the LinQ system. acity semi-rigid cargo bag ideal for carrying anything you closure with a rubber seal that protects dust from enterin rtial or full access to your bag. or optimal bag organization. lation location and requirements.			
LinQ Low Profile Basket		Maverick X3, Maverick X3 MAX	715004282		
	 Perfect for easy ac Multiple bungee co Made of impact-res 	asket increases cargo space. cess to tools, rope, winch and plow accessories. ord and tie-down anchor points. sistant injected polypropylene. lation location and requirements.			
LinQ Holders					
LinQ Tool Holder	Ultra-versatile tool Convenient swivel- Sold in pairs.	Maverick X3, Maverick X3 MAX holder. latch allows tools to be stored in any orientation.	715007358		
LinQ Gear Grips		Maverick X3, Maverick X3 MAX	715005340		
44	 Heavy-duty design Quick-release butto Heavy-duty base sy 	e grips provide a custom fit for a variety of items from 1" t for carrying bows, fishing poles, rakes, farm tools and mo on opens grip quickly for easy access to gear. /stem built for the toughest adventures. your tools a snap by combining the LinQ Gear Grips with	ore.		

LinQ Anchor Adapter Kit		Maverick X3, Maverick X3 MAX	715004960
	 Allows the installation Tool-less installation 	on of LinQ accessories with 16" base on LinQ racks. n and removal.	
LinQ Base Installation Kit		Maverick X3, Maverick X3 MAX	715008125
		of compatible LinQ accessories. rgo bases and hardware.	
Tube LinQ Adapter		Maverick X3, Maverick X3 MAX	715004292
57		Q Pivoting Rack assembly. on of single LinQ mounted accessory.	
LinQ Lock		Maverick X3, Maverick X3 MAX	860201968
		rely lock most LinQ accessories. lock from the elements.	
	 Pack of 1, includes a Not compatible with 	2 keys. n LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H	lolder or LinQ Gear Grips.
LinQ Replacement Part		-	Holder or LinQ Gear Grips.
LinQ Replacement Part	 Not compatible with 	h LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX Istener usable on any LinQ System accessory.	
LinQ Adapter	Not compatible with Unique mounting fa Tool-less installation	h LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX Istener usable on any LinQ System accessory.	
LinQ Adapter	Not compatible with Unique mounting fa Tool-less installation Sold in pairs.	h LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX Instener usable on any LinQ System accessory. In and removal.	715001707
LinQ Replacement Part	Not compatible with Unique mounting fa Tool-less installation Sold in pairs. Allows the installation	h LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX Instener usable on any LinQ System accessory. In and removal.	715001707
LinQ Adapter Not illustrated)	 Not compatible with Unique mounting fa Tool-less installation Sold in pairs. Allows the installati Sold in pack of 4. 	h LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX astener usable on any LinQ System accessory. n and removal. Maverick X3 MAX on of the LinQ Tool Holder on the Adventure Roof Rack.	715001707 715003058 715001371

- Adjustable to accommodate most common UTV tyre sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tyre attachment on Adventure Roof Rack.

RACKS & STORAGE

Racks

LinQ Pivoting Rack

Maverick X3 (except X mr models), Maverick X3 MAX

715008295 · Black
 715008296 · Can-Am Red



- LinQ latched rack allows for extra LinQ mounted accessories or for carrying a spare tyre (tyre not included).
- Includes custom tie-down strap for fast spare tyre installation or removal (tyre not included).
- Gas-cylinder pivot action, locks in the raised position.
- Trunk Boxes over 20 gal (74 L) do not fit on the vehicle when the rack is installed.
- Not compatible with Rear Intrusion Bars, Rear Cage Extension and Lonestar Racing Aluminum Roofs.

	Maverick X3	715006225
Adventure Roof Rack	Maverick X3 MAX	715003868

Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely.

- Built with lightweight 1.25" (3.2 cm) diameter steel tubing.
- Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front).
- Features anchor points for spare-tyre attachment.
- LinQ anchor on both sides.
- Spare Tyre Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Loads up to 75 lb (34 kg).

(• T			0
-1	ι•,	a	Ξ.
		~	

otorage			
Shoulder Storage Bag		Maverick X3 (except X mr models), Maverick X3 MAX (rear only)	715004277
	 Bag attaches in unused space 	ce between the seats to increase your vehicle's cargo capacity	Ι.

Maverick X3 MAX

Installs between the rear seats only on MAX models.

- Opens on each side so that both front and rear passengers can access the bag's content.
- Installs between the driver and passenger seats on MAX models.

Overhead Storage Bag	Maverick X3, Maverick X3 MAX	715004275			
 Weather-resistant bag, holds your gear safely and securely while riding. Makes smart use of your overhead space to increase your vehicle's cargo capacity by 2.6 gal (10 L). Semi-rigid construction renders it flexible enough to fit odd-shaped loads. Touchscreen-compatible clear front pocket allows for easy access to your smartphone. Not compatible with the Bimini Roof. 					
Upper Door Storage Bags	Maverick X3, Maverick X3 MAX	715004276			
	 Weather-resistant, they'll hold your gear safely and securely while riding. Bags attach on stock quarter doors to increase your vehicle's cargo space. Each bag is designed as a 1.3 gal (5 L) capacity pocket also equipped with in Semi-rigid construction renders them flexible enough to fit odd-shaped loads Sold in pairs. 	0 1			

Lower Door Panel Storage Bags		Maverick X3, Maverick X3 MA	<	715004355
	 Weather-resistant, they'll ho securely while riding. 	old your gear safely and	 Semi-rigid construction reno fit odd-shaped loads. 	ders them flexible enough to
	 Bags attach on Lower Door vehicle's cargo space. 	Panels to increase your	 Sold in pairs. 	
	 Each bag is designed as a 1.6 gal (6 L) capacity pocket 		 Not compatible with aluminum doors and Off-Road Screw Jack. 	
		etting compartments.	 Lower add-on doors require 	d for installation.

715004888

Soft Storage Bag

A CON

Maverick X3, Maverick X3 MAX

• 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage.

3 sections.Weatherproof.

Storage 2.6 Gal (10 L) Bag

Maverick X3, Maverick X3 MAX

269502121



Roll-top dry bag for fully protecting your cargo from the elements.

LIGHTS

	2 Choose your lights									
1 Choose	BAJA DESIGNS† LIGHTS				S	CAN-AM LIGHTS				
your mount point	10" (25 cm) LED light bar	40" (102 cm) Baja Design OnX6 Arc LED Light Bar	XL Sport LED lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED lights (sold in pairs)	10" double stacked LED bar	15" double stacked LED bar	39" double stacked LED bar	4" round LED lights (sold in pairs)	3.5" spot or flood LED lights (sold in pairs)
	(Consult p. 95 int	formation on Baj	a Designs lights			Consult p. 96 fo	or information or	n Can-Am lights.	
Front Pre-Runner or Dune Bumpers	710006819 + 715007049 (Power Cable)	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 (Not compatible with Pre-Runner Bumper) + 715003417 (Power Cable)		715003665 (715003666	6 (4" Round), 3.5" Flood) or 6 (3.5" Spot) + Power Cable)
Lonestar Racing Front Bumper	NA	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)				715003665 (i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Light Support Bar or Adventure Roof Rack	710006819 + 715007049 (Power Cable)	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 + 715003417 (Power Cable)	710004007 + 715005822 (Light Mounting Kit)	715003665 (715003666	i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Lonestar Racing 40" (102 cm) LED Light Bar Rack	NA	710006818 + 715007117 (Power Cable)	NA	NA	NA	NA	NA	NA	NA	NA
Lonestar Racing Light Rack	NA	NA	710006821 + 715002884 (Power Cable)	NA	710005041 + 715007049 (Power Cable)	NA	NA	NA	NA	NA
3 Order		*N					ecting box		ed.	

*All lights are intended for off-road use only.

		715003417
		715007049
Lights Power Cable		715002884
(Not illustrated)	Maverick X3, Maverick X3 MAX	715007117
 Required for inst 	tallation of Baja Designs LED lights onto roof or bumper.	

• 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).

Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715002884).

• 40" (102 cm) Arc LED Light Bar ONX6 (715007117).

0" (102 cm) Baja Designs OnX6 Arc LED Light Bar	Maverick X3,	, Maverick X3 MAX 710006818
The second Constant	29,000 lumens	50 m 0 -50 0 100 200 300 400 500 600 700 800 900 m
 252 W light bar producing 29,000 lumens. Equipped with 24 Cree XM-L2 LEDs. Driving/Combo light pattern for smooth blend of light for both near field applications and distance. 	-	for installation onto Light Support Bar equipped roofs. ight Power Cable and Light Support Bar.
aja Designs 10" (25 cm) OnX6 LED Light Bar	Maverick X3,	, Maverick X3 MAX 710006819
	12,460 lumens	50 m 25 -25 -50 0 100 200 300 400 500 600 m
 108 W light bar producing 12,460 lumens. Equipped with 6 Cree XM-L2 LEDs. Driving/combo light pattern for smooth blend of light for both near field applications and distance. 		sity (high/low) settings. Baja Designs Light Power Cable.
Baja Designs XL80 LED Lights	Maverick X3,	, Maverick X3 MAX 710005041
	9,500 lumens	50 m 25 0 -25 -50 0 100 200 300 400 500 600 m
 80 W per spot producing 9,500 lumens. Equipped with 4 Cree XHP50 LEDs per spot. Dual intensity (high/low) settings. Driving/combo light pattern for smooth blend of light for both near field applications and distance. 	 Sold in pairs 	aja Designs Light Power Cable. rs. Is: 4.5" x 4.5" (11.4 cm x 11.4 cm).
aja Designs Squadron Sport LED Lights	Maverick X3,	, Maverick X3 MAX 710006820
	3,150 lumens	25 0 -25 0 100 200 300 400 500 600 m
 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions. 	 Sold in pairs 	aja Designs Light Power Cable. rs. ıs: 3" x 3" (7.6 cm x 7.6 cm).
Baja Designs XL Sport LED Lights	Maverick X3,	, Maverick X3 MAX 710006821
	3,150 lumens	50 m 25 0 -25 -50 0 100 200 300 400 500 600 m
 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. High Speed Spot features a longer and narrower beam focus for illumination farther down. 	 Sold in pairs 	aja Designs Light Power Cable. rs. is: 4.5" x 4.5" (11.4 cm x 11.4 cm).

0" (25 cm) Double Stacked LED Light Bar (60 W)	Maverick X3, M	laverick X3 MAX		7150029	33
REFERE	5,400 lumens	20 m 0 -20 0 100 200	300 400 500	0 600 700	800 m
Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof.				ehicle and arou	nd 65 ft. (20 m)
5" (38 cm) Double Stacked LED Light Bar (90 W)	Maverick X3, M	laverick X3 MAX		7150029	34
ЗХЗАЗААА	8,400 lumens	20 m 0 -20 0 100 200	300 400 500	0 600 700	800 m
• Equipped with 18 5 W Cree LEDs. • 8,400 lumens. • Complements the Light Racks and most bumpers.	 Rugged and v Lights up to n wide on each EC compliant 	nore than 1,900 ft. (580 i side.	m) in front of the v	ehicle and arou	nd 65 ft. (20 m)
9" (99 cm) Double Stacked LED Light Bar (270 W)	Maverick X3, M	laverick X3 MAX		7150040	07
	24,300 lumens	20 m 0 -20 0 100 200	300 400 50	0 600 700	800 m
Equipped with 54 5 W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.	•	n the Adventure Roof R chart for installation rec			
" (10 cm) Round LED Lights (2 x 25 W)	Maverick X3, M	laverick X3 MAX		71500293	35
	1,800 lumens	20 m 0 -20	100	200	
25 W LED spotlights. • Rugged and waterproof. • 1,800 lumens. • Includes basic wiring and s		n-Am branded grill. quires light power cable		ld in pairs. t EC compliant.	
.5" (9 cm) LED Driving Lights (2 x 14 W)	1		-		
	Maverick X3, M	laverick X3 MAX		7150036	36
	Maverick X3, M 1,260 lumens	15 m 0 -15	45 60 75 90		66
• 14 W LED lights producing 1,260 lumens each. • Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.	1,260 lumens • Features two	15 m 0 -15 0 15 30 attachment points. If or anel point and remount	45 60 75 90 ne attachment poin	105 m	
 14 W LED lights producing 1,260 lumens each. Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 	1,260 lumens • Features two the next chan • Sold in pairs. • EC compliant	15 m 0 -15 0 15 30 attachment points. If or anel point and remount	45 60 75 90 ne attachment poin	105 m	collision, rotate t
 14 W LED lights producing 1,260 lumens each. Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum 	1,260 lumens • Features two the next chan • Sold in pairs. • EC compliant	15 m 0 -15 0 15 30 attachment points. If or nnel point and remount is: attachment x3 MAX 15 m 0 -15 -15 -15 -15 -15 -15 -15 -15	45 60 75 90 ne attachment poin	105 m nt fails due to a d	collision, rotate to

Can-Am LED Signature Light	s	Maverick X3, Maverick X3 MAX	715003673		
	 Add style with a more aggre Use bright and energy effici Do not give additional lighti 	ent LEDs.			
Dome Light		Maverick X3, Maverick X3 MAX	715002455		
	LED array integrates perfec Wiring included. Can be installed on cage, Sp	tly with vehicle. port Roof or All-Terrain Trunk Cover.			
onestar Racing 40" (102 cm) LED Light Bar Rack	Maverick X3, Maverick X3 MAX	715003920		
	 Enhances the vehicle's race Compatible with Aluminum 	102 cm) Baja Designs OnX6 Arc LED Light Bar. ∍inspired look. Roof, Lonestar Racing Aluminum Roof and Sport Roof. Joide Mirrors and PowerFlip Windshield.			
onestar Racing Light Rack		Maverick X3, Maverick X3 MAX	715003948		
	 Accommodates up to two p Not compatible with Racing 	Designs XL80 LED Light and Baja Designs XL Sport LED Ligh airs of XL Lights. I Side Mirrors and PowerFlip Windshield. tacing Aluminum Roof, Aluminum Roof and Sport Roof.	t.		
Chase Lights		Maverick X3, Maverick X3 MAX	715002887		
	 Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions. Feature in-dash switches to activate one of the two modes and to choose among 11 different high-visibility cold light patterns (blue, red and yellow). Trail Mode: Serves as a tail light and as a brake light. Race Mode: Displays light patterns and serves as a brake light (brake light function can be deactivated for racin applications). Modular to allow installation with rear roll cage mounted accessories. Plug-and-play installation. 				
ight Support Bar		Maverick X3, Maverick X3 MAX	715003529		
	Sleekly styled rugged aluminum construction. Accommodates light bars and spotlights with or without any roof and windshield combination. Full vehicle width to allow the installation of any large LED light bar. Required for light installation on vehicle's roof. Not compatible with Lonestar Racing Aluminum Roof. Lights sold separately.				
Mounting Kit for 39" (99 cm)	LED Light Bar	Maverick X3, Maverick X3 MAX	715005822		
	 Required for installation of t Includes wiring and suppor Light Support Bar required 	he 39" (99 cm) double stacked LED Light Bar. t bracket.	,		
Light Power Cable		Maverick X3, Maverick X3 MAX	715003417		
, ee moardieur	 Required for installation of LED Light Bars and 4" (10 c For bumper and roof mount 	10" (25 cm), 15" (38 cm) and Double Stacked m) Round LED Lights.	110000417		

AUDIO & COMMUNICATION SYSTEMS

Audio

Can-Am Audio Roof		Maverick X3		715007130
8-80	 Full roof with sleek built-in a Fully sealed and waterproof. Easy to install: one wire con electronics. Four 8" speakers, one 400 R amplifier, and one Head Uni Fosgate Audio. 	nects the roof to the vehicle's MS and 800 peak watt	 Multi-coloured RGB LED accent lighting around each speaker. 2.7" colour display with Bluetooth and Pandora connectivity. Flip Kit-compatible. Not compatible with the Adventure Roof Rack if the Flip Kit is installed. Not compatible with the Upper Soft Door Panels. 	
Can-Am Audio Roof		Maverick X3 MAX		715006709
0000	 Full roof with built-in audio. Fully sealed and waterproof. Easy to install, one wire con electric system. Six 8" Speakers, one 400 RN amplifier, one Head unit cali Audio. 	nects the roof to the vehicle's /IS and 800 Peak watt	 Multi-coloured RGB LED ac speaker. 2.7" Colour Display with Bluetoo Not compatible with the Ad Kit is installed. Not compatible with the Up 	th and Pandora connectivi venture Roof Rack if the Fli
Can-Am Audio Roof Flip Kit		Maverick X3, Maverick X3 MAX	<	715007131
		715007130 or 715006709 for Fli bing Side Mirrors (715002898).	p option.	
MTX Central Speakers		Maverick X3 MAX		715004748
	 Top mounted central speake two 6.5" (16.5 cm)/100W sp Designed to be Can-Am-tou riding conditions. 	eakers.	 Perfect add-on to the Compl 7-speaker system or as a sta the AUX input jack directly ir Not compatible with Lonest 	nd- alone system by pluggi nto your music device.
Complete MTX Audio system		Maverick X3, Maverick X3 MAX	(715002873
	 Bluetooth 5^t equipped 400 V system by MTX. Designed to be Can-Am-tou riding conditions. 		 Includes front-dashboard and speakers and head unit with a subwoofer. Add the Electronic Device H Bluetooth device ready to p 	an integrated 6.5" (16.5 cm) Holder to securely hold you
Can-Am Subwoofer		Maverick X3, Maverick X3 MAX	(715004956
	 Powerful Rockford Fosgate speaker box. Easy plug-and-play connect Sturdy construction tough e environments and sealed ac 	ions to Audio Roof system. nough to withstand harsh	 Requires 1 Amplifer kit (715 2 subwoofers. Fits two per vehicle: under o Wiring included. 	·
Can-Am Amplifier kit		Maverick X3, Maverick X3 MAX	(715007227
		to feed up to two Underseat Sut ions to Audio Roof system and s included.		
Electronic Device Holder		Maverick X3, Maverick X3 MAX	(715002874
	 A great in-ride entertainmer Robust injected-polypropyle right fit and easy installation Adjustable unit safely holds smartphones measuring be 10" (25.4 cm) (with protective 	ne construction allows for most tablets and tween 5.1" (13 cm) and	Combines seamlessly with and Rugged Radios Interco Allows the installation of Ga Integrated storage (1 gal [3. the dash 12V outlet for devi	m System. armin Montana 680T GPS. 8 L] capacity) with access

Rugged Radios Car-to-Car	System	Maverick X3, Maverick X3 MAX	715003440 · US ONLY			
	 Perfect for communic 	ating with friends and family on group rides.				
	 Push-to-talk button co 	onveniently mounted on the steering wheel.				
	 May be connected wi 	 May be connected with the Rugged Radios Intercom System (with provided adapter cable). 				
This kit include						
		F/VHF + FM frequency, programmable channels, 5 watts , all day lithium-ion battery, 1-3 mile range, NOAA weather				
	 Helmet speaker/mic quick & easy install 	kit: Clear Hear audio speakers, Full Flex mic boom, clot	n mic cover, Velcro mount speakers,			
	- Harness & cables: s complete plug & pla	ingle person harness, driver coil cord PTT, waterproof P y kit	۲T, radio mounting bracket,			
ugged Radios Intercom S	ystem	Maverick X3, Maverick X3 MAX	715002891 · US ONLY			

· Specifically designed to facilitate clear in-vehicle communication between driver and passenger(s).

With Rugged Radios Intercom System

- · Expandable to 4 people.
 - Includes music port for enjoying your favorite tunes.
 - · Seamless integration with in-dash switch panel.
 - May be synched with the Rugged Radios Car-to-Car System (715003440). Accessory not available in Canada.
 - · Power Cable is required for installation on MAX models.

Rugged Radios Helmet Headset Kit for Rear Passengers

• Additional 12' (3.7 m) cables and Helmet Speaker/Mic Kits to upgrade



- your 2-person intercom system to a 4-person system.
- · Power Cable is required for installation on MAX models.

ELECTRICAL & ELECTRONIC ACCESSORIES

Electrical

Seat Heater		Maverick X3, Maverick X3 N	IAX	715006112
	 25 W seat heater delivers ch High/low temperature settin This kit includes one carbor Installs directly in the origin Heated Accessories Wiring Heated Accessories Wiring 	ngs allow you to control the d n fiber seat heater, foam shee al seat cushion. Harness (710005757) is requ	t and in-dash switch. uired for front seat installation.	
Heated Visor Outlet		Maverick X3, Maverick X3 M	IAX	715001246
7	 Strategically positioned on v Optional visor outlet that de Quick and easy installation. Sold individually. Heated Visor not included. 		у.	
Heated Accessories Wiri (Not illustrated)	ng Harness	Maverick X3, Maverick X3 M	IAX	710005757
	 Electric harness required to Heated Accessories Wiring 		eated seats, heated steering when uired for rear seat installation.	el and heated grab bar.
Auxiliary Battery Installat (Not illustrated)	ion Kit	Maverick X3, Maverick X3 M	IAX	715006315
	 Allows you to add a second battery setup necessary to p components such as sound Equipped with an IP67-rated module that will prevent you components from draining you 	power auxiliary electrical I systems or winches. d waterproof electronic ur auxiliary electrical	 Kit includes an additional bancessary wiring and the bancessary wiring and the bancessary wiring and the bances are perfectly behind the passenger seat. Additional battery (4103012 (250000282) sold separately separa	attery holder. integrated, in stock location, 03), plus battery hardware

715004380 · US ONLY

JSB Power Outlet Kit		Maverick X3, Maverick X3 MA	х	219400510
	 Recharges your electronic d Dual port USB connectors. 	levices while riding [‡] (smartpho	ne, MP3, heating gear, etc.).	
	<i>‡The power outlet is not capable o</i>	of recharging all device types while	riding.	
ghted Whip Flag		Maverick X3, Maverick X3 MA	x	715002886
	 A must for riding the dunes. 5 W Cree LED. 5 coloured lenses to allow p Glow-through whip, quickly pole. Increases vehicle's visibility. 	ersonalization. removable and replaceable	 Meets most dune-area requination Die cast aluminum base, action Includes mounting bracket 4' (1.2 m) flag mounts on to Can be installed on both side 	cetal hand nut. s and wiring. p of the roll cage.
attery Charger/Maintainer				715005061
	Keeps stored lead-acid batte Charges and maintains sma Microprocessor controlled r added precision, safety and Automatically detects 6 or 1 Reverse hook-up protection charger from damage.	Il batteries. multi-stage charging for battery life. 2 volt batteries.	 Auto-voltage detection. Press the display button to Content: 3 amp battery cha DC adapter, 24" (61 cm) fus with weather cap, owner's Not EC compliant. 	rger, clamp adapter, sed ring leads harness
mp Starter				715005062
	 4 LED battery indicators for easy read on battery charge level. Compact design, will conveniently fit in your backpack, glove box or any other storage compartment. 2.4A + 1A/5V USB ports for fast charging of all USB devices. Short circulation in the storage compartment. Content: 3 MC-USB to the storage compartment. 		charging. • Built-in LED light (3 modes) • Content: 300CA jump start	igh temperature and reverse
uick Connect Battery Cable				715005408
	 Quickly and easily connect a Included in the Battery Char Sold individually. 	and charge different batteries v rger/Maintainer.	vith your charger.	·
uick Connect Cable with Ba	ttery Indicator			715006055
		and charge different batteries v ides constant battery health inc		
gitally Encoded Security Sy reen Key	rstem (D.E.S.S.)	Maverick X3 (Turbo/TurboR/T	urbo RR motorization)	710005232
01	 Top-security anti-theft prote Encrypted chip technology r vehicle's electronic ignition One vehicle/one code. 	restricts access to your	 3 programmable modes: Work mode: Limits vehicle but does not limit engine Normal mode: Limits vehi 	

WINCHES & HITCHES

Can-Am HD Winches

Can-Am HD 4500 Winch

Maverick X3, Maverick X3 MAX

715006416

Ergonomic clutch handle.

- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.

- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.

- EC compliant.
- Pulling strength capability of 4,500 lb (2,041 kg). • 43' of ¹⁵⁄₆₄" (13.1 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- · Winch Electrical Harness (715003585) and winch compatible front bumper are required.

Can-Am HD 4500-S Winch		Maverick X3, Maverick X3 MA	x	715006417
	 Ergonomic clutch handle. Rugged all-steel gears and b and durability. Automatic 100% load-holdin 	0	 Pulling strength capability o 50' of ¼" (15.2 m of 6.35 mm Corrosion-proof aluminum h Winch Electrical Harness (7 	n) synthetic rope. nawse fairlead.

- compatible front bumper are required.

WARN[†] VRX Winches

WARN VRX 45 Winch		Maverick X3, Maverick X3 MA	λX	715006110
	 Extreme IP68-rated waterpro- elements out. Durable all-metal construction Black powder-coated finish a for corrosion resistance. Robust new clutch design ba WARN 4 WD hub lock know- Load-holding brake for great Smooth and reliable all-metal tit 	on. and stainless steel fasteners ased on 70+ years of -how. t control.	 Dash-mounted rocker contr Limited lifetime warranty (m (electrical). Pulling strength capability o 50' of ¼" (15 m of 6.3 mm) w Roller fairlead. Winch Electrical Harness (7 compatible front bumper ar 	nechanical), 3-year warranty of 4,500 lb (2,041 kg). vire steel cable. '15003585) and winch
WARN VRX 45-S Winch		Maverick X3, Maverick X3 MA	λX	715006111
	 Extreme IP68-rated waterpro- elements out. Durable all-metal construction Black powder-coated finish a for corrosion resistance. Robust new clutch design ba WARN 4 WD hub lock know- Load-holding brake for great Smooth and reliable all-metal th 	on. and stainless steel fasteners ased on 70+ years of -how. t control.	 Dash-mounted rocker contr Limited lifetime warranty (m (electrical). Pulling strength capability o 50' of ¼" (15 m of 6.3 mm) sy Cast aluminum hawse fairle Winch Electrical Harness (7 compatible front bumper ar 	vechanical), 3-year warranty of 4,500 lb (2,041 kg). ynthetic rope. vad. '15003585) and winch

Winch Accessories

Can-Am HD Hawse Fairlead		Can-Am HD Winch	715006426	
		0		
WARN Hawse Fairlead		WARN Winch	715007785	
	 Double-powder-coated con Required to use the Synthet To be used with synthetic w 	tic Winch Cable (715001118) on WARN wi	nches.	
		Can-Am HD Winch	715006430	
Synthetic Winch Cable		WARN Winch	715007783	
	 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature damage and wear. WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and prevent of the cable. 			

		Can-Am HD Winch	705014978
Nire Rope Replacement		WARN Winch	715006699
0		m) wire rope for Can-Am HD Winch. n) wire rope for WARN winch kit. strength.	
Synthetic Cable Extension			715001120
		diameter, easy to handle and won't rattle in cargo box. Ible to provide additional 50' (15.2 m) of distance. ne capacity.	
Ninch Electrical Harness		Maverick X3, Maverick X3 MAX	715003585
	 Required for winch installa 	tion.	
Rear Winch Harness			715006007
	 Required for installation of 	a winch on the S3 Rear Winch Bumper.	
Nired Remote Control		Can-Am HD Winch [‡]	715006504
P	 This kit allows winch owne OEM stock winch is sold se EC compliant. 	rs to add the hand-held remote to vehicles with a stock winch eparately.	-
21		ed to use remote control on a vehicle with a factory installed winch. nd connection socket are included.	
Wireless Remote Control		WARN Winch	715002542
	mounting hardware.		nna and all necessary
(rc/X mr Rear Tow Hook		Maverick X3, Maverick X3 MAX 2021 & prior	715004450
		conto in case towing is needed.	
SAR	 Allows you to attach most s Made of rugged ¾6" (5 mm 	straps and hooks.) steel plate and %" (16 mm) steel hook tube.	
	 Standard on Maverick X rc 	and X mr models.	
Hitches			
Rear Hitch		Maverick X3, Maverick X3 MAX 2021 & prior	 715002883 · Black 715003938 · Can-Am Re
	 Rugged lightweight steel c E-coated finish. Fixed mounting point for tr This hitch offers 1,300 lb (5 Hitch ball not included. 	ailer ball to provide vehicle with towing capabilities.	
Front and Rear Hitch Drawb	ar	Maverick X3, Maverick X3 MAX	715008350
	 Standard on 2" (5 cm) rece It offers 1,650 lb (750 kg) of Hitch ball not included. Forged steel. 		

PERFORMANCE

Smart-Lok Technology

as an accessory or to change to the Mud Smart Mode on vehicles equipped with a st • The Mud Mode has been specially designed to deliver superior traction in the deeper • When high engine torque and/or slippage is detected, Smart-Lok will fully lock the fro • The system will stay locked until throttle release.	raction only, "4x4 Front Diff Lock" alibrations for your type of riding. the right load at the right momen optimal placement and a feeling e Module (sold separately) 705401634 · 64" 705402048 · 72" usage.				
Choose your differential settings according to your riding need: "2x4" for rear wheel t for a fully locked 4 wheel drive, and "4x4 Smart Mode" that offers preset, intelligent c Using multiple input sources, "Smart Mode" will instantaneously engage locking with to procure maximum traction while retaining low-speed maneuverability, allowing for of confidence. The Smart-Lok Differential Kit comes standard with the Trail Mode. Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mode tine-tune your riding environment. Requires Performance Half Shaft Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX High-performance design ideal for off-road use, with superior protection in any riding Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle Required to install the Smart-Lok Differential Kit. Mud Smart Mode Module (Not illustrated) This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential (Not illustrated) The Mud Mode has been specially designed to deliver superior traction in the deeper (When high engine torque and/or slippage is detected, Smart-Lok will fully lock the for The system will stay locked until throttle release.	alibrations for your type of riding. a the right load at the right momen optimal placement and a feeling e Module (sold separately) 705401634 · 64" 705402048 · 72" usage.				
Using multiple input sources, "Smart Mode" will instantaneously engage locking with to procure maximum traction while retaining low-speed maneuverability, allowing for of confidence. The Smart-Lok Differential Kit comes standard with the Trail Mode. Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mod to fine-tune your riding environment. Requires Performance Half Shaft Mad, Rock and Trail Activ modes can be added by installing an additional Smart Mod to fine-tune your riding environment. Requires Performance Half Shafts (2x) and Smart-Lok Installation. Kit for installation. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle Required to install the Smart-Lok Differential Kit. Maverick X3, Maverick X3 MAX with Smart-Lok Differential (Not illustrated) This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok D as an accessory or to change to the Mud Smart Mode to vehicles equipped with a st The Mud Mode has been specially designed to deliver superior traction in the deepee When high engine torque and/or slippage is detected, Smart-Lok will fully lock the fro The system will stay locked until throttle release.	e Module (sold separately) 705401634 · 64" 705402048 · 72" usage.				
Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mode to fine-tune your riding environment. Requires Performance Half Shafts (2x) and Smart-Lok Installation Kit for installation. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle Required to install the Smart-Lok Differential Kit. Maverick X3, Maverick X3 MAX with Smart-Lok Differential (Not illustrated) This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok D as an accessory or to change to the Mud Smart Mode on vehicles equipped with a st The Mud Mode has been specially designed to deliver superior traction in the deeper When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from The system will stay locked until throttle release.	705401634 ⋅ 64" 705402048 ⋅ 72" usage.				
to fine-tune your riding environment. • Requires Performance Half Shafts (2x) and Smart-Lok Installation Kit for installation. Performance Half Shaft • High-performance design ideal for off-road use, with superior protection in any riding • Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle • Required to install the Smart-Lok Differential Kit. Mud Smart Mode Module Not illustrated) • This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit. • The Mud Mode has been specially designed to deliver superior traction in the deeper • When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from • The system will stay locked until throttle release.	705401634 ⋅ 64" 705402048 ⋅ 72" usage.				
Performance Half Shaft Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX High-performance design ideal for off-road use, with superior protection in any riding Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle Required to install the Smart-Lok Differential Kit. Mud Smart Mode Module Maverick X3, Maverick X3 MAX with Smart-Lok Differential Kit. (Not illustrated) This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok D as an accessory or to change to the Mud Smart Mode on vehicles equipped with a st The Mud Mode has been specially designed to deliver superior traction in the deeper When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from The system will stay locked until throttle release. 	705402048 · 72" usage.				
Performance Half Shaft Maverick X3, Maverick X3 MAX • High-performance design ideal for off-road use, with superior protection in any riding • Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle • Required to install the Smart-Lok Differential Kit. Mud Smart Mode Module (Not illustrated) • This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential is an accessory or to change to the Mud Smart Mode on vehicles equipped with a st • The Mud Mode has been specially designed to deliver superior traction in the deeper • When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from • The system will stay locked until throttle release.	705402048 · 72" usage.				
 High-performance design ideal for off-road use, with superior protection in any riding Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle Required to install the Smart-Lok Differential Kit. Mud Smart Mode Module (Not illustrated) This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential is an accessory or to change to the Mud Smart Mode on vehicles equipped with a st The Mud Mode has been specially designed to deliver superior traction in the deeper When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from The system will stay locked until throttle release. 	usage.				
Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle Required to install the Smart-Lok Differential Kit. Mud Smart Mode Module (Not illustrated) This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential as an accessory or to change to the Mud Smart Mode on vehicles equipped with a st The Mud Mode has been specially designed to deliver superior traction in the deeper When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from The system will stay locked until throttle release.	°				
 This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok D as an accessory or to change to the Mud Smart Mode on vehicles equipped with a st The Mud Mode has been specially designed to deliver superior traction in the deepee When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from The system will stay locked until throttle release. 	al 715005282				
 The Mud Mode has been specially designed to deliver superior traction in the deeper When high engine torque and/or slippage is detected, Smart-Lok will fully lock the from The system will stay locked until throttle release. 	This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold				
 When high engine torque and/or slippage is detected, Smart-Lok will fully lock the fro The system will stay locked until throttle release. 					
Only one Organization Marks and he installed at a time					
Only one Smart Mode Module can be installed at a time.	Only one Smart Mode Module can be installed at a time.				
Rock Smart Mode Module Maverick X3, Maverick X3 MAX with Smart-Lok Differentia (except Turbo RR models 2021 & up)	al 715005283				
	 This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok. 				
 The Rock Mode has been specially designed to help cross challenging rocks. 	 The Rock Mode has been specially designed to help cross challenging rocks. 				
 When high engine torque is detected at low vehicle speed, Smart-Lok will progressive engaged until throttle release to prevent wheel slippage and provide optimal traction. 	When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction.				
The progressive engagement allows for easier steering when maneuvering the vehic	The progressive engagement allows for easier steering when maneuvering the vehicle.				
Only one Smart Mode Module can be installed at a time.					
Trail Activ Smart Mode Module Maverick X3, Maverick X3 MAX with Smart-Lok Differentia (Not illustrated) (except Turbo RR models 2021 & up)	al 715005284				

This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an
 accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.

The Trail Activ mode has been designed for aggressive riding, delivering the ultimate cornering precision.

• When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok will progressively engage the front end and maintain it engaged until throttle release or vehicle speed reduction.

The progressive engagement allows for smoother and lower steering effort.

Maverick X3, Maverick X3 MAX

Only one Smart Mode Module can be installed at a time.

Lonestar Racing Mud Flaps with Brackets

- These bolt-on mud flaps make a great addition.
- Durable chromoly brackets.
- Protect trailing arms, rotors and CVs from rocks and debris.
- Sold in pairs.

715004865

Lonestar Racing Heavy-Duty Shift Plate & Knob

- The shift plate is made from durable stainless steel and bolts into place for a secure fit.
- The kit comes with a billet aluminum Lonestar Racing shift knob. - Offers improved durability for the performance-oriented driver.
- **Lonestar Racing Outer Toe Link Boxed Gussets Roller Fairlead** 715004868 Maverick X3, Maverick X3 MAX 2021 & prior • Protects and strengthens the middle radius rod links from rough riding conditions.



Includes high-grade steel bolts.

Lonestar Racing Quick Re	elease Clutch Cover Pins	Maverick X3, Maverick X3 MAX	715005045
	 Includes 4 stainless steel "quistion of the stain of the stai		

Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate	Maverick X3, Maverick X3 MAX 2021 & prior	715005046
Double-layered radius rod s	upport plate made of high-grade steel.	

• Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.

Easy to install.

X rc Brake Pedal		Maverick X3, Maverick X3 MAX	715004901
	Brake pedal with larger foot	surface.	
	This improves ergonomics a	and control for the rider in rock climbing conditions.	



Yoshimura [†] Slip-on Exhaust		Maverick X3, Maverick X3 I	MAX	715002882
 Developed in collaboratio Made from 304-grade state aluminum tip. Better sounding, better lot than stock muffler. 		Iless steel with brushed • Fuel injection system t • ROHVA and EPA comp		g not required.
Performance Air Filter by Twi	n AIR†	Maverick X3, Maverick X3 I	MAX	715002895
	 The best choice for the hars Multiple staged oiled filterin Washable and reusable. 		aining capacity with high airflow.	
Foam Replacement		Maverick X3, Maverick X3 I	МАХ	715000713
	 Replacement foam for Perfo 	rmance Twin Air Filter.		

Snorkel Pre-filter		Maverick X3, Maverick X3 MAX	K (with Snorkel Kit)	715005599	
ACC	Helps keep air filter cleaner.Filter blocks particles larger	your engine in harsh riding conditions. Iner.			
		Maverick X3, Maverick X3 MAX	K (2019 and prior)	715003733	
norkel Kit		Maverick X3, Maverick X3 MAX	K (2020 & up)	715007110	
	be semi-submersed in water taking in water.Not compatible with S&B Particular taking in the semi-submersed in the s	CVT air intakes so vehicle can r or mud without the engine article Separator, LinQ ing Rear Intrusion Bar or any	 Sealed Air Box 707800780 (for installation on models m 1, 2018. Standard on Maverick X3 X Not EC-compliant. 	nanufactured before January	
adiator Relocator		Maverick X3, Maverick X3 MAX	ĸ	715004937	
	 Relocates stock radiator to r Protects it from debris and r Prevents cooling performan Reduces hot air in the cabin Easy to clean. Includes support hardware 	ocks. .ce loss in muddy conditions. 	mounted accessories, Com	y bed accessories, Rear Cage Complete MTX Audio system and pt LinQ 8 gal [30 L] Cooler Box). required for installation	
ARNING: Any modifications or addition of access w to adapt your driving behavior accordingly. Do r BRP and they may increase the risk of injury or lo	ot tamper with unauthorized modific	ations or install equipment not specific	ally certified by BRP for the vehicle. Th	ese modifications have not been tes	
Arched Lower Suspension Lin		Maverick X3, Maverick X3 MAX		715005065 · 64" models 715005066 · 72" models	
	Standard on X mr and 2022	X rc models only.			
50 W Magneto Kit		Maverick X3, Maverick X3 MAX	K (2021 & up)	715006279	
	 Increases the magneto outp Includes rotor, stator and red 				
ligh Output 172 HP Upgrade	Kit X3	Maverick X3, Maverick X3 MAX	K (2017 models)	715004700	
	 Performance upgrade kit for Gain 18 HP for a total of 172 Includes: intercooler with fat 	n, fuel pump catalyst and high p / an authorized BRP dealership	performance belt.	nty.	
72 HP Intercooler Upgrade K	it			715007137 715007277	
	 Intercooler upgrade for the Installation must be done by Requires the power upgrade 	an authorized BRP dealership	to preserve the vehicle's warra	nty.	
Power Upgrade Installation Ki	t	Maverick X3, Maverick X3 MAX	 K (2018-2020)	715007111	
	 Includes fuel pump, clutch o Installation must be done by 	Maverick X3 from 120 HP to 172 components and turbo adjustmu / an authorized BRP dealership cooler specific to model year (7	ent. to preserve the vehicle's warra	nty.	

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

Emergency Accessories

Lonestar Racing Fire Ex	tinguisher Support	Maverick X3, Maverick X3 MA	x	715003734
Fire Extinguisher	extinguisher out in a ma situation. • Made of billet anodized	fety and security of having	 Fits 1.85" (4.7 cm) tubing. Can be fixed everywhere or Comes with both billet mouplate and 2 clamps. Fire extinguisher sold sepa "Lonestar Racing for Can-A 	ints, quick-pull pin, mounting rately. m" branded.
	Ideal for grease, oil and e Fits with Lonestar Racin Not FC compliant	electrical fires. g Fire Extinguisher Support Kit.		295100833



Not EC compliant.

Emergency Kit		Maverick X3, Maverick X3 MAX	715006102	
	 Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in. 			
	 Includes: jumper cables, air 	compressor, tyre repair kit, ratchet tie-down, duct tape, 3,300	lb (1,500 kg) tow strap,	



zip-ties, cloth rags

TRAILERING

Trailering Cover		Maverick X3 Maverick X3 MAX	715005813 715005814
		nade of UV-resistant solution-dyed polyester.	
	• •	ects windshield and coloured panels from abrasion.	
	•	eas are reinforced with a double canvas layer.	
	0	ailering cover protects your vehicle during storage and	transportation
		and cabin access on passenger side.	
	 Quick and easy insta 		
	Designed to perfect	ly fit your vehicle with or without Can-Am accessories.	
Bolt-On† Retractable Ra	tcheting Tie-Downs		295101072
	 Perfect for transport 	ing your powersport vehicle or securing loads.	
		on any flat surface (e.g., truck bed or frame).	
to the second	,	n) tie-down strap with heavy-duty stitching that deliver	rs a 500 lb (226 kg) working load strength an
	1,500 lb (680 kg) bre		
NX.	 Convenient retractal 	ble push button automatically slackens, spools and sto	ores away strap, while the ratchet mechanisn
	tightens the strap sr	nugly to secure your vehicle or load into place.	
	 Rubber ratcheting has 	andle provides firm grip, and the hook is vinyl coated to	o protect whatever surface it hooks into.
CHAN F	 Sold in pairs. 		
Ratchet Tie-Downs			715008309 · Black/Gra
(2	 400 lb (181 kg) safe v 	working load.	
		n) strap with Sea-Doo, Ski-Doo and Can-Am logos.	
C S	 Deluxe ratchet with 	· · ·	
	Coated S hooks.		
	 Pack of 2. 		
	T dok of E.		
Heavy-Duty Ratchet Tie	-Down		715008308
	 1,000 lb (454 kg) safe 	e working load.	·
	· · · •	e working load. x 1.8 mm) strap with BRP brands.	
	• 1.5 in. x 6 in. (38 mm	x 1.8 mm) strap with BRP brands.	
	1.5 in. x 6 in. (38 mmDeluxe ratchet with	x 1.8 mm) strap with BRP brands. rubber handle.	
	• 1.5 in. x 6 in. (38 mm	x 1.8 mm) strap with BRP brands. rubber handle. oks.	

- Black-coated clip hooks. • 12" (300 mm) webbing included.
- Pack of two.

APACHE TRACK SYSTEMS

Winter Tracks

Limited Warranty*

715004392 · 64" models

715004393 · 72" models

Apache Backcountry LT Tracl	k System	Maverick X3, Maverick X3 MA	х	715004734
		ned flotation level and igger than the Apache 360 LT. learance of 7" (18 cm) helps low.	 Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. Apache Backcountry LT Mounting Kit, Track DPS Mod and Engine and CVT Pre-Filter are required. Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher. For winter use only. Track installation will affect vehicle width and length. 	
Apache Backcountry LT Mou	nting Kit	Maverick X3, Maverick X3 MA	х	715004397 · 64" models 715004394 · 72" models
	•	he Apache Backcountry Track are required and sold separatel		
Year-Round Tracks			Li	mited Warranty
Apache 360 LT Track System		Maverick X3, Maverick X3 MA	х	715005103
	 Multifunctional tracks desig and to fit on most Can-Am o Extra contact patch adjustm over rough terrain. Contact patch is 7% to 9% b Average ground clearance c 	off-road vehicles. Nent for better performance Digger than the Apache 360's.	 1" (2.5 cm) lugs in the front a Apache 360 LT Mounting Ki Engine and CVT Pre-Filter K EC compliant. 	t, Track DPS Module and

Apache 360 LT Mounting Kit (Not illustrated)

Maverick X3, Maverick X3 MAX

Required for installation of the Apache 360 LT Track System.
Track DPS Module and Pre-Filter not included.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry LT

Model Yea	ar / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2017 & Up	Maverick X3, Maverick X3 MAX (64" Models)	715004734	715004397	715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR		
2017 & Up	Maverick X3, Maverick X3 MAX (72" Models)		715004394	engine) OR 715006266 Maverick X3, Maverick X3 Max 2023, and 2022 & prior with Turbo RR Engines	715005600 (except X mr)	715005599

Apache 360 LT Track Prefilter Prefilter Model Year / Model Track **Track Mount DPS Module** without Snorkel with Snorkel 715007338 Maverick X3, Maverick X3 MAX (64" Models) 2017 & Up 715004392 (except Turbo RR engine) 715005103 OR 715005600 715005599 715006266 Maverick X3, Maverick X3 MAX (Turbo RR engine only) 2017 & Up 715004393 (72" Models)

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Rail Ice Scratchers		Apache Backcountry LT Track System	860201728
	 Rail mounted, small, light 	concept to allow reversing without damage.	
Apache Backcountry LT Whe	el Kit	Apache Backcountry LT Track System	715006293
	 Reduces drag and rolling Extends slider life in hard 	oss shaft and mounting hardware per kit to service one track cor	
Sliders with Vespel† Inserts		Apache Backcountry LT Track Systems	503194815
	 Use DuPont Vespel inse Longer life. Can be cut to desired let 8 needed per vehicle. Sold individually. 		
Track DPS Module		Maverick X3, Maverick X3 MAX (Turbo RR engine only)	715006266
(Not illustrated)		Maverick X3, Maverick X3 MAX (except Turbo RR engine)	715007338
	 Innovative DPS module to control and riding ease. Required to install the A 	that ensures speedometer accuracy and optimized steering assi spache Track Sytems.	st, making for perfect trac
Engine & CVT Air Intake Pre-	Filter	Maverick X3, Maverick X3 MAX (except X mr models)	715005600
	 Helps keep air filter clea Filter blocks particles lan Easy installation. Not compatible with S& Necessary to maintain v 	rger than 0.007" (0.19 mm).	
Snorkel Pre-Filter		Maverick X3, Maverick X3 MAX (with Snorkel Kit)	715005599
AAA	 Helps keep air filter clea 	your engine in harsh riding conditions.	
All products		ehicle warranty when tracks are installed.	

PROMOUNT PLOWS

Can-Am ProMount Steel Plow Kits

Can-Am ProMount Steel 72" (183 cm) Plow Kit

Maverick X3, Maverick X3 MAX

715008176 · Black 715008177 · Yellow



- These kits include:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Steel Blades

715004474 · Black Can-Am ProMount Steel 72" (183 cm) Blade 715006021 · Yellow Fits ProMount Push Frame • Plow blade made from 12-gauge steel. · Replaceable wear blade.



- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- · Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Not compatible with S3 High Clearance Front A-Arm.

Can-Am ProMount Angle Plows

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715007264



- · Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount Flex2 72" (183 cm) Blade



- These kits include:
- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Flex2 Blades

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715004485

- · Plow blade made of UHMWPE, flexible and impact · Blade design provides best snow roll-off at any angle. · Clears 66" (168 cm) when plow is fully angled.
 - Blade height of 17" (43 cm).
 - Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

absorbing material prevents damaging your plow when accidental impact occurs. Replaceable wear blade. · Large pin designed for easy blade rotation to eliminate

snow buildup at pivot point.

- Maverick X3. Maverick X3 MAX

715008175

Can-Am ProMount Edge M	/ larkers	Maverick X3, Maverick X3 MA	X	715004206
		f your plow. m ProMount Steel and Flex2 Blade: ProMount Steel 54" (137 cm) Blade		ensions
an-Am ProMount 72" (18	3 cm) Plastic Wear Blac	de Maverick X3, Maverick X3 MA	۸X	715004483
	Ideal to prevent leaving Compatible with Can-Ar	marks on your driveway. m ProMount 72" (183 cm) Blades.		
			N .	715006258
an-Am ProMount Drift C	 Help keep snow in the p Dimensions: 17" x 13" (4) 		~	11000230
	 Help keep snow in the p Dimensions: 17" x 13" (a Sold in pairs. Compatible with Can-An (except for the Can-Am 	blow. 43.2 cm x 33 cm). m ProMount Steel and Flex2 blades ProMount Steel 54" (137 cm) Blade	s with or without Blade Exte es).	ensions ■ 715004205 · Black
an-Am ProMount Drift Co	 Help keep snow in the p Dimensions: 17" x 13" (a Sold in pairs. Compatible with Can-An (except for the Can-Am 	blow. 43.2 cm x 33 cm). m ProMount Steel and Flex2 blader ProMount Steel 54" (137 cm) Blade Maverick X3, Maverick X3 MA	s with or without Blade Exte es). X	insions
	 Help keep snow in the p Dimensions: 17" x 13" (<i>i</i> Sold in pairs. Compatible with Can-Ar (except for the Can-Am Extensions These conveniently extended a " (8 cm) each side Compatible with Can-Aria (9 cm) each side 	Maverick X3, Maverick X3 MA	s with or without Blade Extees). XX Can-Am ProMount Steel 54	Insions 715004205 · Black 715005319 · Yellow 1" (137 cm) Blades).
an-Am ProMount Blade E	 Help keep snow in the p Dimensions: 17" x 13" (<i>i</i> Sold in pairs. Compatible with Can-Ar (except for the Can-Am Extensions These conveniently extended a " (8 cm) each side Compatible with Can-Aria (9 cm) each side 	Maverick X3, Maverick X3 MA end your Can-Am ProMount Blade.	s with or without Blade Exte es). X Can-Am ProMount Steel 54 ngth given by the extension:	nsions ■ 715004205 · Black ■ 715005319 · Yellow 1" (137 cm) Blades).
	 Help keep snow in the p Dimensions: 17" x 13" (<i>i</i> Sold in pairs. Compatible with Can-Ar (except for the Can-Am Extensions These conveniently extra Add 3" (8 cm) each side Compatible with Can-Ar Longer Wear Blade can • ¼ thick steel swivel scrate	All Show in the second	s with or without Blade Exte es). Can-Am ProMount Steel 54 ngth given by the extensions re) • Lifts the scraper off the • Adjustable in length for with 60", 66" and 72" bla	T15004205 · Black T15005319 · Yellow " (137 cm) Blades). s. T15007794 ground so that it scrapes evenly compatibility ades. punt blades (Flex and Steel).

* Price subject to change

Can-Am ProMount Custom Solutions

Can-Am ProMount Push Frame with Quick-Attach System	Maverick X3, Maverick X3 MAX	715008116
 Mid-mount carr traction. Designed for m Features a self 	riage provides ultimate push strength and aximum plow lift height. aligning quick-attach system, an easy foot nd an ergonomic handle for plow angle	ow Limit Switch recommended to extend winch cable espan. an-Am ProMount Mounting Plate required for stallation. ade swivels left or right, 5 positions. arge pin designed for easy blade rotation to eliminate rt and snow buildup at pivot point. ow Roller Fairlead included.

Can-Am ProMount Push Frame Extension	Maverick X3, Maverick X3 MAX	715006257



• 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.


Can-Am ProMount Moun	ting Plate	Maverick X3, Maverick X3 MAX	715008197
	 Mounting plate precision Comes with the Plow 	e Can-Am ProMount Push Frame with Quick-Attach S sion designed to stay on year round without comprom r Roller Fairlead. S3 High Clearance Front A-Arm.	
Can-Am ProMount Plow	Angling System	Maverick X3, Maverick X3 MAX	715006022
	 Converts your plow s 	ystem into an easy-to-control unit from the driver's se	at.

Allows you to have full up/down and left/right plow control at your fingertips by using the supplied joystick.

Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.

- Not compatible with Apache Backcountry LT Track System.
- Winch and plow sold separately.

ProMount Plow Limit Switch (Not illustrated)	Maverick X3, Maverick X3 MAX	715006259
-	ontrolling the cable tension when over-raising your plow system. ents winch, plow push frame and vehicle damage. or relocated for optimal lift height.	
Plow Roller Fairlead	Maverick X3, Maverick X3 MAX	715001223 • Cylindrical Roller Fairlead





Can be used with all ProMount plows.

ProMount Plow Kits - Reference Charts

	72" Black Steel	72" Yellow Steel	72" Flex2
Plow Kit	715008176	715008177	715008175
Blade	715004474	715006021	715004485
Push Frame	715008116	715008116	715008116
Mounting Plate	715008197	715008197	715008197

TYRES & RIMS

Tyres			
			705402080 · Front
			705502603 · Rear
			705402168 · Front · CE
Maxxis† Bighorn 2.0 Tyre			705502665 · Rear · C€
	 Front · 28" x 9" x 14". Rear · 28" x 11" x 14". Compliant with European cla Front · 27" x 9" x 14". Rear · 27" x 11" x 14". 	ass T regulations.	
Maxxis Liberty Tyre		Maverick X3 X rc	705402143 · Front 705402464 · Rear
	 Engineered for performance 8-ply radial construction. Front: 30" x 10" x 14". Rear: 32" x 10" x 15". 	e driving and to give you and your side-by-side freedo	
Maxxis Carnivore Tyre		Maverick X3 (except X mr, X rc & X rs models)	705402960 · 30" 705402961 · 32"
	The Carnivore is designed • Aggressive all-terrain tread • 8-ply-rated radial construct • Front & Rear · 30" or 32" x 1	ion.	
Maxxis Bighorn X ds Tyre			705402081 · Front 705502604 · Rear
	 Front · 29" x 9" x 14". Rear · 29" x 11" x 14". 		
Maxxis Bighorn X rs Tyre			705402082
	 Front & Rear · 30" x 10" x 14 	4 [#] .	
Dime			
Rims			
14" Maverick X3 X mr Rim		Maverick X3, Maverick X3 MAX	705402256
	 Black with clear coat alumi 	num rim.	
14" Maverick X3 Beadlock R	lim	Maverick X3, Maverick X3 MAX	 705402207 Black and machined 705402173 · Black
	 Black aluminum rim with m 	achined face and clear coat.	
	Choice of beadlock colour Needs 16 bolts (2500089)		

14" Maverick X3 Rim		Maverick X3, Maverick X3 MAX	705401965 · Front 705502493 · Rear
	 Black with clear cc Front: 14" x 7" Offs Rear: 14" x 8" Offse 	set = 55 mm.	
14" Maverick X3 Beadloc	k Rim	Maverick X3, Maverick X3 MAX	705402393 · Front 705502814 · Rear
		k colour. 50000893) for installing the beadlock. set = 55 mm (For Xrs = Front and rear).	
14" Maverick X3 Beadloc	k Ring	Maverick X3 & Maverick X3 MAX (X rs, X ds models only)	 705401709 · Black 705401913 · Gold 705402358 · Can-Am Red 705402472 · Manta Green
$\bigcirc \bigcirc$	Cast aluminum be Must be installed of	adlock. on Front Rim (705402393) and Rear Rim (705502814).	



CAN-AM Commander

MODEL PACKAGES

Can-Am Commander DPS 700	117
Can-Am Commander X-T 1000R	118
Can-Am Commander MAX X-TP 1000R	119

120

COMPARATIVE CHART

Can-Am Commander Lineup

ACCESSORIES

Roofs	122
Soft Cab Enclosure	123
Windshields & Wind Protection	123
Doors	126
Mirrors	127
Commander Skid Plates	128
Maverick Trail & Sport Skid Plates	129
Bumpers & Guards	130
Seat Accessories	135
LinQ: Easy On, Easy Off Cargo	136
Cargo & Storage	141
Racks & Holders	143
Lights	146
Audio & Communication Systems	150
Electrical & Electronic Accessories	151
Winches & Hitches	154
Performance	157
Apache Track Systems	159
ProMount Plows	161
Trailering	165
Tyres & Rims	165



WHAT'S NEW

New Premium Colouration Desert Tan: Commander MAX XT-P package

Image for visual purposes only. Package shown not available in region.

2023 CAN-AM COMMANDER DPS 700



Tundra Green / 700

ENGINE	700
Туре	52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† QE auto-locking front differential
Driving Assistance	Electronic Hill Descent Control SPORT/ECO™ modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Double A-arm with sway bar/12.5 in. (31.8 cm) travel
Front Shocks	Twin-tube gas-charged shocks
Rear Suspension	TTA with sway bar/13 in. (33 cm) travel
Rear Shocks	Twin-tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail Force 27 x 9 x 14 in.
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.
Wheels	14 in. steel

BRAKES

BIUTILO	
Front	Dual 220mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220mm disc brakes with hydraulic twin-piston calipers

PACKAGE HIGHLIGHTS

- Premium half doors
- Puncture resistant 8 ply tyres
- D.E.S.S.[™] Key with speed limiting capabilities
- Full Skid Plate
- Rear Differential with Turf mode
- Sport Performance with Utility style tipping tray

DIMENSIONS & CAPACITIES

DIMENSIONS & CAPACITIES		
Estimated Dry Weight	1,530 lb (694 kg)	
Chassis/Cage	Profiled cage, ROPS approved	
LxWxH	128.5 x 62 x 70.5 in. (326.4 x 157.5 x 180.2 cm)	
Wheelbase	90.6 in. (230.1 cm)	
Ground Clearance	12.5 in. (31.8 cm)	
Cargo Box Dimensions	29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)	
Cargo Box Capacity	600 lb (272.2 kg)	
Towing Capacity	2,000 lb (907.2 kg)	
Payload Capacity	1,030 lb (467.2 kg)	
Storage Capacity	Total: 7.3 gal (27.6 L)	
Fuel Capacity	10 gal (38 L)	
Person Capacity	2	

FEATURES

Gauge	4.5 in. wide digital display
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Magneto	650 W
Lighting	Front lighting output 110 W LED tail lights
Winch	N/A
Steering Wheel	Adjustable tilt steering
Protection	Premium half doors, Full skid plate, Mudguards
Hitch Type	2 in. hitch receiver

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM COMMANDER XT 1000R



PACKAGE HIGHLIGHTS

- 28 in. XPS Trail King tyres
- 64 lb. wide with high clearance Arched A-Arms
- 7.6 in. digital display with keypad
- Can-Am LED signature lights
- 14 in. cast-aluminium wheels
- XT front bumper
- 4,500 lb (2,014 kg) winch
- Full roof
- Premium half doors
- Puncture resistant 8 ply tyres
- D.E.S.S.TM Key with speed limiting capabilities
- Full Skid Plate
- Rear Differential with Turf mode
- Sport Performance with Utility style tipping tray

Oxford Blue / 1000R

ENGINE	1000R
Туре	100 hp, Rotax [®] 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	Quick Response System (QRS) CVT with high-airflow ventilation, and Electronic Drive Belt Protection Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok [†] QE auto-locking front differential
Driving Assistance	Electronic Hill Descent Control SPORT/ECO™ modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm with sway bar/15 in. (38.1 cm) travel
Front Shocks	Twin-tube gas-charged shocks
Rear Suspension	Arched TTA with sway bar/15 in. (38.1 cm) travel
Rear Shocks	Twin-tube gas-charged shocks

TYRES & WHEELS

Front Tyres	XPS Trail King 28 x 9 x 14 in.	
Rear Tyres	XPS Trail King 28 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES

Front	Dual 220mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES

DIVIENDIONO & OAI A		
Estimated Dry Weight	1,675 lb (759.8 kg)	
Chassis/Cage	Profiled cage, ROPS approved	
LxWxH	130 x 64 x 74 in. (330.2 x 162.6 x 188 cm)	
Wheelbase	90.6 in. (230.1 cm)	
Ground Clearance	13 in. (33 cm)	
Cargo Box Dimensions	29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)	
Cargo Box Capacity	600 lb (272.2 kg)	
Towing Capacity	2,000 lb (907.2 kg)	
Payload Capacity	1,030 lb (467.2 kg)	
Storage Capacity	Total: 7.3 gal (27.6 L)	
Fuel Capacity	10 gal (38 L)	
Person Capacity	2	

FEATURES

Gauge	7.6 in. wide digital display with keypad
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Magneto	650 W
Lighting	Front lighting output 110 W LED signature lights LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Steering Wheel	Adjustable tilt steering
Protection	Premium half doors, Full skid plate, Mudguards, XT front bumper, Full roof
Hitch Type	2 in. hitch receiver

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

2023 CAN-AM COMMANDER MAX XT-P 1000R



PACKAGE HIGHLIGHTS

- Smart-Lok front differential
- FOX[†] 2.5 PODIUM QS3[†] piggyback shocks
- Special edition seats
- 7.6 in. digital display with keypad
- LED headlight & Can-Am LED signature lights
- 64 in. wide with Arched A-arm
- 30 in. XPS Hammer Force tyres
- 15 in. cast-aluminum beadlock wheels
- XT front bumper
- 4,500 lb (2,014 kg) winch
- Full roof & panoramic mirror
- Full Skid plate
- Seating for 4 people
- .

Desert Tan & Carbon Black / 1000R

ENGINE	1000R
Туре	100 hp, Rotax [®] 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	Quick Response System (QRS) CVT with high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD TRAIL/4WD TRAIL ACTIV with exclusive Smart-Lok technology.
Driving Assistance	Electronic Hill Descent Control SPORT/ECO™ modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm with sway bar/14 in. (35.6 cm) travel	
Front Shocks		
	with QS3 compression adjustment	
Rear Suspension	Arched TTA with sway bar/14 in. (35.6 cm) travel	
Rear Shocks	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment	

TYRES & WHEELS

Front Tyres	XPS Hammer Force 30 x 10 x 14 in.	
Rear Tyres	XPS Hammer Force 30 x 10 x 14 in.	
Wheels	15 in. cast-aluminum beadlock	

BRAKES

Front	Dual 220mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES				
2,000 lb (907.2 kg)				
Profiled cage, ROPS approved				
160.4 x 64 x 76.7 in. (407.4 x 162.6 x 194.8 cm)				
120.6 in. (306.3 cm)				
13.5 in. (34.3 cm)				
29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)				
600 lb (272.2 kg)				
2,000 lb (907.2 kg)				
1,280 lb (580.6 kg)				
Total: 8.5 gal (32.1 L)				
10 gal (38 L)				
4				

FEATURES

Gauge	7.6 in. wide digital display with keypad			
Instrumentation	DC outlet (10-A)			
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button			
Magneto	650 W			
Lighting	LED headlight LED signature LED tail lights			
Winch	4,500 lb (2,041 kg) winch with roller fairlead			
Steering Wheel	Adjustable tilt steering			
Protection	Premium half doors, Full skid plate, Mudguards, XT front bumper, Full roof			
Hitch Type	2 in. hitch receiver			
	Special Edition seats			

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

	COMMANDER	DPS	хт	MAX XT-P	
С	DLOUR OPTIONS	Tundra Green	Oxford Blue	Desert Tan & Carbon Black	
		700	1000R	1000R	
	Туре	52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	100 hp, Rotax® 976 c	c, V-twin, liquid-cooled	
ŝ	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)			
ENGINES	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P	Quick Response System (QRS) and Electronic Drive Belt F	CVT with high-airflow ventilation Protection Extra-L/H/N/R/P	
	Drive Train	Selectable Turf Mode/2WD/4WD with Vis	sco-Lok [†] QE auto-locking front differential	Selectable Turf Mode/2WD/4WD TRAIL/4WD TRAIL ACTIV with exclusive Smart-Lok* technology.	
	Driving Assistance		Electronic Hill Descent Control SPORT/ECO™ modes		
	Power Steering		Dynamic Power Steering (DPS™)		
<i>"</i>	Front Suspension	Double A-arm with sway bar/ 12.5 in. (31.8 cm) travel	Arched double A-arm with sway bar/ 15 in. (38.1 cm) travel	Arched double A-arm with sway bar/ 14 in. (35.6 cm) travel	
SUSPENSIONS	Front Shocks	Twin-tube gas-	charged shocks	FOX [†] 2.5 PODIUM Piggyback with QS3 [†] compression adjustment	
ISPEI	Rear Suspension	TTA with sway bar/13 in. (33 cm) travel	Arched TTA with sway bar/15 in. (38.1 cm) travel	Arched TTA with sway bar/14 in. (35.6 cm) travel	
N.	Rear Shocks	Twin-tube gas-charged shocks		FOX [†] 2.5 PODIUM Piggyback with QS3 [†] compression adjustment	
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. steel	XPS Trail King 28 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Hammer Force 30 x 10/10 x 15 in. 15 in. cast-aluminum beadlock	
BRAKES	Front & Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers			
	Estimated Dry Weight	1,530 lb (694 kg)	1,675 lb (759.8 kg)	2,000 lb (907.2 kg)	
	Chassis/Cage		Profiled cage, ROPS approved	•	
s	LxWxH	128.5 x 62 x 70.5 in. (326.4 x 157.5 x 180.2 cm) 130 x 64 x 74 in. (330.2 x 162.6 x 188 cm)		160.4 x 64 x 76.7 in. (407.4 x 162.6 x 194.8 cm)	
E	Wheelbase	90.6 in. (230.1 cm)		120.6 in. (306.3 cm)	
APAC	Ground Clearance	12.5 in. (31.8 cm)	13 in. (33 cm)	13.5 in. (34.3 cm)	
s/c/	Cargo Box Dimension		29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)		
DIMENSIONS/CAPACITIES	Cargo Box Capacity	600 lb (272.2 kg)			
IENS	Towing Capacity		2,000 lb (907.2 kg)		
DIN	Payload Capacity	1,030 lb (467.2 kg)		1,280 lb (580.6 kg)	
	Storage Capacity	Total: 7.3 g	Total: 7.3 gal (27.6 L)		
	Fuel Capacity				
	Person Capacity	2	2	4	
	Gauge	4.5 in. wide digital display	7.6 in. wide digital	display with keypad	
	Instrumentation		DC outlet (10-A)		
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button			
FEATURES	Magneto	650 W			
	Lighting	Front lighting output 110 W LED tail lights	Front lighting output 110 W LED signature lights LED tail lights	LED headlight LED signature lights LED tail lights	
	Winch	N/A	4,500 lb (2,041 kg) wi	nch with roller fairlead	
H ۲	Steering Wheel		Adjustable tilt steering		
	Protection	Premium half doors Full skid plate Mudguards	Premium half doors Full skid plate Mudguards XT front bumper Full roof	Premium half doors Full skid plate Mudguards XT front bumper Full roof Special Edition seats	
	Hitch Type		2 in. hitch receiver	·	

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH.
*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

ACCESSORIES COMMANDER

Image for visual purposes only. Package shown not avaliable in region.

ROOFS

Excellent protection from the elements. Allows installation of lights on top of the roo Compatible with all windshields. ProVent Roof Module Kit Optimal performance with full cab enclosur A vents provides fresh air in the cab area. Optimal performance with full cab enclosur A vents provide infinite adjustment of air flow. Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for v Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Not illustrated) Adapter for fitting ProVent Roof Module Kit (7150052 Soft top comes with a hard visor that allows <i>Heavy</i> -duty canvas made of UV-resistant sod Soft top comes with a lard visor that allows <i>Hot compatible with Glass Windshield with wiper</i> . Commander, M Commander, M Commander M Soft top comes with a lard visor that allows <i>Hot compatible with Glass Windshield with wiper</i> . Commander M Soft cop more with a lard visor that allows <i>Hot compatible with Glass Windshield with wiper</i> .	X, Maverick Sport MAX	715007271			
Allows installation of lights on top of the rool Compatible with all windshields. ProVent Roof Module Kit Commander, M Image: State of the root root of the	· · ·	715007272			
Compatible with all windshields. Ordent Roof Module Kit Ordent Roof Module Kit Optimal performance with full cab enclosur A vents provide infinite adjustment of air flow Provides fresh air in the cab area. Optimal performance with full cab enclosur A vents provide infinite adjustment of air flow Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for w Requires ProVent Roof Module Adapter Kit Not compatible with roof mounted LED bars and Lonestar Racing Roof. Adapter for fitting ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes roof adapter and hardware. Requires ProVent Roof Module Kit Includes Module Kit Includes Includes Includes Includes Incommander, M Includes Include Includes Include					
Provent Roof Module Kit Commander, N					
 Provides fresh air in the cab area. Optimal performance with full cab enclosur. 4 vents provide infinite adjustment of air flow. Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for w. Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Not commander, N Normander, N Commander, N Commander, N Commander, N Commander, N Commander M Commander, N Commander M Commander M Commander, N Commander N </td <td></td> <td></td>					
 Provides fresh air in the cab area. Optimal performance with full cab enclosur. 4 vents provide infinite adjustment of air flow. Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for w. Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Vot illustrated) Adapter for fitting ProVent Roof Module Kit (7150052) Adapter for fitting ProVent Roof Module Kit (7150052) Bimini [†] Roof with Sun Visor Heavy-duty canvas made of UV-resistant sol : Soft top comes with a hard visor that allows <i>Alot compatible with Glass Windshield with wiper</i>. Commander, N. Connestar Racing [†] Aluminum Roof Race-true low profile look with integrated free to use of the sol integrated free to use of the sol with sol integrated free to use of the sol with integrated for the sol with full cases with integrated for the sol with the sol with integrated for the sol with the sol with with with with w					
 Provides fresh air in the cab area. Optimal performance with full cab enclosur. 4 vents provide infinite adjustment of air flow. Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for w. Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Vot illustrated) Adapter for fitting ProVent Roof Module Kit (7150052) Adapter for fitting ProVent Roof Module Kit (7150052) Bimini [†] Roof with Sun Visor Heavy-duty canvas made of UV-resistant sol Soft top comes with a hard visor that allows <i>Alot compatible with Glass Windshield with wiper</i>. Incenstar Racing [†] Aluminum Roof Race-true low profile look with integrated for 0.083" (2.1 mm) thick aluminum roof for dure) 					
 Provides fresh air in the cab area. Optimal performance with full cab enclosur. 4 vents provide infinite adjustment of air flow. Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for w. Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Vot illustrated) Adapter for fitting ProVent Roof Module Kit (7150052) Adapter for fitting ProVent Roof Module Kit (7150052) Bimini [†] Roof with Sun Visor Heavy-duty canvas made of UV-resistant sol : Soft top comes with a hard visor that allows <i>Alot compatible with Glass Windshield with wiper</i>. Commander, N. Connestar Racing [†] Aluminum Roof Race-true low profile look with integrated free to use of the sol integrated free to use of the sol with sol integrated free to use of the sol with integrated for the sol with full cases with integrated for the sol with the sol with integrated for the sol with the sol with with with with w					
 Optimal performance with full cab enclosure 4 vents provide infinite adjustment of air flow Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for v Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. 	verick Trail, Maverick Sport	715005279			
A vents provide infinite adjustment of air flow Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for w Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. Commander, M Adapter for fitting ProVent Roof Module Kit (7150052 Not compatible system and hardware. Requires ProVent Roof Module Kit (7150052 Simini' Roof with Sun Visor Adapter for fitting ProVent Roof Module Kit (7150052 Simini' Roof with Sun Visor Net compatible with a hard visor that allows Adapter with Glass Windshield with wiper. Commander, M Commander M Commander M Soft top comes with a hard visor that allows Alva compatible with Glass Windshield with wiper. Commander M Commander M Commander M Commander M Commander M Commander M Commander M Soft top comes with a lard visor that allows Alva compatible with Glass Windshield with wiper. Commander M Commander M Commander M Commander M Commander M Commander M					
 Filter and pre-filter to limit dust intrusion. Easy cleaning of filter and pre-filter. Patent pending water management system Outer plug closes air intake completely for w. Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. Commander, M. Adapter for fitting ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Requires ProVent Roof Module Kit (7150052 Motor adapter and hardware. Soft top comes with a hard visor that allows <i>Alot compatible with Glass Windshield with wiper</i>. Mot compatible with Glass Windshield with wiper. 					
 Easy cleaning of filter and pre-filter. Patent pending water management system. Outer plug closes air intake completely for w. Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Adapter for fitting ProVent Roof Module Kit (7150052 Adapter for fitting ProVent Roof Module Kit (7150052 Includes roof adapter and hardware. Requires ProVent Roof Module Kit (7150052 Bimini' Roof with Sun Visor Heavy-duty canvas made of UV-resistant sol Soft top comes with a hard visor that allows <i>Alot compatible with Glass Windshield with wiper</i>. Commander, N. Commander M. Commande	or driver and passenger.				
Patent pending water management system Outer plug closes air intake completely for v Requires ProVent Roof Module Adapter Kit for Sport Roof Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Ormmander, M Ormmander, M Ormmander Adapter for fitting ProVent Roof Module Kit (7150052 Ormmander N Ormmander M Order Compatible with Glass Windshield with wiper Ormmander M Ormmander M Ormmander M Ormmander M Ormmander M Order Compatible With Glass Windshield with wiper Ormmander M Ormmander M Ormmander M Ormmander M Ormmander M Order Compatible With Glass Windshield with wiper Ormmander M Order Order Order M Order M Order Order M Order					
Outer plug closes air intake completely for with Requires ProVent Roof Module Adapter Kith Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Not illustrated) Adapter for fitting ProVent Roof Module Kit (7150052 Adapter for fitting ProVent Roof Module Kit (7150052 Adapter for fitting ProVent Roof Module Kit (7150052 Commander, M Commander, M Commander M Comm					
Requires ProVent Roof Module Adapter Kit ti Not compatible with roof mounted LED bars and Lonestar Racing Roof. Commander, M Commander, M Adapter for fitting ProVent Roof Module Kit (Includes roof adapter and hardware. Requires ProVent Roof Module Kit (7150052 Commander, M Commander, M Commander, M Commander, M Commander M Co	•	ing air flow.			
Not compatible with roof mounted LED bars and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Not illustrated) Adapter for fitting ProVent Roof Module Kit (Adapter for fitting ProVent Roof Module Kit (Includes roof adapter and hardware. Requires ProVent Roof Module Kit (7150052 Bimini [†] Roof with Sun Visor Ommander, M Commander M Commander M Soft top comes with a hard visor that allows Heavy-duty canvas made of UV-resistant sol Soft top comes with a hard visor that allows Hot compatible with Glass Windshield with wiper. Commander, M Commander M	-				
and Lonestar Racing Roof. ProVent Roof Module Adapter Kit for Sport Roof Not illustrated) Commander, M • Adapter for fitting ProVent Roof Module Kit (• Includes roof adapter and hardware. • Requires ProVent Roof Module Kit (7150052 • Adapter for fitting ProVent Roof Module Kit (7150052 Bimini [†] Roof with Sun Visor Commander, M • Heavy-duty canvas made of UV-resistant sol • Soft top comes with a hard visor that allows #Not compatible with Glass Windshield with wiper. • Commander, M • Commander, M • Commander, M • Soft top comes with a hard visor that allows #Not compatible with Glass Windshield with wiper. • Commander M • Commander M • Commander M • Soft top comes with a land visor that allows #Not compatible with Glass Windshield with wiper. • Commander M • Onestar Racing [†] Aluminum Roof • Race-true low profile look with integrated for • 0.083" (2.1 mm) thick aluminum roof for dur	-	F : D (
Not illustrated) Commander, Not illustrated) • Adapter for fitting ProVent Roof Module Kit (1) • Includes roof adapter and hardware. • Requires ProVent Roof Module Kit (7150052) Biminit Roof with Sun Visor • Heavy-duty canvas made of UV-resistant sol • Soft top comes with a hard visor that allows * Not compatible with Glass Windshield with wiper. • Commander, Not compatible with Glass Windshield with wiper. • Commander Module Kit (2) • Soft top comes with a hard visor that allows * Not compatible with Glass Windshield with wiper. • Commander Module Kit (2) • Onestar Racing [†] Aluminum Roof • Race-true low profile look with integrated for • 0.083" (2.1 mm) thick aluminum roof for dure	 Not compatible with roof mounted LED bars, roof racks, roof liners, Bimini Roof, DragonFire Roof and Lonestar Racing Roof. 				
Adapter for fitting ProVent Roof Module Kit (Includes roof adapter and hardware. Requires ProVent Roof Module Kit (7150052 Commander, M Commander M Commander M Soft top comes with a hard visor that allows #Not compatible with Glass Windshield with wiper. Commander, M Commander, M Commander					
Includes roof adapter and hardware. Requires ProVent Roof Module Kit (7150052 Commander, N Commander M Commander	verick Trail, Maverick Sport	715005213			
Requires ProVent Roof Module Kit (7150052 Commander, M Commander M C	to Commander, Maverick Sport or Mav	verick Trail Sport Roof.			
Bimini [†] Roof with Sun Visor Commander, M Commander M Commander M Soft top comes with a hard visor that allows • Soft top comes with a hard visor that allows * Not compatible with Glass Windshield with wiper. • Commander, M Commander M Commander M Commander M • Commander M Commander M • Commander M • Soft top comes with Glass Windshield with wiper. • Commander M • Commander M • Commander M • Onestar Racing [†] Aluminum Roof • Race-true low profile look with integrated fre • 0.083" (2.1 mm) thick aluminum roof for dur					
Bimini [†] Roof with Sun Visor Commander M Commander M • Heavy-duty canvas made of UV-resistant sol • Soft top comes with a hard visor that allows #Not compatible with Glass Windshield with wiper. Commander M Commander M • Soft top comes with a hard visor that allows #Not compatible with Glass Windshield with wiper. • Commander M • Commander M • Commander M • Commander M • Onestar Racing [†] Aluminum Roof • Race-true low profile look with integrated fre • 0.083" (2.1 mm) thick aluminum roof for dur).				
• Heavy-duty canvas made of UV-resistant sol • Soft top comes with a hard visor that allows #Not compatible with Glass Windshield with wiper. • Commander, N Commander M • Race-true low profile look with integrated fm • 0.083" (2.1 mm) thick aluminum roof for dur	verick Trail, Maverick Sport [‡]	715003661			
Soft top comes with a hard visor that allows #Not compatible with Glass Windshield with wiper. Commander, M Commander M Onestar Racing [†] Aluminum Roof • Race-true low profile look with integrated fm • 0.083" (2.1 mm) thick aluminum roof for dur	X, Maverick Sport MAX	715004792			
#Not compatible with Glass Windshield with wiper. #Not compatible with Glass Windshield with wiper. Commander, M Commander M Commander M • Race-true low profile look with integrated fm • 0.083" (2.1 mm) thick aluminum roof for dur	Heavy-duty canvas made of UV-resistant solution-dyed polyester.				
Commander, M Commander, M Commander M Commander M • Race-true low profile look with integrated fre • 0.083" (2.1 mm) thick aluminum roof for dur	 Soft top comes with a hard visor that allows for storage of rolled-up soft top and mounting auxiliary lights. 				
• Race-true low profile look with integrated fre • 0.083" (2.1 mm) thick aluminum roof for dur	#Not compatible with Glass Windshield with wiper.				
• Race-true low profile look with integrated free • 0.083" (2.1 mm) thick aluminum roof for dur					
• Race-true low profile look with integrated fre • 0.083" (2.1 mm) thick aluminum roof for dur					
• Race-true low profile look with integrated free • 0.083" (2.1 mm) thick aluminum roof for dur		715005137 · Black			
Lonestar Racing [†] Aluminum Roof Commander M • Race-true low profile look with integrated fre • 0.083" (2.1 mm) thick aluminum roof for dur	verick Trail, Maverick Sport [‡]	715003831 · Can-Am Red			
• 0.083" (2.1 mm) thick aluminum roof for dur	X, Maverick Sport MAX	715004892 · Can-Am Red			
• 0.083" (2.1 mm) thick aluminum roof for dur	t visor for eve-popping performance ar	ad protection			
	 0.083" (2.1 mm) thick aluminum roof for durable and lightweight protection from the elements. 				
Compatible with Lonestar Racing Mounts for	 Compatible with Lonestar Racing Mounts for 39" (99 cm) Double Stacked LED Light Bar (715004877). 				
• Not compatible with Full Windshields, Rigid	• • •				
	39" (99 cm) Double Stacked LED Light				
	39" (99 cm) Double Stacked LED Light				

SOFT CAB ENCLOSURE

Soft Cab Enclosure		Maverick Trail	715003618	
	Includes:			
	- Sport Roof			
An Ind	- Full Windshield – Hardcoa	ted		
	- Upper Soft Door Panels			
	- Soft Rear Panel			
	- Door Seal Kit			
	- Requires Half Doors on 80 and 800 DPS models	0 Base		
	- Not compatible with Sport	t Half Doors		
		Commander, Maverick Trail, Maverick Sport		
Soft Cab Enclosure		(except X mr models)	715004724	
	 Can be installed on the Maverick Trail equipped with the Sport Half Doors or on Maverick Sport models. 			
	Includes:			
	- Sport Roof			
	- Full Windshield – Hardcoated			
	- Upper Soft Door Panels			
	- Soft Rear Panel			
		Commander MAX, Maverick Sport MAX		
Soft Cab Enclosure		(except X mr models)	715004725	
	Includes:			
	- Sport Roof			
	- Full Windshield – Hardcoa	ted		
	- Upper Soft Door Panels			

- Soft Rear Panel

WINDSHIELDS & WIND PROTECTION

Windshields					
Glass Windshield		Commander, Commander MA Maverick Trail, Maverick Spor		715003653	
	 Curved and laminated glass full windshield in metal frame. Provides excellent optical clarity. Seals firmly against the cage and protects rider and passenger from the elements. Must be used with a rear wind protection. Not EC compliant. 				
Glass Windshield with Wiper	Glass Windshield with Wiper		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		
	 Curved and laminated glass frame. Provides excellent optical cl Seals firmly against the cage passenger from the element 	arity. e and protects rider and	 Single-speed wiper with wa Requires the Overhead Swit installation. Must be used with rear wind Not EC compliant. 	ch Panel (715003669) for	

Windshield Wiper and Washer Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003654		
	 An ideal way to keep your with 	indshield clear in rain, or while riding through mud and water.			
	 Includes single-speed wiper, washer fluid dispenser and windshield frame mount. 				
	 Must be used with the Glass Windshield (715003653). 				
Requires Overhead Switch		Panel (715003669) for installation.			
	 Not EC compliant. 				
	 Not compatible with ABS eq 	uipped vehicles.			

Half Windshield		Commander, Commander M Maverick Trail, Maverick Sp	IAX, ort, Maverick Sport MAX	☐ 715003657 · Clear 715005280 · Tinted
	 Formed polycarbonate cons Formulated to be non-yellow Protects driver and passeng Features reverse angle lip to Quick and easy tool-less inst 	ving, non-crazing, non-cracki Jer from the elements. D deflect air flow.	y. ng with excellent UV resistance a	nd optical clarity.
Full Windshield		Commander, Commander M Maverick Trail, Maverick Sp	IAX, ort, Maverick Sport MAX	715003655
	 High-impact-resistant durab Formed polycarbonate cons Formulated to be non-yellow Seals firmly against the cage Must be used with rear wind Quick and easy tool-less inst 	struction for enhanced rigidit ving, non-crazing, non-cracki e and protects rider and pass d protection.	y. ng with excellent UV resistance a	nd optical clarity.
Full Windshield - Hardcoated		Commander, Commander M Maverick Trail, Maverick Sp	IAX, ort, Maverick Sport MAX	715003656
-	 High-impact-resistant Quant Formed polycarbonate const Provides excellent optical cl Seals firmly against the cage Must be used with rear wind Quick and easy tool-less inst 	struction for enhanced rigidit arity and better abrasion resi e and protects rider and pass d protection.	y. stance.	
ProVent Windshield		Commander, Commander M Maverick Trail, Maverick Sp	IAX, ort, Maverick Sport MAX	715005210
	 High-impact-resistant Quanipolycarbonate full windshiel Controllable vents to manage Channels air into the cabin, fully closes to eliminate air f One upper vent and one low Must be used with rear windshipolycarbonate 	ld. Je air flow. defogs windshield, low. ver vent with pre-filters.	 Provides excellent optical clabrasion resistance. Protects driver and passeng Quick and easy tool-less ins Not compatible with wiper legitime to the distribution of the distributication of the distribution of the distribution of t	ger from the elements. tallation or removal. kits and Wet Sounds Stealth
PowerFlip Windshield		Commander, Commander M Maverick Trail, Maverick Sp	IAX, prt, Maverick Sport MAX	715003658
	opening at the touch of a bu • Windshield is made of hardo • Allows you to quickly adapt • Can be fully opened for optin	itton. coated polycarbonate with a to changing conditions by ad mal visibility and ventilation, n infinite number of openings	ders that allow the rider to adjust rubber seal contour and a tinted t justing the windshield as you go. fully closed for maximum protecti s.	op section.

Side Wind Deflectors		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008632
	Can be adjusted at three dif	educe fog. elds.	is installed:
Rear Polycarbonate Window		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715006113
	 Sport Roof is required for in 	t or dust and rain from entering for added cabin comfort.	Racing Aluminum Roof.
Rear Wind Screen		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715003664
Contrart :	 Full rear mesh screen reduct Installs quickly and easily or Large Can-Am branding. 	ces windshield backdraft for added cabin comfort. n roll cage.	
Soft Rear Panel		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715005887
		her-resistant rear panel offers good protection from the eleme stant solution-dyed polyester canvas for excellent resistance to nated polished vinyl material.	

DOORS

Trail Half Doors		Maverick Trail		715004418	
	 Steel frame for high level of A must-have for additional c Keep the vehicle narrow in t 	abin comfort. ight trail riding conditions. nplete your door kit (sold separately).	g.		
			Can-Am Red	Left 705012419 705015607	Right 705012420 705015613
Door Trim		Maverick Trail	Octane Blue	705016447	705016449
	 Matching coloured panel fo Required to complete the Tr 	r Trail Half Doors. ail Half Doors (sold separately).			
Sport Half Doors		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maveri	ck Sport MAX	715006217	
	 A must-have for additional of Features rounded shape to Standard on all Commande Can be installed on Maverio 	increase cabin space.	-		
		Commander, Commander MAX, Maverick Trail, Maverick Sport,	Can-Am Red	Left 705015464 705015608	Right 705015465 705015615
Door Trim		Maverick Sport MAX	Octane Blue	705016448	705016450
	 Matching coloured panel fo Required to complete the Sp Sold in pairs. 	r the Sport Half Doors. port Half Doors (sold separately).			
		Commander, Maverick Trail [†] , Maverick	Sport,	715004718	
Upper Soft Door Panels		Commander MAX, Maverick Sport MA	X‡	715004727	
	 Seals firmly against the cag Converts half door into full o Zippered window made of la Easy to remove on hot and s Sport Roof required for instance 	allation.	ded ventilation.		
	†Not compatible with Trail Half D ‡Includes Upper Soft Door Panels	pors or with the standard half doors on Maver s for front and rear doors.	rick Trail models.		
Upper Soft Door Panels (Not illustrated)		Maverick Trail		715003620	
	•	rail Half Doors or with the standard half Half Doors or with the standard half doc allation.			
Door Seal Kit		Maverick Trail		715004773	
	 Included in the Soft Cab End Not compatible with Sport H 				


Door Knee Pads with Storage	Maverick Trail	715003635	
Protect dri Increase c Require Tr Offer stora Sold in pair	 Padded door cushion with integrated pocket for storage. Protect driver and passenger legs from direct contact with the doors while riding. Increase cabin comfort. Require Trail Half Door on 800 Base and 800 DPS models (715004418). Offer storage space for small items. Sold in pairs. Not compatible with Sport Half Doors. 		
Door Storage with Padding	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004914	
Holds your	esistant door storage bags with integrated padding. gear safely and securely and also protects driver and passenger legs from direct s designed as a 0.5 gal (2 L) capacity pocket also equipped with inner netti	•	

- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Easy to install.
- Sold in pairs.
- Bags attach on stock doors of the Maverick Sport or on the Maverick Trail equiped with the Sport Half Doors (715006217).
- Not compatible with stock doors on the Maverick Trail or the Trail Half Doors.

M	IRRORS

Side Mirrors		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003639		
FC	 Rugged black nylon % construction with coated cast-aluminum mount. Dual adjustment (horizontal and vertical) will suit any rider. Convex optics deliver optimal field of view (FOV). Spring-loaded pivots let mirrors fold back completely. Sold in pairs. 				
Panoramic Center Mirror		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003638		
	 Wide-angle convex mirror. Offers enhanced visibility. Can be used with or withou 	t roof or windshield and with cab enclosure.			
Sport Panoramic Center Mi	rror	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004924		
	 Convex mirror for wide rear Ball-joint design with tighte Can be used with or withou Not for road use. 	ning knob for steady multi-angle adjustment.			
Rear View Mirror and Came	ra Monitor	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004905		
		be seen with the rear view camera, to see what you need. w mirror (screen is integrated in the unit's replacement rea	r view mirror).		

COMMANDER



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

 Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

Lighter than aluminum.


High impact strength.

Ultra-sturdy 3/8" (10 mm) thickness.

COMMANDER, COMMANDER MAX

Offer your Commander the full protection kit or get parts individually	DPS & XT 700	XT 1000, XT-P & X mr
HMWPE Skid Plate Protection Kit		
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate.	715006349 (except MAX)	715006350 (except MAX)
- HMWPE Rear Skid Plate. - HMWPE Rear A-Arm Protectors. - HMWPE Underbelly Plates. - HMWPE Central Skid Plate.	715006351 (MAX Only)	715007303 (MAX Only)
Individual HMWPE Skid Plates		
1 HMWPE Front Skid Plate	715008279	715008279
HMWPE Front A-Arm Protectors	715008276	715008277
HMWPE Underbelly Plates Keeps the rollover clearance.	715006273	715006273
HMWPE Rear Skid Plate	715007302	715007302
5 HMWPE Rear A-Arm Protectors	715004271	715006341
HMWPE Central Skid Plate Provides center protection for MAX models.	715004272 (MAX Only)	715004272 (MAX Only)

MAVERICK TRAIL & MAVERICK SPORT



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

Superior stress crack resistance.

- High impact strength.
- Ultra-sturdy 3/8" (10 mm) thickness.
- Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).
- Lighter than aluminum.

	MAVERI	CK SPOR	F & MAVE	RICK SPO	ORT MAX	MAVERICK TRAIL
Offer your Maverick the full protection kit or get parts individually	2019 Base & DPS	2019 X mr	2020 & Up Base & DPS	2020 & Up X mr	Any Year X rc	
HMWPE Skid Plate Protect	ction Kit					
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate.	715006348 (except MAX)	715006353	715006349 (except MAX)	- 715006350	_	715006346 (2019 & prior)
- HMWPE Rear A-Arm Protectors. - HMWPE Underbelly Plates. - HMWPE Central Skid Plate.	715006352 (MAX Only)		715006351 (MAX Only)			715006347 (2020 & up)
Individual HMWPE Skid Plates						
1 HMWPE Front Skid Plate	715008279	715008279	715008279	715008279	(Standard on X rc models)	715008279
HMWPE Front A-Arm Protectors	715008276	715008277	715008276	715008277	(Standard on X rc models)	715008278
(3) HMWPE Underbelly Plates Keeps the rollover clearance.	715006339	715006339	715006273	715006273	715006339 (2019)	715006339 (2019 & prior)
	/15006339	/15006339	/15006273	/15006273	715006273 (2020 & up)	715006273 (2020 & up)
HMWPE Rear Skid Plate	715007302	715007302	715007302	715007302	715007302	715007302
(5) HMWPE Rear A-Arm Protectors	715004271	715006341	715004271	715006341	(Standard on X rc models)	715003699
HMWPE Central Skid Plate Provides center protection for MAX models.	715004272 (MAX Only)	_	715004272 (MAX Only)	_	_	_

BUMPERS & GUARDS

Commander Bumpers

X mr Front Bumper		Commander, Commander MAX	715007248 · Black
	 Inside and outside anti-corr Provides additional front bo 	late for winch relocation at a higher position for easier acces	s in muddy conditions or for
Front Bumper		Commander, Commander MAX	715007631
	 Includes integrated mount 	eter steel tubing with durable powder-coat finish. points for seamless light installation. and steel rope winches and hawse fairlead.	
Front Corner Protectors		Commander, Commander MAX	715006807
	 Heavy-duty 1.5" (3.8 cm) dia Inside and outside anti-cori Provide additional protection Requires stock XT, XT-P or 2 Sold in pairs. Not EC compliant. 	rosion coating with durable powder-coat finish. on for vehicle's front corners.	
Rear Bumpers		Commander, Commander MAX	715006808
	 Protect vehicle bodywork a 	rosion coating with durable powder-coat finish.	

Maverick Trail & Maverick Sport Bumpers

Front Trail Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	 715003680 · Black 715003681 · Sunburst Yellow
	 Completes the stock bump Inside and outside anti-corr 	ry-duty 1.5" (3.8 cm) diameter steel tubing. er for more front coverage and essential vehicle protection f rosion coating with durable powder coat finish. points for seamless light installation.	ior trail riders.
Rear Trail Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	715007109 · Black
	 Protects vehicle bodywork 	y-duty 1.5" (3.8 cm) diameter steel tubing. and exhaust system. rosion coating with durable powder coat finish.	
Front Corner Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004912 · Black
	 Provide additional protection 	osion coating with durable powder coat finish.	

Rancher Front Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004303
	 Inside and outside anti-co Offers full front coverage and the second second	de of 1.5" (3.8 cm) diameter steel tubing, perfect for farm, ran rrosion coating with durable powder coat finish. and superior headlight protection. ctor to allow light installation.	ch and forestry applications.
Rancher Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004304
	 Inside and outside anti-co 	de of 1.5" (3.8 cm) diameter steel tubing, perfect for farm, ran rrosion coating with durable powder coat finish. /// integrated tail light protectors.	ch and forestry applications.
Lonestar Racing Front Bum	ber	Maverick Trail, Maverick Sport, Maverick Sport MAX	715005131 · Black 715004871 · Can-Am Red
	these stylishly crafted acc	6 6	
Lonestar Racing Rear Bump	er	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004873 · Can-Am Red
	accessories will also enha • Made of 1.5" (3.8 cm) dian • Billet End Cap with Lones	star Racing's trademark standards for toughness, these stylis ance your vehicle with visual impact. neter steel tubing with durable powder coat finish. tar Racing logo. e-rear bodywork and exhaust system protection in extreme du	
Lonestar Racing Number Pla	ate	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004878
	 Includes a pair of sturdy a 	number decal through SCS Unlimited.	and your vehicle a winner.
DragonFire Front Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	715005128 · Black 715004456 · Can-Am Red
	 Delivers additional protect Sleek lines designed to make the set of th	atch your vehicle's body and greatly enhance the overall look he DragonFire Front Exo-Frame. onFire Logo. ront Receiver Hitch.	
DragonFire Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004457 · Can-Am Red
	 Delivers additional protect 	atch your vehicle's body and greatly enhance the overall look	

S3 [†] Front Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	 715005121 · Black 715004880 • Sunburst Yellow
	 Inside and outside anti-corr Replaces stock bumper and Integrated mount points for 	3.8 cm) diameter steel tubing. osion coating with durable powder coat finish. adds superior protection for mud-riding enthusiasts. lights. s you to keep the winch hook within easy reach when riding in	deep mud.

S3 [†] Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	 715005122 · Black 715004881 • Sunburst Yellow 			
	 Made of extra durable 1.5" 	(3.8 cm) diameter steel.				
	Inside and outside anti-cor	 Inside and outside anti-corrosion coating with durable powder coat finish. 				
	 Added heavy-duty protecti 	 Added heavy-duty protection in extreme driving conditions—protects vehicle bodywork and exhaust system. 				
	 Permits installation of a with 	 Permits installation of a winch at a higher location to improve accessibility in mud-riding conditions. 				
	 Engineered to sustain hear 	 Engineered to sustain heavy winch loads without damaging the vehicle's frame. 				
		 Compatible with Can-Am HD and WARN VRX winches—Rear Winch Harness (715006008) is required to install a winch on the bumper. 				
	 Includes a License Plate S 	Includes a License Plate Support Mount.				
	 Not EC compliant. 					

- "S3 for Can-Am" branded. Winch not included.

•	Winch	not inc	ludec	I.

Rear Winch Harness		
(Not illustrated)	Maverick Trail, Maverick Sport, Maverick Sport MAX	715006008

Rock Sliders

Rock Sliders		Commander, Maverick Trail, Maverick Sport (except X rc) Commander MAX, Maverick Sport MAX	 715003689 · Black 715004754 · Black
	 Made of heavy-duty 1.5" (3.8 	3 cm) diameter steel tubing.	
	 Inside and outside anti-corr 	osion coating with durable powder coat finish.	

- Protect vehicle's rocker panels and undercarriage against large obstacles.
- Sold in pairs.

Lonestar Racing Rock Slider	8	Commander, Maverick Trail, Maverick Sport (except X rc) Commander MAX, Maverick Sport MAX	715005135 · Black 715004875 · Can-Am Red 715004893 · Can-Am Red
	 these stylishly crafted acces Made of 1.5" (3.8 cm) diame with 1/8" (3 mm) aluminum pl 		
	 Billet end-cap with Lonestar Protect vehicle sides from la Sold in pairs 	0 0	

Sold in pairs.

Front Intrusion Bar		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003872
	 Inside and outside anti-corre Provides additional protection 	perfectly with vehicle's styling. osion coating with durable powder coat finish. on by preventing large objects from entering the driver/pas icted lines of sight and blind spots for better visibility. hields and Soft Door Panels.	senger area.
ragonFire Spare Tyre Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715005125 · Black
	 Sleek lines designed to mate Easy-to-install roll cage mou Accommodates tyres up to a Uses standard bolt pattern f 	28" in diameter (wheel not included).	
onestar Racing Front Intrusio	on Bar	Maverick Trail, Maverick Sport, Maverick Sport MAX (2020 and prior)	715004872 · Can-Am Rec
	enhance your vehicle with v • Made of 1.5" (3.8 cm) diame • Provides additional protectio • Compatible with Lonestar R	ter steel tubing with durable powder coat finish. on for driver and passenger.	hly crafted accessories will also
onestar Racing Rear Intrusio	n Bar	Maverick Trail, Maverick Sport	715005134 · Black 715004874 · Can-Am Rec
	enhance your vehicle with v • Made of 1.5" (3.8 cm) diame • Provides additional protection	ter steel tubing with durable powder coat finish.	hly crafted accessories will also

Not compatible with S&B particle separator.

Lonestar Racing Spare T	yre Holder	Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr)	715005136 · Black 715004876 · Can-Am Red
	 Holds wheel secure 	riders who believe a Plan B means thinking like a pro. ly no matter how rough the trail. 1) diameter steel tubing with durable powder coat finish.	
	 Easy, bolt-on installa 	, , , , , , , , , , , , , , , , , , , ,	

- Not compatible with All-Terrain Trunk Cover, Fixed Tailgate, LinQ Cargo Rack and LinQ Rack Extension.
- Not compatible with Snorkel Kit.

- e. h

Fender Flares					
Fender Flares		Commander, Commander MAX	715006814		
	 Fender flares made from injection-molded polypropylene. Keep mud and debris out of vehicle. Designed for quick and easy installation. Front and rear extensions and mounting hardware included. Increase vehicle's overall width by 3" (8 cm) when installed on Commander and Commander MAX models. 				
2" (51 mm) Fender Flares		Maverick Trail	715004958		
	 Keep mud and debris out of Designed for quick and easy 	/ installation. sions, mounting hardware and Fender Flare Rear Extensions (715004404).		
Fender Flare Rear Extensions		Maverick Trail	715004404		
	 Help tail light stay clean from debris and mud to remain visible. Can be installed with 2" (51 mm) Fender Flares (715003625). Made from injection-molded polypropylene for best fit and finish. Sold in pairs. Included with the 2" (51 mm) Fender Flares (715004958) and with the Fender Flare Extensions (715004462). 				
3" (76 mm) Fender Flares		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004959		
	 Keep mud and debris out of Designed for quick and easy Include front and rear extension 	γ installation. sions and mounting hardware. dth by 6" (15.3 cm) when installed on Maverick Trail models.			
Fender Flare Rear Extensions		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004462		
	Flare Extensions, which also when riding with track kits. • Made from injection-molded • Not compatible with 2" (51 r • Include front and rear exten	sions. used with 3" (76 mm) Fender Flares (715004959).			

Others			
License Plate Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX	715007006
	 Supports your license plate Plate lights can be relocated Require Rear Trail Bumper (EC compliant. 	d on bumper to light up license plate.	
Tail Light Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003692
	 Anti-corrosion coating with Rugged style, aggressive logen sold in pairs. Not EC compliant. 	-	
Radiator Protector		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003700
	Perforated steel shield mou Not recommended for winte	nted over the radiator face, providing protection from stone er use.	es and branches.

SEAT ACCESSORIES

4-Point Harness		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 715008035 · Driver 715008036 · Passenger				
H	 Designed to offer maximur Easy one-click latch and re Not EC compliant. ROHVA compliant. 	compliant.				
4-Point Harness Bar		Commander MAX, Maverick Sport MAX	715004847			
	 1.5" (3.8 cm) diameter, thicl Designed for use with Can- Not EC compliant. 	C C				
Seat Belt Shoulder Pads		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715002894			
Genen	 Provide additional riding cc Fit with stock 3-point seat I Easy Velcro installation. Can-Am branded. Sold in pairs for driver and 		bulder.			

LINQ: EASY ON, EASY OFF CARGO

COMMANDER'S LINQ ACCESSORIES

Mounting location and requirements • No tools needed: Quickly install and remove accessories by hand. Vehicle LinQ Cargo Rack Adventure Roof Rack Deluxe Headache Rack Rear Adventure Rack Passenger · Equip your Can-Am for specialized tasks in no time. Standard Seat Base Cargo Box 715006815 715004095 715006823 715006809 - Sturdy mounting system that holds up to the roughest terrain. · LinQ anchors mounted 16 inches apart, center-to-center. **LinQ Accessories** Lower loading capacity than the LinQ with 36" base accessories. Can be used on Can-Am ATV and SSV vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles. with 16" Base LinQ 4.2 Gal Cooler LinQ Base LinQ Base LinQ Base Installation Kit Installation Kit Installation Kit 295100698 • Gray 219400964 • Black 715008125 715008125 715008125 LinQ Tool Kit No further No further No further requirements requirements requirements 715006829 LinQ Tool Box 715008111 LinQ Base Installation Kit LinQ Base Installation Kit LinQ Base Installation Kit LinQ SR 5.5 Gal (21 L) Bag LinQ Base Installation Kit LinQ Base Installation Kit Passenger Seat LinQ Anchor Kit 860202449 715008125 715008125 715008125 715008125 715003951 715008125 LinQ 4.5 Gal (17 L) Sport Bag 860202447 LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) No further No further No further requirements requirements requirements 715006830 • (30 L) LinQ Base LinQ Base LinQ Base LinQ Roll-Top Bag Installation Kit Installation Kit Installation Kit 715008110 715008125 715008125 715008125 Mount on LinQ racks often used by Can-Am ORV vehicles. **LinQ Accessories** Higher loading capacity than the Ling with 16" base accessories. Usage is limited to Can-Am ORV vehicles. with 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 No further requirements LinQ 23 Gal (86 L) Trunk Box 715004923 **LinQ Audio Box** No compatibility 715003018 LinQ Cooler 715004778 • Black 715004698 • Grav No compatibility No compatibility No compatibility No compatibility No compatibility LinO OGIO! Bag

715002923 • Black 715004698 • Gray		No further requirements				
LinQ Heavy Duty Basket 715001215						
LinQ Low Profile Basket 715004282						
LinQ Holders		•				
LinQ Gear Grips 715005340	No further	No further	Side wall installation	Side wall installation	Side wall installation	Passenger Seat LinQ Anchor Kit
LinQ Tool Holder 715007358	requirements	requirements	LinQ Adapters 715003058	LinQ Adapters 715003058	LinQ Adapters 715003058	715003951

MAVERICK'S LINQ ACCESSORIES

Mounting location and requirements

		wountil	ig looution	i unu i cqu	incinicinto	
 No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. 	Vehicle Standard Cargo Box	LinQ Cargo Rack 715003702	Adventure Roof Rack 715004095	LinQ Pivoting Rack 715008297	All-Terrain Trunk Cover 715003701	Passenger Seat Base
LinQ Accessories with 16" Base	Lower loading Can be used or	nounted 16 inches capacity than the l n Can-Am ATV and craft and Ski-Doo	LinQ with 36" base I SSV vehicles, Car	e accessories.	Ryker vehicles,	
LinQ 4.2 Gal Cooler 295100698 • Gray 219400964 • Black	LinQ Base Installation Kit 715008125	No compatibility	LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ Tool Kit 715006829	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements
LinQ Tool Box 715008111						
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit 715008125	No compatibility	LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ 4.5 Gal (17 L) Sport Bag 860202447						
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements
LinQ Roll-Top Bag 715008110	LinQ Base Installation Kit 715008125	No compatibility	LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ Accessories with 36" Base	Higher loading	racks often used l capacity than the d to Can-Am ORV	LinQ with 16" base			
LinQ 12 Gal (45 L) Cargo Box 715003879		No further				
LinQ 23 Gal (86 L) Trunk Box 715004923		requirements				
LinQ 32 Gal (121 L) Trunk Box 715001747		No compatibility	No compatibility	No further requirements	No compatibility	No compatibility
LinQ Audio Box 715003018		No further requirements				
LinQ Cooler 715004778 • Black 715004698 • Gray	No compatibility	No compatibility				
LinQ OGIO Bag 715002923 • Black						
LinQ Heavy Duty Basket 715001215		No further requirements				
LinQ Low Profile Basket 715004282						
LinQ Holders						
LinQ Gear Grips 715005340	No further requirements	No compatibility	Side wall installation	No further	LinQ Base Installation Kit	Nofurther
LinQ Tool Holder 715007358	(when installed on side walls)	. to computibility	LinQ Adapters 715003058	requirements	715008125	requirements

LinQ Accessories with 16" base

				715005494 · (10 L)
		Commander, Commander M	ΔX	715007112 · (20 L)
LinQ Modular Box		Maverick Trail, Maverick Spo		715006830 · (30 L)
	 Allows stacking of other m Always have the right box Can be installed on any Lir See table for installation log 	nQ base with a 16" width.	e right gear accessible.	
Fhermal Insert for LinQ Modu	ılar Box (10 L)	Commander, Commander M/ Maverick Trail, Maverick Spo	AX, rt, Maverick Sport MAX	219401110
	 Insulated liner. Fits very well in the LinQ M Can contain five 473 ml ca 			
LinQ Tool Box		Commander, Commander M/ Maverick Trail, Maverick Spo	AX, rt, Maverick Sport MAX	715008111
	 5 gal (19 L) maximum capa Weather-resistant, sealed Easy one-second on/off to All the benefits of LinQ—s See table for installation lo 	and lockable cover. ol-less system. imple, fast and secure. ocation and requirements.	ах,	
inQ Tool Kit		Maverick Trail, Maverick Spo	rt, Maverick Sport MAX	715006829
	 Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench ³/₈" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	 Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive 	 Socket 8 mm %" drive Combined wrench 19 mm Combined wrench 18 mm Combined wrench 15 mm Combined wrench 13 mm Combined wrench 10 mm Combined wrench 8 mm Socket Torx T40 %" drive 	 Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirements
LinQ 4.2 Gal (16 L) Cooler		Commander, Commander M/ Maverick Trail, Maverick Spo		■ 219400964 · Black 295100698 · Gray
a gr	 Premium-quality foam insu 	for exceptional rigidity and dura ulation for optimal ice retention. m (Patent US 8777531 and US 8 ol-less system.		
_inQ 4.5 Gal (17 L) Sport Bag		Commander, Commander M/ Maverick Trail, Maverick Spor	XX, t, Maverick Sport MAX	860202447
Tar	 17-liter (4.5 US gallon, 1,03 Rigid bottom, semi-rigid to 			

- Rigid bottom, semi-rigid top.See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	860202449
	 All the benefits of LinQ—sir Semi-rigid expandable bag. 5.5 gal (21 L) capacity. Utilizes LinQ mounting systematics Easy one-second on/off too See table for installation loce 	em (Patent US 8777531 and US 8875830). I-less system.	
LinQ Roll-Top Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008110
	 LinQ mounted using heavy- High capacity storage solut Bottom foam liner for additional structure 	ion (40 L). onal equipment protection. ransportation on/off the vehicle.	
LinQ Accessories wit	h 36" base		
LinQ Premium Storage Bag by	/ OGIO	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715002923 · Black
	 17.2 gal (65 L) capacity sem 	al bag organization.	r vehicle.
LinQ 12 Gal (45 L) Cargo Box		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003879
	 LinQ mounted for easy-on, e Holds cargo safely and secu See table for installation loc 	urely while riding.	
LinQ 23 Gal (86 L) Trunk Box		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004923
	 LinQ mounted for easy-on, e Holds cargo safely and sect See table for installation loc 	urely while riding.	·
LinQ 11.5 Gal (43 L) Audio Ca	rgo Box	Maverick Trail, Maverick Sport, Maverick Sport MAX	715003018
	 The rear installation does not a more than the rear installation does not a more than the rear the rear than the rear than the rear the rear than the rear than t	eiver and 6.5" (16.5 cm) speakers are smartly concealed and i protects your battery by turning the system off after 10 minu	integrated in the cover.

LinQ 8 Gal (30 L) Cooler Box		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	■ 715004778 · Black ■ 715004698 · Gray
		rovides exceptional rigidity and durability. lation for optimal ice retention. compartment protects food. the cover tightly closed.	
		Maverick Trail, Maverick Sport, Maverick Sport MAX	715001747 · Black (Rear tail light included)
Linq 32 Gal (121 L) Trunk Bo	x	European Version (EC compliant)	715001748 · (No rear tail light)
	 32 gal (121 L) load capacity Made of injection-molded p The fully sealed lid protects 	tem, the rear trunk box plugs in and out in seconds. with unobstructed space to maximize storage room and ac olyethylene, double walled in critical areas. your belongings from dust, moisture and the elements. n many colours to match your vehicle (sold separately). ation and requirements.	cess to the trunk's interior.
LinQ 32 Gal (121 L) Trunk Bo	x Panels	Maverick Trail, Maverick Sport, Maverick Sport MAX	
	 Colour panels to match the 	LinQ 32 gal (121 L) to your vehicle (715001747 / 715001748	3).
715001391 · Black 715001392 · Yellow 715001395 · Viper Red 715002481 · White 715002480 · Light Gray 715002984 · Octane Blue	715002985 · Manta Green 715002986 · Can-Am Red 715006119 · Orange Crush 715006120 · Squadron Green 715007074 · Tundra Green	European Version (EC compliant) 715006121 · Ca No rear tail light 715006122 · Ma 715001397 · Black 715006123 · Or 715001398 · Yellow 715006124 · Vip 715002483 · White 715006124 · Vip	anta Green ange Crush
LinQ Heavy-Duty Basket		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001215
	 Made of high-strength, low- LinQ mount for easy-on, eas See table for installation loc 	sy-off installation.	
LinQ Low Profile Basket		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004282
	 Low profile, open basket inc Perfect for easy access to to Multiple bungee cord and ti Made of impact-resistant in See table for installation loc 	bols, rope, winch and plow accessories. e-down anchor points. jected polypropylene.	
LinQ Holders		Commander, Commander MAX,	
LinQ Tool Holder	 Ultra-versatile tool holder. Convenient swivel-latch allo Sold in pairs. See table for installation loc 	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007358
LinQ Gear Grips		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005340
44	 Heavy-duty design for carry Quick-release button opens Heavy-duty base system bu 	rovide a custom fit for a variety of items from 1" to 4" (2.5 cn ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. ilt for the toughest adventures. Is a snap by combining the Gear Grips with the LinQ System d requirements.	

LinQ Adapter (Not illustrated)		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003058
	 Sold in pack of 4. 		ł
LinQ Base Installation Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008125
80	Unique mounting fastene Included: 2 Cargo LinQ ba	r usable on any LinQ System accessory. ases and hardware.	
LinQ Lock		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	860201968
	 Simple way to securely lo 	ck most LinQ accessories.	
Lino Roplacoment Part	 Simple way to securely lo Lock cover protects lock to Corrosion resistant. Pack of 1, includes 2 keys Not compatible with Ling 	from the elements. s. 24.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and	
LinQ Replacement Part	 Lock cover protects lock Corrosion resistant. Pack of 1, includes 2 keys Not compatible with LinG 	from the elements. 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and Maverick Trail, Maverick Sport, Maverick Sport MAX r usable on any LinQ System accessory.	I LinQ Gear Grips.
÷.	 Lock cover protects lock Corrosion resistant. Pack of 1, includes 2 keys Not compatible with Ling Unique mounting fastene Tool-less installation and 	from the elements. 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and Maverick Trail, Maverick Sport, Maverick Sport MAX r usable on any LinQ System accessory.	
LinQ Replacement Part	 Lock cover protects lock Corrosion resistant. Pack of 1, includes 2 keys Not compatible with LinG Unique mounting fastene Tool-less installation and Sold in pairs. 	from the elements. A 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and Maverick Trail, Maverick Sport, Maverick Sport MAX r usable on any LinQ System accessory. removal. Maverick Trail, Maverick Sport, Maverick Sport MAX inQ accessories with 16" base on LinQ racks. emoval.	715001707

Passenger seat cushion can be reinstalled over the LinQ base kit when not in use.

CARGO & STORAGE

Cargo				
LinQ Cargo Rack		Commander, Commander MA	x	715006815
ATTA	 Strong, durable steel rack % Easy and tool-less installatio Allows the installation of Lin Allows multi-level storage or Helps keep cargo securely in Multiple bungee cord and tio 	n with LinQ system. IQ accessories. n cargo bed. n place.	 Kit includes LinQ Base 36". 15" clearance under the rac Not compatible with 715006 	
Integrated Tailgate Extension		Commander, Commander MA	x	715006810
	0 0	I design that lets the extension fold away inside the tailgate when not needed. struction for rugged durability. mpliant.		

Tonneau Cover		Commander, Commander MAX	715006816
	 Fitted to cover all of the iter Prevents splash from enteri Rolls up to the front. Easily removable for quick a Not compatible with access 	ing the cargo box.	
III-Terrain Trunk Cover		Maverick Trail, Maverick Sport (except X mr), Maverick Sport MAX	715003701
	 Gas spring assisted openin Integrated mounting location Rotomolded construction p LinQ accessories can be in 	on inside the trunk cover for Dome Light (715002455) (sold	
xed Tailgate		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004357
	Rigid rotomolded construct Encloses perfectly the rear Matches the vehicle's styli	cargo opening and helps keep cargo securely in place.	
Storage torage 2.6 Gal (10 L) Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	269502121
C C	Roll-Top dry bag for fully pro	otecting your cargo from the elements.	
oft Storage Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003759
	 11.8 gal (45 L) capacity soft 3-section bag. Transport gear in a weather 	cargo bag designed with vehicle's rear in mind to maximiz	e potential storage.
verhead Storage Bags		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005018
	 Include 2 overhead soft bag 2.4 gal (9 L) total capacity. Bimini Roof with sun visor of 	d your gear safely and securely while riding. gs mounted on a tubular frame that sits between cage and i or Sport Roof needed for installation. Implete Wet Sounds Audio System.	roof.
houlder Storage Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005019
	•	d bag holds your gear safely and securely while riding. ace between the seats to increase your vehicle's cargo capa	'acity.

Removable Central Storage Bag Commander MAX, Maverick Sport MAX 715004794 Image: Commander MAX, Maverick Sport MAX • Weather-resistant bag holds your gear safely and securely while riding.
• Both front and rear passengers can access the bag's content.
• Designed as a 1.3 gal (5.2 L) capacity pocket, also equipped with inner netting compartments and side pockets.
• Can be removed in seconds and includes shoulder strap for transportation.
• Perfect to bring your gear on and off your vehicle. • Commander, Commander MAX, Maverick Sport MAX 715003728 Soft Cooler • Soft cooler made of durable canvas.
• Removable shoulder strap and carry handles.
• Foam insulation and water-resistant interior liner. • Soft cooler strap and carry handles.
• Foam insulation and water-resistant interior liner. • Soft cooler strap and carry handles.
• Foam insulation and water-resistant interior liner.

• 2.2 gal (4.5 L) capacity.

RACKS & HOLDERS

Adventure Roof Rack		Commander MAX, Maverick S	port MAX	715004095
	 Ideal cargo solution for packlive your off-road experience Built with heavy-duty 1.5" (3. diameter steel tubing. Loads of up to 75 lb (34 kg). LinQ support plates allow for with 16" base. 	e fully and completely. .8 cm) and 1.25" (3.2 cm)	 Integrated mounting points (99 cm) Double Stacked LEI Features anchor points for s Spare Tyre Tie-Downs sold Add the Cargo Box Net to so in the rack. Can be installed without a restance 	D Bar (front). spare tyre attachment. separately. ecure and confine your cargo
Rear Adventure Rack		Commander, Commander MA	x	715006809
M	 Made of heavy-duty steel. Increases the cargo versatili Allows a Commander 2-up t Bimini Roof on top to protect 	o fit a MAX Sport Roof or	 Allows a Commander 2-up t MAX Adventure Roof Rack t Not compatible with other b 	to increase cargo capacity.
		Commander		715006818
Adventure Rack Enclosure		Commander MAX		715008246
	 Works with Rear Adventure Rear-panel zip-type window Covers all accessories moun Adventure Rack. Compatible only with Sport 	s with roll-down feature. nted inside of the Rear	 Compatible with Track Kit a configuration. Track Kit and Pre-filter are n configuration. Not compatible with snorke 	ot compatible with the SUV
Cargo Bed Rails		Commander, Commander MA	x	715006824
can-am	 Add an integrated tie-down Added cargo box protection Inside and outside anti-correpowder-coat finish. 		 Heavy-duty 1" (2.5 cm) diam Adds height to the bed side tie-down point. Sold in pairs. 	
Deluxe Headache Rack		Commander, Commander MA	X (except X mr models)	715006823
FA	 Protects cab from cargo load Compatible with cargo bed Not compatible with Snorke 	rails.		

Ł

LinQ Pivoting Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX	715008297
	 Includes custom tie-down s Gas-cylinder pivot action, lo 	ail (715003703), Lonestar Racing and DragonFire tyre carrie nd LinQ Cargo Rack.	ded).
Front Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004302
	 Heavy-duty ¾" (1.9 cm) dian 50 lb (22.7 kg) load capacity Inside and outside anti-corr 	osion coating with durable powder coat finish. es easy access to service area.	ction and cargo capacity.
LinQ Rack Extension		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003771
	 Made of strong and durable Helps to keep cargo securel Easy and tool-less installation 	ly in place.	
LinQ Cargo Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003702
am	 Allows the installation of Lin 	uminum and strong aluminum tubing frame. nQ Trunk Boxes on top and the addition of more LinQ access on thanks to the LinQ System.	sories in cargo box.
Spare Tyre Carrier		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004471
	Rear bumper mounted, doe Made of heavy-duty 1.5" (3.6 Inside and outside anti-corr	liameter (tyre is not included). s not encumber the cargo area.	
Cargo Box Net		Commander, Commander MAX, Maverick Sport MAX	715001371
	Solid net designed to secure	e and ensure the compact confinement of your Adventure R	oof Rack.
LinQ Tool and Gun Holder		Commander, Commander MAX	715005466
	 Include 5 locations to secur rubber grips and retention s mat with gunstock shaped r 	ely hold tools and guns using traps at the top and a rubber • Can be attached on the ir	nside of the cargo, behind the
LinQ Gun Case		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004968
	 Adapt to different weapon s LinQ-mounted for efficient a No mount required on Common co	to store shotguns and rifles up to 52" (132 cm) even with op hapes and features with foam cushions that can be repositi and secure storage, locked in place with only a quarter turn. mander and Commander MAX. rick Trail, Maverick Sport and Maverick Sport MAX.	

LinQ Gun Case Mounting Kit

Maverick Sport, Maverick Sport MAX, Maverick Trail

715006444



Required to install the Can-Am Gun Case on a Maverick Sport, Maverick Sport MAX and Maverick Trail.
Allows you to install up to two LinQ gun cases.

Stronghold Gun Boot Impact [†]	by Kolpin⁺	Maverick Trail, Maverick Sport	, Maverick Sport MAX	705011442
	 Compact low-profile design styling securely holds up to shotguns with optics. Includes a removable, shock liner. 	52" (132 cm) long rifles and	 Single-handed opening with access along with an integ For use with the Kolpin Stre Mount System. 	rated closure strap.
tronghold Auto-Latch Moun	t by Kolpin	Maverick Trail, Maverick Sport	, Maverick Sport MAX	715003899
-	 Auto-latching design provid attachment to your vehicle. Bracket is made from rugge nylon and coated steel. 	es quick and secure gun boot d high-impact, reinforced	For use with Stronghold Gu Requires Gear Rail (71500)	
aear Rail		Maverick Trail, Maverick Sport	, Maverick Sport MAX	715003703
5	 Offers mounting points for t Can hold up to two gun boo 	C-clamps attached on the roll c he Stronghold Auto-Latch Mou ts. n Boot 6.0 Impact by Kolpin (71	nt or for the Universal Saw Pre	ess by Kolpin.
Iniversal Saw Press by Kolpin	ı	Maverick Trail, Maverick Sport	, Maverick Sport MAX	715001423
	and safely aboard your side • Heavy-duty, black powder-c	oated metal bracket nsaw model with up to a 20"	 Hinged design for quick re Holds saw in vertical positi direction. Requires Gear Rail (71500) Protective sheath included 	ion or 45° angle in either 3703).
pare Tyre Ratchet Tie-Down	S	Commander, Commander MA Maverick Trail, Maverick Sport		280000955
	 3-way ratcheting tie-down s Designed to securely hold s equipped with integrated sp Adjustable to accommodate sizes. 	pare tyres on accessories pare tyre attachment points.	 Ratchet and junction ring m. Required for spare tyre atta Rack and LinQ Pivoting Rack 	
leavy-Duty Ratchet Tie-Down	n	Commander, Commander MA Maverick Trail, Maverick Sport		715008308
	 1,000 lb (454 kg) safe workir 1.5 in. x 6 in. (38 mm x 1.8 m Deluxe ratchet with rubber l Black-coated clip hooks. 	m) strap with BRP brands.	• 12" (300 mm) webbing incl • Pack of two.	luded.
Bolt-On [†] Retractable Ratcheti	ng Tie-Downs	Commander, Commander MA Maverick Trail, Maverick Sport	X, , Maverick Sport MAX	295101072
	 Perfect for transporting you or securing loads. Mounts easily: Bolts on any frame). 1" x 6' (2.5 cm x 1.8 m) tie-do 	flat surface (e.g., truck bed or	mechanism tightens the st vehicle or load into place.	s away strap, while the ratche
Lastro	stitching that delivers a 500 strength and 1,500 lb (680 k	lb (226 kg) working load		natever surface it hooks into.
Ratchet Tie-Downs		Commander, Commander MA Maverick Trail, Maverick Sport	X, , Maverick Sport MAX	715008309 · Black/Gr
	 400 lb (181 kg) safe working 1" x 10' (2.5 cm x 3 m) strap Can-Am logos. Deluxe ratchet with rubber l 	with Sea-Doo, Ski-Doo and	Coated S hooks.Pack of 2.	

LIGHTS

				2 Cho	ose you	r lights				
1 Choose	BA	JA DESIG	SNS: LIGH	ITS	CAN-AM LIGHTS					
your mount point	10" (25 cm) LED light bar	XL Sport LED lights (sold in pairs)	Squadron Sport LED lights (sold in pairs)	XL80 LED lights (sold in pairs)	10" double stacked LED bar	15" double stacked LED bar	39" double stacked LED bar	4" round LED lights (sold in pairs)	3.5" spot or flood LED lights (sold in pairs	
point	Consul	t p. 147 informatio	on on Baja Design	s lights.	Consult p. 148 for information on Can-Am lights.					
XT & X mr Front Bumper (Stock on XT, XT-P and X mr)	710006819 + 715007049 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003670 (Power Cable)	715002934 + 715003670 (Power Cable)	NA	715003665 71500366	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable)	
Trail Bumper & Rancher Bumper	NA	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003670 (Power Cable)	NA	NA	715003665 71500366	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable)	
DragonFire Racing Front Bumper	NA	NA	NA	NA	715002933 + 715003670 (Power Cable)	NA	NA	715003665 71500366	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable)	
Commander Front Bumper	710006819 + 715007049 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	NA	715002934 + 715003670 (Power Cable)	NA	715003665 71500366	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable)	
Sport Roof & Bimini Roof	710006819 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	710006821 + 715002884 (Power Cable) *Optional Overhead Switch Panel 715003669	710006820 + 715002884 (Power Cable) *Optional Overhead Switch Panel 715003669	710005041 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	715002933 + 715003670 (Power Cable) + 715003669 (Overhead Switch Panel)	715002934 + 715003669 (Overhead Switch Panel)	715004007 + 715005822 (Mounting Kit) *Optional Overhead Switch Panel 715003669	715003665 71500366 7150	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + 03669 Switch Panel)	
Top Roll Cage & DragonFire Aluminum Roof	NA	NA	NA	NA	NA	NA	715004007 + 715005822 (Mounting Kit)	NA	NA	
Lonestar Racing Aluminum Roof	NA	NA	NA	NA	NA	NA	715004007 + 715004877 (Light Mounts) and 715005822 (Mounting Kit)	NA	NA	
Sport Roof Back Position	NA	NA	NA	NA	NA	NA	NA	NA	715003665 715003666 + 715003669 + 715003669 + 715004910	
3 Order		*Note:		er all part n			box mounting kit is red	quired.		

*All lights are intended for Off-Road use only.

Baja Designs Light Power Cable (Not illustrated)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715002884			
 Required for installation of Baja Designs LED lights onto roof or bumper. Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights. 					
Baja Designs Light Power Cable (Not illustrated)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007049			
•	on of Baja Designs LED lights onto roof or bumper. gns OnX6 LED Bars and Baja Designs XL80 LED Lights.				

Baja Designs 10" (25 cm) OnX6 LED Light Bar	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710006819
	12,460 lumens -25 -50 0 100 200 300 400 500 600 m
 108 W light bar producing 12,460 lumens. Equipped with 6 Cree XM-L2 LEDs. Driving/combo light pattern for smooth blend of light for both near field applications and distance. 	 Dual intensity (high/low) settings. Requires Baja Designs Light Power Cable. See table for installation location and requirements.
Baja Designs XL80 LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 710005041
	9,500 lumens 9,500 0 -25 -50 0 100 200 300 400 500 600 m
 80 W per spot producing 9,500 lumens. Equipped with 4 Cree XHP50 LEDs per spot. Dual intensity (high/low) settings. Driving/combo light pattern for smooth blend of light for both near field applications and distance. 	 Require Baja Designs Light Power Cable. Sold in pairs. Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
Baja Designs Squadron Sport LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 710006820
	3,150 0 -25 0 -25 0 100 200 300 400 500 600 m
 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions. 	 Require Baja Designs Light Power Cable. Sold in pairs. Dimensions: 3" x 3" (7.6 cm x 7.6 cm).
	Commander Commander MAX

Baja Designs XL Sport LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 710006821			
	3,150 lumens 50 m 25 0 -25 -50 0 100 200 300 400 500 600 m			
26 W per spot producing 3,150 lumens.	Require Baja Designs Light Power Cable.			
 Equipped with 4 Cree XP-G2 LEDs per spot. 	Sold in pairs.			
High Speed Spot features a longer and narrower beam focus for illumination farther down.	• Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).			
10" (25 cm) Double Stacked LED Light Bar (60 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 715002933			
REFER	5,400 umens 20 m 0 -20 -20 -20 -20 -20 -20 -20 -20 -20 -			
	0 100 200 300 400 500 600 700 800 m			
 Equipped with twelve 5 W Cree LEDs. 	 Requires light power cable for installation. 			
• 5,400 lumens.	 Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) 			
 Packs a big punch for its size. 	wide on each side.			

• EC compliant.

Packs a big punch for its size.
Rugged and waterproof.
Can be installed in stock XT and XT-P bumpers.

5" (38 cm) Double Stacked LED Light Bar (90 W)	Maverick Trai	l, Maveric	k Sport, N	laverick	Sport	MAX		715	00293	4	
	8,400 lumens	20 m 0 -20	0 100	200	300	400	500	600	700	800 m	
 Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. Rugged and waterproof. 	 Lights up to wide on ead EC complia 	ch side.	an 1900 ft	(580 m) in froi	nt of th	ie vehic	le and	around	65 ft (20	m)
9" (99 cm) Double Stacked LED Light Bar (270 W)	Commander, Maverick Trai			laverick	Sport	MAX		715	00400	7	
	24,300 lumens	20 m 0 -20	0 100	200	300	400	500	600	700	800 m	
 Equipped with 54 5 W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side. Compatible on the Adventure Roof Rack. 	Maverick Tr 39" (99 cm) Double Star Commande (715005822 Light Bar (7	LED Ligh cked LED r 2021 & 2) and/or	t Bar (71) Light Bar up: Requi Lonestar	5005822 r (71500 res Ligh Racing	2) and/ 4877) nt Mou Mount	or Lon for ins nting k	estar R tallation (it for 3	lacing M n. 9" (99 c	Vounts cm) LE[for 39" (9 D Light Ba	99 cm ar
" (10 cm) Round LED Lights (2 x 25 W)	Commander, Maverick Trai			laverick	Sport	MAX		715	00293	5	
салчани	1,800 lumens	20 m 0 -20	0			100			200 m		
 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. 	Can-Am bra Requires lig Sold in pairs Not EC com	ht power 3.									
5.5" (9 cm) LED Driving Lights (2 x 14 W)	Commander, Maverick Trai			Naverick	Sport	MAX		715	00366	6	
• 14 W LED lights producing 1,260 lumens each.	1,260 lumens • Features tw				e attac			105 m ails due	e to a co	ollision, ro	otate 1
 Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 	the next cha • Sold in pairs • EC complia	S.	nt and rer	nount th	ne light	i.					
3.5" (9 cm) LED Flood Lights (2 x 14 W)	Commander, Maverick Trai			laverick	Sport	MAX		715	00366	5	
	1,260 lumens	15 m 0 -15	0 15	30 48	5 60	75	90	105 m	_		_
 14 W LED lights producing 1,260 lumens each. Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions. Equipped with six high-power LEDs in a heavy-duty die-cast 	 Features tw the next cha Sold in pairs EC complia 	annel poi s.	nent poin	ts. If one	e attac	hment			e to a co	ollision, ro	otate t

Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.

Light Power Cable (Not illustrated)		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	715003670
	Power cable for installat	tion of compatible Can-Am light kits on Front Bumpers or roof.	
ED Headlights Assembly		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003667
		pgrade kit draw a maximum of 40 W (2 x 20 W) of power while p ion and longer lasting than standard halogen bulbs.	providing brighter light output
ED Signature Lights		Commander, Commander MAX	715006896
	The stylish LED set add	s a finishing touch, accentuating its aggressive stance.	
Can-Am LED Signature Ligh	ts	Maverick Trail, Maverick Sport, Maverick Sport MAX	715003673
	 Use bright and energy e Do not give additional line 		
Dome Light		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715002455
e la	 LED array integrates per Wiring included. Can be installed on cag 	rfectly with vehicle. e, Sport Roof or All-Terrain Trunk Cover.	
onestar Racing Mounts for Double Stacked LED Light E		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004877
Rick C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.	Racing Aluminum Roof	wing for the installation of the 39" (99 cm) Double Stacked LED (sold separately).	Light Bar on the Lonestar
Viounting Kit for 39" (99 cm Not illustrated)) LED Light Bar	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005822
	 Required for installation Includes wiring and sup Light Support Bar required 	•	
Roof Power Cable		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003094
	 Brings power from the k Required for installation 	pattery. I of some electrical accessories.	
Rear Lights Power Cable		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004910
	 Use in conjunction with This set-up will illuminate 	you to install rear cargo lights on your vehicle. the 3.5" (9 cm) LED Flood Lights (2 x 14 W) (sold separately). te your rear cargo area and surroundings. ad Switch Panel (715003669) required.	

AUDIO & COMMUNICATION SYSTEMS

Audio

Complete Wet Sounds [†] Aud	lio System	Commander, Commander M. Maverick Trail, Maverick Spo	AX, rt, Maverick Sport MAX	715003672
	 Orchestrated for outstandin playlists of champions. Built-in 200 W amplifier with low end bass response. Built-in Bluetooth¹ connectiv Aux input allows for use with 	D-Bass Tech for improved	 Turns itself off after 10 minubattery power. Designed to be Can-Am-touriding conditions. Includes 4.5" (11.4 cm) from rear-roll-cage mounted ster integrated backlit control participated backli	ugh in the most demanding It and 6.5" (16.5 cm) reo speakers and console
Wetsound Stealth XT 6 Can	-Am Edition Sound Bar	Commander, Commander M Maverick Trail, Maverick Spo	AX, rt, Maverick Sport MAX	715008282
	 Built-in Bluetooth connectiv Built-in Broadcast mode. Backlit control panel with In lights. Integrated LED Dome. IP67 rated RF wireless remote 3.5 Aux Input/Output. Built-in 300 W Class D Ample 	tegrated LED RGB cabin	 4 marine-rated 3" full range 2 marine-rated 1" tweeters. Operating voltage: 12 V. IP rated: IP67. Length: 21.31" Width: 4.04' Height: 3.85" Sound Bar Mounting Kit recomposition 	
Sound Bar Mount Kit		Commander, Commander M. Maverick Trail, Maverick Spo	rt, Maverick Sport MAX	715004745
	 Required mount kit for the V 	Vet Sounds Stealth 6 Ultra HD	Can-Am Edition Sound Bar (715	6008282).
Can-Am Subwoofer		Commander, Commander M. Maverick Trail, Maverick Spo	AX, rt, Maverick Sport MAX	715006359
•	 Easy plug-and-play connect 	0		noisture and dirt.
Electronic Device Holder		Commander, Commander M. Maverick Sport, Maverick Sp		715005212
	 A great in-ride entertainmer Robust injected-polypropyle right fit and easy installation Adjustable unit safely holds smartphones measuring be (25.4 cm) (with protective ca Allows the installation of Ga 	ene construction allows for n. most tablets and tween 5.1" (13 cm) and 10" ase).	 Perfectly complements the or Rugged Radios Intercom your device. Integrated storage (2.5 gal (to the dash 12V outlet for d Integrated mounting locatic Not compatible with Defros System (715003678). 	System to play music with 9.5 L) capacity) with access evice charging. on for RAM mounts.

gged Radios Car-to-Ca	r System	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003440 · US ONLY		
	 Push-to-talk button convert 	g with friends and family on group rides. niently mounted on the steering wheel.			
812	 May be connected with th This kit includes: 	e Rugged Radios Intercom System (with provided adapter cal	ole).		
		IF/VHF + FM frequency, programmable channels, 5 watts of power, includes belt clip, high capacity, all day lithium-ion battery, 1-3 mile range, NOAA weather channels, backlit screen/buttons.			
	 Helmet Speaker/Mic Kit: Velcro mount speakers, 	: Clear Hear audio speakers, Full Flex mic boom, cloth mic cov quick & easy install.	/er,		
	- Harness & Cables: single complete plug & play kit	e person harness, driver coil cord PTT, waterproof PTT, radio r	nounting bracket,		
ged Radios Intercom	System	Commander, Commander MAX [†] , Maverick Trail, Maverick Sport, Maverick Sport MAX [†]	715002891 · US ONLY		

- Expandable to 4 people.
- Includes music port for enjoying your favorite tunes.
- · Seamless integration with in-dash switch panel.
- May be synched with the Rugged Radios Car-to-Car System.

‡Power Cable (715003094) is required for installation on MAX models.

Rugged Radios Helmet Headset Kit for Rear Passengers



 Additional 12' (3.7 m) cables and Helmet Speaker/Mic Kits to upgrade your 2-person intercom system to a 4-person system.

With Rugged Radios Intercom System

‡Power Cable (715003094) is required for installation on MAX models.

ELECTRICAL & ELECTRONIC ACCESSORIES

Electrical

Defrost, Heat and Ventilation	on System	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003678
	 Adjustable/directional vents 5 vents specially positioned Automotive-style heater cor 	for better windshield defrosting and passenger comfort. re and fan for best heating performance. es require Adapter Kit (715007241).	emperature.
Heated Steering Wheel		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004283
	 Perfect for making hand mo Replaces stock steering wh This kit includes the heated 	steering and in-dash switch. Harness (710005757) is required.	0, ,
Heated Grab Bar Cover		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004500
	securely gripped during lon • Easy to install and remove. • This kit includes the heated	grab bar cover and in-dash switch. Harness (710005757) is required.	assenger's hands warm and

715004380 · US ONLY

Seat Heater		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006112		
	 This kit includes one carbo Installs directly in the origi Heated Accessories Wiring 	ings allow you to control the desired degree of warmth. on fiber seat heater, foam sheet and in-dash switch.			
Heated Visor Outlet		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001246		
7	 Strategically positioned on Optional visor outlet that d Quick and easy installation Sold individually. Heated Visor not included. 				
Heated Accessories Wiring	Harness	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	710005757		
	 Electric harness required t 	o hook up and operate front heated seats, heated steering wh	neel and heated grab bar.		
	Harness	Commander MAY Mayoriak Sport MAY	715006004		
vol mustraled)	- Electric hornooc required t	Commander MAX, Maverick Sport MAX	715006004		
	· ·	o hook up and operate rear heated seats.	1		
Heater Adapter Kit for Sma	rt-Lok	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007241		
	 Adapter kit to fit heating sy 	stem on Smart-Lok equipped vehicles.			
Electronic Accesso	ries				
RAM [†] GPS Mount		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003325		
	 Allows for GPS integration Standard AMPS hole patte 				
JSB Power Outlet Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	219400510		
	 Recharges your electronic devices while riding¹ (smartphone, MP3, heating gear, etc.). Dual port USB connectors. 				
UISB	#The power outlet is not capable	e of recharging all device types while riding.			
Overhead Switch Panel		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003669		
	 Required for Can-Am lights Optional for Baja Designs I 	Switch Panel gives additional switch spots for electrical access s installation on the roof and for other top-mounted electrical ights. nini Roof with Sun Visor for installation.			
Dual Mode Switch		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004736		
	 Switches quickly and conv Eco mode increases fuel e In-dash plug-and-play mou Standard on DPS models. 	-			

30 Ah Battery Holder		Commander, Commander MA Maverick Trail, Maverick Sport		715004431
1	 Fixation plate designed to he 30 Ah Battery sold separatel 	old the 30 Ah Battery (5151761 y.	51).	
Battery Charger/Maintainer		Commander, Commander MA Maverick Trail, Maverick Sport	X, t, Maverick Sport MAX	715005061
	 Keeps stored lead-acid batte Charges and maintains sma Microprocessor controlled I added precision, safety and Automatically detects 6 or 1 Reverse hook-up protection charger from damage. 	Il batteries. nulti-stage charging for battery life. 2 volt batteries.	 Auto-voltage detection. Press the display button to Content: 3 amp battery cha adapter, 24" (61 cm) fused weather cap, owner's man Not EC compliant. 	arger, clamp adapter, DC ring leads harness with
ump Starter		Commander, Commander MA Maverick Trail, Maverick Sport	X, t, Maverick Sport MAX	715005062
	 IPX3 water-resistant and end 4 LED battery indicators for ead Compact design, will convening glove box or any other storaging 2.4A + 1A/5V USB ports for for devices. 	sy read on battery charge level. iently fit in your backpack, e compartment.	short circuit, low voltage, h reverse charging. Built-in LED light (3 modes Content: 300CA jump start	0
Quick Connect Battery Cable		Commander, Commander MA Maverick Trail, Maverick Sport	X, t, Maverick Sport MAX	715005408
	Quickly and easily connect a Included in the Battery Char Sold individually.	and charge different batteries v ger/Maintainer.	vith your charger.	
Quick Connect Cable with Ba	ttery Indicator	Commander, Commander MA Maverick Trail, Maverick Sport		715006055
		and charge different batteries v ides constant battery health inc		
Digitally Encoded Security Sy	ystem (D.E.S.S.) Keys	Commander, Commander MA Maverick Trail, Maverick Sport	X, t, Maverick Sport MAX	715002458
50	One vehicle/one code. A vibration/shock-resistant l orgrammable modes: Work mode: Limits vehicle	restricts access to your vehicle ball-and-socket design that ens speed to 40 kph (25 mph) but of sle speed to 70 kph (44 mph) ar	sures a reliable connection. does not limit engine torque.	

- Performance mode: No restrictions.

WINCHES & HITCHES

Can-Am HD Winches

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX Can-Am HD 4500 Winch 715006416 Ergonomic clutch handle. • Pulling strength capability of 4,500 lb (2,041 kg). • Rugged all-steel gears and bushings for more torque • 43' of 15/64" (13.1 m of 6.3 mm) wire steel cable. and durability. • Heavy-duty 4-way roller fairlead. • Automatic 100% load-holding brake. • Winch Electrical Harness (715003777) is required for - Sealed solenoid for all-weather protection. installation. · Weather sealed corded remote and dash mounted Commander X mr front bumper requires 715008218 switch. winch electrical harness. • EC compliant. Commander Commander MAX С ed for

Can-Am HD 4500-S Winch		Maverick Trail, Maverick Sport	x, , Maverick Sport MAX	715006417
	 Ergonomic clutch handle. Rugged all-steel gears and b and durability. Automatic 100% load-holdin Sealed solenoid for all-weat 	ng brake. her protection.	 Pulling strength capability o 50' of ¼" (15.2 m of 6.35 mm Corrosion-proof aluminum h Winch Electrical Harness (7 installation. 	n) synthetic rope. nawse fairlead. 15003777) is required for
	 Weather sealed corded remo switch. 	ote and dash mounted	 Commander X mr front bum winch electrical harness. 	iper requires 715008218

WARN[†] VRX Winches

WARN VRX 45 Winch		Commander, Commander MA Maverick Trail, Maverick Spor		715006110
	 Extreme IP68-rated waterprelements out. Durable all-metal constructive Black powder-coated finish for corrosion resistance. Robust new clutch design b WARN 4 WD hub lock know Load-holding brake for greated strength and reliable all-metagear train. 	ion. and stainless steel fasteners ased on 70+ years of -how. t control.	 Dash-mounted rocker contr Limited lifetime warranty (m 3-year warranty (electrical). Pulling strength capability of 50' of ¼" (15 m of 6.3 mm) w Roller fairlead. Winch Electrical Harness (7 installation. Commander X mr front burn winch electrical harness. 	nechanical), hf 4,500 lb (2,041 kg). rire steel cable. https://www.steel.com/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel https://www.steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/steel/ste
WARN VRX 45-S Winch		Commander, Commander MA Maverick Trail, Maverick Spor		715006111
NASSI NASSI	 Extreme IP68-rated waterprelements out. Durable all-metal constructi Black powder-coated finish for corrosion resistance. Robust new clutch design b WARN 4 WD hub lock know Load-holding brake for greated south and reliable all-metagear train. 	ion. and stainless steel fasteners ased on 70+ years of -how. t control.	 Dash-mounted rocker contr Limited lifetime warranty (m (electrical). Pulling strength capability o 50' of ¼" (15 m of 6.3 mm) st Cast aluminum hawse fairle Winch Electrical Harness (7 installation. Commander X mr front burn winch electrical harness. 	echanical), 3-year warranty of 4,500 lb (2,041 kg). ynthetic rope. ad. '15003777) is required for

Can-Am HD Hawse Fairlead		Can-Am HD Winch	715006426	
		-		
VARN Hawse Fairlead		WARN Winch	705204567	
	 Double-powder-coated construction. Required to use the Synthetic Winch Cable (715001118) on WARN winches. To be used with synthetic winch cables only. 			
		WARN Winch	715001119	
Roller Fairlead		Can-Am HD Winch	715007082	
	 Heavy-duty replacement fa 	Irieau ior Winches.		
Vire Rope Replacement		Can-Am HD Winch	705014978	
	 47' of ¼" (14.3 m of 6.3 mm 4,500 lb (2,041 kg) pulling s 	· •		
ynthetic Winch Cable		Can-Am HD Winch	715006430	
I A A A A A A A A A A A A A A A A A A A	 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear. 			
ynthetic Winch Cable		WARN winch	715001118	
9	 50' of ⁷/₂₂" (15.2 m of 5.5 mm) synthetic cable for WARN winch. WARN Hawse Fairlead (705204567) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable. 			
Synthetic Cable Extension		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001120	
		liameter, easy to handle and won't rattle in cargo box. ble to provide additional 50' (15.2 m) of distance. ne capacity.		

Winch Accessories

Wired Remote Control

Can-Am HD Winch

715006504 (2020 & up)

• This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.

OEM stock winch and Wired Remote Control are sold separately.

EC compliant.



Vireless Remote Control		WARN Winch	715002542
	 The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware. Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options. All components are weatherproof. 		
rc/X mr Front Tow Hook		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005229
S S	 Allows you to attach most st 	steel plate and ‰" (11 mm) steel hook tube.	

Front Receiver Hitch		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003642
	Heavy-duty 1,500 lb (680 kg) Perfect for precision towing) towing capacity 2" (5 cm) receiver hitch. in small spaces.	
Front and Rear Hitch Drawbar		Commander, Commander MAX	715008350
1 A A A A A A A A A A A A A A A A A A A	 Standard on 2" (5 cm) receiv It offers 1,650 lb (750 kg) of 1 Hitch ball not included. 		

Forged steel.

U

PERFORMANCE

Smart-Lok Technology

Smart-Lok Differential		Maverick Trail, Maverick Sport, Maverick Sport MAX (2021 & prior)	705402936		
	 Can-Am-exclusive Smart-Lok technology constitutes a true fully lockable on-the-fly front differential with electronically controlled automatic modes. 				
3	 Choose your differential settings according to your riding need: "2x4" for rear wheel traction only, "4x4 Front Diff. Lock for a fully locked 4 wheel drive, and "4x4 Smart Mode" that offers preset, intelligent calibrations for your type of riding. 				
		s, "Smart Mode" will instantaneously engage locking with the m traction while retaining low-speed maneuverability, allowir			
		Kit comes standard with the Trail Mode.			
	to fine-tune your riding envi		odule (sold separately)		
	 Requires Performance Half 	Shafts (2x) and Smart-Lok Installation Kit for installation.			
		Maverick Trail	705402423		
Performance Half Shaft		Maverick Sport, Maverick Sport MAX	705402281		
		1			
Mud Smart Mode Module		Models with Smart-Lok Differential	715005282		
	 The Mud Mode has been sp 		ud holes.		
	,	 	1		
Rock Smart Mode Module		Models with Smart-Lok Differential	715005283		
	 This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok. 				
	The Rock Mode has been specially designed to help cross challenging rocks.				
	 When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction. 				
	 The progressive engagement allows for easier steering when maneuvering the vehicle. Only one Smart Mode Module can be installed at a time. 				
Trail Activ Smart Mode Mod					
(Not illustrated)		Models with Smart-Lok Differential	715005284		
	 This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok. 				
	,	en designed for aggressive riding, delivering the ultimate cor			
		nd/or an increase in vehicle speed is detected, Smart-Lok will t engaged until throttle release or vehicle speed reduction.	progressively engage		
		nt allows for smoother and lower steering effort.			

ter specifically for snorkels. extra protection to your engine in harsh riding o keep air filter cleaner. olocks particles larger than 0.005" (0.13 mm). ssary to maintain vehicle warranty when tracks	Recommended for winter ri Not compatible with Snorke Not compatible with Advented to the second state of the seco	ding conditions. I Kit. ture Roof Rack. 715005598 715003705 Id without taking in water t
Maverick Trail, Maverick axtra protection to your engine and CVT sh riding conditions. blocks particles larger than 0.005" (0.1 mm). repellent screen. ssary to maintain the vehicle's warranty when are installed. Commander, Command Maverick Trail, Maverick ter specifically for snorkels. extra protection to your engine in harsh riding of keep air filter cleaner. blocks particles larger than 0.005" (0.13 mm). ssary to maintain vehicle warranty when tracks Commander, Command Maverick Trail (except 700 Maverick Sport MAX spoint of engine and CVT air intakes so vehicle indows. ard on Maverick Sport and Commander X mr m C compliant. Maverick Trail et of heavy-duty springs will stiffen your suspent to for reducing vehicle overall sag when shocks loading and hauling or for snow clearing.	Recommended for winter ri Not compatible with Snorke Not compatible with Advent Not compatible with Advent er MAX, Sport, Maverick Sport MAX onditions. are installed. er MAX (except 700 engines), engines), Maverick Sport, can be semi-submersed in water/mu oting Rack, Lonestar Racing Rear Int odels. Ision.	ding conditions. el Kit. ture Roof Rack. 715005598 715003705 Id without taking in water t rusion Bar and all rear pane
Maverick Trail, Maverick axtra protection to your engine and CVT sh riding conditions. blocks particles larger than 0.005" (0.1 mm). repellent screen. ssary to maintain the vehicle's warranty when are installed. Commander, Command Maverick Trail, Maverick ter specifically for snorkels. extra protection to your engine in harsh riding of keep air filter cleaner. blocks particles larger than 0.005" (0.13 mm). ssary to maintain vehicle warranty when tracks Commander, Command Maverick Trail (except 700 Maverick Sport MAX spoint of engine and CVT air intakes so vehicle gine. mpatible with S&B Particle Separator, LinQ Piv indows. ard on Maverick Sport and Commander X mr m C compliant.	Recommended for winter ri Not compatible with Snorke Not compatible with Advent Not compatible with Advent er MAX, Sport, Maverick Sport MAX onditions. are installed. er MAX (except 700 engines), engines), Maverick Sport, can be semi-submersed in water/mu oting Rack, Lonestar Racing Rear Int	ding conditions. el Kit. ture Roof Rack. 715005598 715003705 Id without taking in water t rusion Bar and all rear pane
Maverick Trail, Maverick extra protection to your engine and CVT sh riding conditions. plocks particles larger than 0.005" (0.1 mm). repellent screen. ssary to maintain the vehicle's warranty when are installed. Commander, Command Maverick Trail, Maverick ter specifically for snorkels. extra protection to your engine in harsh riding of keep air filter cleaner. plocks particles larger than 0.005" (0.13 mm). ssary to maintain vehicle warranty when tracks Commander, Command Maverick Trail (except 700 Maverick Sport MAX s point of engine and CVT air intakes so vehicle indows. ard on Maverick Sport and Commander X mr m	Recommended for winter ri Not compatible with Snorke Not compatible with Advent Not compatible with Advent er MAX, Sport, Maverick Sport MAX onditions. are installed. er MAX (except 700 engines), engines), Maverick Sport, can be semi-submersed in water/mu oting Rack, Lonestar Racing Rear Int	ding conditions. I Kit. ture Roof Rack. 715005598 715003705 Id without taking in water t
Maverick Trail, Maverick extra protection to your engine and CVT sh riding conditions. blocks particles larger than 0.005" (0.1 mm). repellent screen. ssary to maintain the vehicle's warranty when are installed. Commander, Command Maverick Trail, Maverick ter specifically for snorkels. extra protection to your engine in harsh riding o keep air filter cleaner. blocks particles larger than 0.005" (0.13 mm). ssary to maintain vehicle warranty when tracks Commander, Command Maverick Trail (except 700	Recommended for winter ri Not compatible with Snorke Not compatible with Advent er MAX, Sport, Maverick Sport MAX onditions. are installed. er MAX (except 700 engines),	ding conditions. el Kit. ture Roof Rack. 715005598
Maverick Trail, Maverick extra protection to your engine and CVT sh riding conditions. blocks particles larger than 0.005" (0.1 mm). repellent screen. ssary to maintain the vehicle's warranty when are installed. Commander, Command Maverick Trail, Maverick ter specifically for snorkels. extra protection to your engine in harsh riding of keep air filter cleaner. blocks particles larger than 0.005" (0.13 mm).	Recommended for winter ri Not compatible with Snorke Not compatible with Advent er MAX, Sport, Maverick Sport MAX onditions.	ding conditions. el Kit. ture Roof Rack.
Maverick Trail, Maverick extra protection to your engine and CVT sh riding conditions. blocks particles larger than 0.005" (0.1 mm). repellent screen. ssary to maintain the vehicle's warranty when are installed. Commander, Command Maverick Trail, Maverick	Recommended for winter ri Not compatible with Snorke Not compatible with Advent er MAX,	ding conditions. el Kit. ture Roof Rack.
Maverick Trail, Maverick extra protection to your engine and CVT sh riding conditions. plocks particles larger than 0.005" (0.1 mm). repellent screen. ssary to maintain the vehicle's warranty when	Recommended for winter ri Not compatible with Snorke	l ding conditions. Il Kit.
		715004290
est choice for the harshest conditions. le staged oiled filtering foam for superior dust able and reusable.	retaining capacity with high airflow.	
Maverick Trail, Maverick	Sport (except models with 1000R engine)	715003630
Commander, Commande Maverick Sport MAX (mor	r MAX, Maverick Trail, Maverick Sport, els with 700 & 1000R engine)	715002895
from 304-grade stainless steel.	 USDF/USDA approved spar EPA compliant. Not EC compliant. 	rk arrester.
Maverick Trail, Maverick	Sport (except models with 700 & 1000R engine)	715003716
Maverick Sport, Maveric	k Sport MAX (models with 1000R engine)	715004452
•	Maverick Trail, Maverick oped in collaboration with Yoshimura. from 304-grade stainless steel. y sound from a lighter-than-stock muffler. Commander, Commander Maverick Sport MAX (mod	from 304-grade stainless steel. • EPA compliant.

Emergency Accessories

Emergency Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006102
	powersport enthusiasts can	r Compressor, Tyre Repair Kit, Ratchet Tie-Down, Duct Tape,	Infavorable situations

APACHE TRACK SYSTEMS

Winter Tracks

Limited Warranty*

Apache Backcountry Track	System	See table for specific models		715005247
 Designed to deliver the bes deep-snow performance or Contact patch is 23% bigge Provides an impressive avera increase of 7" (18 cm), keep snow. 		n the market. Ir than the Apache 360 LT. rage ground clearance	 Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. Apache Backcountry Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter are required. For winter use only. Track installation will affect vehicle width and length. 	
pache Backcountry LT Trad	ck System	See table for specific models		715005891
on the market with unma traction on snow surface Large contact patch, 37%		igger than the Apache 360 LT. learance of 7" (18 cm) helps now.	 Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. Apache Backcountry LT Mounting Kit, Track DPS N and Engine and CVT Pre-Filter are required. Fine-tune your track system using extra Idler Whee Sliders with Vespel Inserts and Rail Ice Scratcher. For winter use only. Track installation will affect vehicle width and length of the statement of the statement	
pache Backcountry Mount	See table for specific models			715004834
lot illustrated)		Maverick Trail		715004285
Apache Backcountry LT Mo	Not compatible with HMWF DPS module and Pre-Filter	the Apache Backcountry Track PE Front and Rear A-Arm Protec not included. See table for specific models	•	715005493
	 DPS module and Pre-Filter and Pre-Filt	the Apache Backcountry Track I are required and sold separatel PE Front and Rear A-Arm Protec	y.	
Accessories				
rack DPS Module		Commander, Commander MA Maverick Sport	X 2021 & up, Maverick Trail,	715007338
	make for perfect track contr	t ensures speedometer accurac rol and riding ease. she and Backcountry Track Syst		which
Rail Ice Scratchers		Apache Backcountry and Apac	he Backcountry LT track systems	860201728
	 Provide additional lubricatic Rail mounted, small, light. Design expands on coil con Easily stored when not in us Extend slider life. 	ncept to allow reversing without	damage.	

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Year-Round Tracks			Limited Warranty*
Apache 360 LT Track System	Comman Maverick	der, Commander MAX, Trail, Maverick Sport, Maverick Sport M	AX 715005103
	 Multifunctional tracks designed to sup and to fit on most Can-Am off-road veh Extra contact patch adjustment for betting 	icles. • Apache 360 LT	s in the front and 1.25" (3.2 cm) in the back. Mounting Kit, Track DPS Module and T Pre-Filter Kit are required.

• EC compliant.

- Extra contact patch adjustment for better perform over rough terrain.
- Contact patch is 7% to 9% bigger than the Apache 360's.
- Average ground clearance of 16" (41 cm).

Apache 360 LT Mounting Kit (Not illustrated)	See table for specific models Maverick Trail	715004755 715004833
DPS module and	allation of the Apache 360 LT Track System. Pre-Filter not included. vith HIMVPE Front and Rear A-Arm Protectors and Skid Pla	ates.
Apache 360 LT Mounting Kit (Not illustrated)	See table for specific models	715005492

- Required for installation of the Apache 360 LT Track System.
 - DPS module and Pre-Filter not included.
 - Not compatible with HMWPE Front and Rear A-Arm Protectors and Skid Plates.

Accessories			
Idler Wheel Kit		Apache Backcountry Track System, rear tracks only	860201230 · 141 mm
00	 Reduces drag and rolling re: Includes 2 wheels, brackets Add up to 2 kits per rear trac Can extend slider life in hard 	and hardware. :k.	
Apache Backcountry LT Whe	el Kit	Apache Backcountry and Apache Backcountry LT Track Systems	715006293
	 Additional wheel kit for Backcountry LT rear tracks. Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads. Extends slider life in hard snow conditions. Includes two wheels, cross shaft and mounting hardware per kit to service one track corner. Up to two kits per rear track can be installed. 		
Sliders with Vespel [†] Inserts		Apache Backcountry and Apache Backcountry LT Track Systems	503194815
•	 Use DuPont Vespel inserts f Longer life. Can be cut to desired length 8 needed per vehicle. Sold individually. 		

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

•

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry and Backcountry LT

Model Yea	r / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail	715005247	715004285			
2021 & Up	Commander DPS & Commander XT 700 60"	715005247	745004004	-		
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60"	- (Backcountry) (doesn't fit 64")	715004834	4 715007338	715004290 (except X mr)	715005598
2021 & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700) 64"	715005891 (Backcountry LT)	715005493	-		
2019 & Up	Maverick Sport X mr, X rc, X xc 64"	- (Doesn't fit 60")				

Apache 360 and Apache 360 LT

Model Yea	r / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail		715004833			
2021 & Up	Commander DPS & Commander XT 700 60"					
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60"	715005103	715004755	715007338	715004290	715005598
2021 & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700) 64"		715005492	-		
2019 & Up	Maverick Sport X mr, X rc, X xc 64"					

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Reference Chart

Nelelence C	IIall					
	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel	66" Flex2	72" Flex2
Plow Kit	715007775	715008174	715007777	715008173	715007774	715007776
Blade	715006337	715006338	715004474	715006021	715006265	715004485
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752
Mounting Plate	715007742	715007742	715007742	715007742	715007742	715007742

Can-Am ProMount Steel Plow Kits

Can-Am ProMount Steel 66" (168 cm) Plow Kit

Can-Am ProMount Steel 72" (183 cm) Plow Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008174 · Yellow 715007777 · Black 715008173 · Yellow

715007775 · Black

715004474 · Black

715006021 · Yellow

These kits include:



- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Steel Blades

Can-Am ProMount Steel 66" (1	68 cm) Blade	Fits ProMount Push Frame		 715006337 · Black 715006338 · Yellow
158117-7011	Plow blade made from 12-ga Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. Blade design provides best s	blade rotation to eliminate	 Clears 60" (152 cm) when pl Blade height of 17" (43 cm). Compatible with Can-Am Pr to further enhance plow ver Not compatible with S3 Higl 	oMount Blade accessories satility.

Can-Am ProMount Steel 72" (183 cm) Blade

Fits ProMount Push Frame

• Plow blade made from 12-gauge steel. · Clears 66" (168 cm) when plow is fully angled. · Replaceable wear blade. Blade height of 17" (43 cm). Compatible with Can-Am ProMount Blade accessories Large pin designed for easy blade rotation to eliminate snow buildup at pivot point. to further enhance plow versatility. - Blade design provides best snow roll-off at any angle. • Not compatible with S3 High Clearance Front A-Arm.

Can-Am ProMount Angle Plows

Can-Am ProMount 66" (168 State Blade	cm) Steel Oneway	Fits ProMount Push Frame		715007263
Can-Am ProMount 72" (183 cm) Steel Oneway State Blade		Fits ProMount Push Frame		715007264
	 Make the job easier with the and make the task easier by out of the way. Wing end of plow measures down to 16" (41 cm). 	sending the snow further	 One-way "winged" state plo higher. Rubber Flap (715007299) de from the driver is offered as Can-Am branded. 	0

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount Flex2 66" (168 cm) Plow Kit	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007774
Can-Am ProMount Flex2 72" (183 cm) Plow Kit	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007776

These kits include:



- Can-Am ProMount Flex2 Blade

- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Flex2 Blades

Can-Am ProMount Flex2 6	6" (168 cm) Blade	Fits ProMount Push Frame		715006265
	 Plow blade made of UHMW absorbing material prevents accidental impact occurs. Replacable wear blade. Large pin designed for easy snow buildup at pivot point. 	a damaging your plow when blade rotation to eliminate	 Blade design provides bes Clears 60" (152 cm) when Blade height of 17" (43 cm Compatible with Can-Am I further enhance plow vers 	plow is fully angled.). ProMount Blade accessories
an-Am ProMount Flex2	72" (183 cm) Blade	Fits ProMount Push Frame		715004485
	 Plow blade made of UHMW absorbing material prevents accidental impact occurs. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. 	a damaging your plow when blade rotation to eliminate	 Blade design provides bes Clears 66" (168 cm) when Blade height of 17" (43 cm Compatible with Can-Am I further enhance plow vers 	plow is fully angled.). ProMount Blade accessories
Can-Am ProMoun	t Plow Accessories			
an-Am ProMount Edge	Markers	Commander, Commander MA Maverick Trail, Maverick Spor	AX, t, Maverick Sport MAX	715004206
	(except for the Can-Am Prol	•	s with or without Blade Extens es).	ions
an-Am ProMount 66" (1	68 cm) Plastic Wear Blade	Maverick Trail, Maverick Spor		715004482
an-Am ProMount 72" (1	83 cm) Plastic Wear Blade	Commander, Commander MA Maverick Sport, Maverick Spo		715004483
	 Ideal to prevent leaving mar Compatible with Can-Am Pr 	oMount 72" (183 cm) Blades.	NY	
an-Am ProMount Drift (Cutters	Commander, Commander MA Maverick Trail, Maverick Spor	t, Maverick Sport MAX	715006258
		cm x 33 cm).	s with or without Blade Extensies).	ions
Can-Am ProMount Blade	Extensions	Commander, Commander MA Maverick Trail, Maverick Spor	AX, t, Maverick Sport MAX	 715004205 · Black 715005319 · Yellow
	 Add 3" (8 cm) each side. Compatible with Can-Am Pr 	your Can-Am ProMount Blade. oMount Blades (except for the nstalled to go over the extra le	Can-Am ProMount Steel 54" (137 cm) Blades).
Back Drag Blade		ProMount Plows (60'' and mo	re)	715007794
	 ¼-in, thick steel swivel scrap Lifts up when the vehicle is as not to affect the scraping Increased capacity to pull su More aggressive scraping ir 	moving forward so I. now.	 Lifts the scraper off the gri Adjustable in length for co and 72" blades. Compatible with ProMoun 	

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX,

Wear blade designed with a folded back bottom lip.

- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

Can-Am ProMount Push Fran with Quick-Attach System	ne	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007752	
Mid-mount carriage pro Allows 16" (41 cm) of pl		es designed to withstand the roughest use. provides ultimate push strength and traction. f plow lift on ATVs and 14" (36 cm) on Maverick Trail. ng quick-attach system, an easy foot release pedal and an ergonomic handle for nt.		
Can-Am ProMount Push Fran	ne Extension	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006257	
	• 12" (30 cm) push frame	e extension required when plow is installed with Apache Track s	ystems.	
Plow Roller Fairlead		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001223 • Cylindrical Roller Fairleau	
	Larger diameter lower Can be used with all Pr	roller reduces wear on wire rope for plow application. oMount plows.		
Can-Am ProMount Plow Angl	ing System	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007801	
	 Using one hand to cont Not compatible with Ap Can-Am ProMount Pus 	stem into an easy-to-control unit from the driver's seat. trol all plow motions will allow you to easily concentrate and ma bache Backcountry LT Track System. sh Frame (715007752) is required. 715006257 is required for installation with the Front Rancher Br eparately.		
ProMount Plow Limit Switch (Not illustrated)		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006259	
	0	le tension when over-raising your plow system. oush frame and vehicle damage. otimal lift height.		
Can-Am ProMount Mounting	Plate	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007742	
		Can-Am ProMount Push Frame with Quick-Attach System. on-designed to stay on year round without compromising groun cluded.	d clearance.	

TRAILERING

Commander	715006817
Commander MAX	715007108
Maverick Trail, Maverick Sport	715003706
Maverick Sport MAX	715005281

Trailering Cover



- · Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories except
- with Adventure Roof Rack and track kits.

TYRES & RIMS

(PS Trail Force Tyre		Commander DPS	705402754 · Front 705503103 · Rear
	 Versatile and suitable for m 	n: Front 27X9R14 & Rear 27X11R14. any types of terrain. r better traction on dirt, mud and rocky terrains.	
			705402825 · Front
PS Trail King Tyre		Commander XT	705503181 · Rear
SV)	 Aggressive tread pattern fo An almost continuous cent Tread depth: 26 mm. Max PSI: 42. 	r tougher terrains. er tread offers a smoother trail ride.	
PS Hammer Force Tyre		Commander XT-P	705402918 · Front & Re
	Light truck-inspired tyre.		
	 8-ply construction offered i Rock-crawling tread patterr Aggressive sidewall for max Tread depth: 15 mm. Max PSI: 44. 		S.
	 Rock-crawling tread pattern Aggressive sidewall for mail Tread depth: 15 mm. 	n with unique contact patch.	s. 705403201 · Front
PS Swamp Force Tyre	 Rock-crawling tread pattern Aggressive sidewall for mail Tread depth: 15 mm. 	n with unique contact patch.	
(PS Swamp Force Tyre	 Rock-crawling tread pattern Aggressive sidewall for max Tread depth: 15 mm. Max PSI: 44. Hybrid radial tyre for mud 8 8 Ply Rating offered in: Fror 	n with unique contact patch. ximum traction when faced with technical terrain Commander X mr	705403201 · Front 705503387 · Rear
APS Swamp Force Tyre	 Rock-crawling tread pattern Aggressive sidewall for mathematical depth: 15 mm. Max PSI: 44. Hybrid radial tyre for mud 8 8 Ply Rating offered in: Fror Unique tread pattern allowit Tread depth: 36 mm 	n with unique contact patch. ximum traction when faced with technical terrain Commander X mr & trail. tt 30X9R14 & Rear 30X11R14.	705403201 · Front 705503387 · Rear
Arxis Coronado Tyre	 Rock-crawling tread pattern Aggressive sidewall for mathematical depth: 15 mm. Max PSI: 44. Hybrid radial tyre for mud 8 8 Ply Rating offered in: Fror Unique tread pattern allowit Tread depth: 36 mm 	n with unique contact patch. ximum traction when faced with technical terrain Commander X mr & trail. tt 30X9R14 & Rear 30X11R14.	rail comfort.

Tyres - Maverick Trail & Maverick Sport

/laxxis Bighorn 2.0 Tyre		Mayorick Sport Mayorick Sport MAX	705402560 · Front
	 Front · 27" x 9" x 12". 	Maverick Sport, Maverick Sport MAX	705502938 · Rear
223	 Front • 27 x 9 x 12. Rear • 27" x 11" x 12". 		
	 Compliant with European 	class T regulations.	
		1	
Maxxis Liberty Tyre		Maverick Sport X rc	705402563 · Front 705402143 · Rear
	 Engineered for performant Exceeds DOT test standart 	ce driving and to give you and your side-by-side free rds.	dom in a variety of terrains.
	 8-ply radial construction. 		
		ound for supreme traction and control.	
	 Excellent tread wear. Front: 28" x 10" x 14". 		
C. Martin	• Rear: 30" x 10" x 14".		
			705402313 · Front
Carlisle ACT Tyre		Maverick Trail	705402314 · Rear
	 Front · 26" x 8" x 12". 		1
	 Rear · 26" x 9" x 12". 		
•			
Rims			
		Maverick Trail DPS, Maverick Sport	705401417 · Front
		Maverick Sport	705501853 · Rear
12" Maverick Trail DPS/Sp	ort Rim	Maverick Trail DPS	705401417 · Rear
	 Matching Nuts: 25010018 		
	 Matching Cap: 705400928 		
	•	" x 6" Offset = 41 mm/Rear · 12" x 7.5" Offset = 51 m · 12" x 6" Offset = 41 mm/Rear · 12" mm/Rear · 12" x 6" Offset = 41 mm/Rear · 12" mm/Rea	
	 Maverick Trail DPS: Front 	\cdot 12 x 6 Onset = 41 mm/ Rear \cdot 12 x 6 Onset = 41	mm.
ALL IN			
		Maverick Sport X rc/X mr	705402338 · Front
	- .	Maverick Sport X rc	705402338 · Rear
14" Maverick Sport X rc/X	mr Rim	Maverick Sport X mr	705502778 · Rear
	•	t · 14" x 7" Offset = 41 mm/Rear · 14" x 7" Offset = 41	
	 Maverick Sport X mr: Fron 	it · 14" x 7" Offset = 41 mm/Rear · 14" x 8.5" Offset =	51 mm.
12" Maverick Trail Rim		Maverick Trail	705401217
	 Matching Nuts: 25010004 		
	 12" x 6" – Offset = 41 mm. 		



CAN-AM ATVs

MODEL PACKAGES

Can-Am Outlander MAX 6x6 DPS 450	169
Can-Am Outlander MAX 6x6 DPS 450 Competitive Chart	170
Can-Am Outlander MAX 6x6 DPS 650	171
Can-Am Outlander MAX 6x6 DPS 650 Competitive Chart	172
Can-Am Renegade 110 EFI	173
Can-Am Renegade 110 EFI Competitive Chart	174

176

COMPARATIVE CHART

Can-Am ATV Lineup

ACCESSORIES

ATV Accessory Compatibility Guide	178
LinQ: Easy On, Easy Off Cargo	179
Racks & Holders	184
Cargo & Storage	185
Can-Am Windshields	187
Handlebars & Mirrors	188
Seats	189
HMWPE Skid Plates	190
Aluminum Skid Plates	191
HMWPE & Aluminum Skid Plates	193
Bumpers & Guards	194
Lights & Electrical	197
Winches	201
Hitches	203
Performance	204
Covers, Decals & Add-Ons	207
Apache Track Systems	209
ProMount Plows	212
Tyres & Rims	217



WHAT'S NEW

New Renegade 110 EFI packages replace the DS70 & DS90/90X.

Renegade 110 EFI • For Ages 10 & up.

2023 CAN-AM OUTLANDER MAX 6X6 DPS 450



PACKAGE HIGHLIGHTS

- Unmatched uphill and downhill stability
- · Incredible traction and soft ground performance
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS™)
- Continuously Variable Transmission (CVT) with extra low L-gear
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release sway bar
- · 12 in. cast-aluminum wheels
- · 26 in. Carlisle[†] ACT HD 6-Ply tyres
- · Rear bed with cargo extenders
- RF Digitally Encoded Security System (D.E.S.S.™)
- Passenger seat
- Extended wheelbase
- Raised floorboards

Tundra Green / 450

ENGINE	450	
Туре	38 hp, Rotax [®] 427 cc single cylinder, liquid-cooled	
Fuel Delivery System	Electronic Fuel Injection (EFI)	
Transmission	CVT, P/R/N/H/extra-low L, standard engine braking	
Drive Train	Selectable 4WD/6WD with Visco-Lok† QE auto-locking front differential	
Power Steering	ring Tri-Mode Dynamic Power Steering (DPS™)	

SUSPENSIONS

Front Suspension	Double A-arm 9 in. (22.9 cm) travel
Front Shocks	Oil
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in. (22 cm) travel
Rear Shocks	Oil

TYRES & WHEELS

Front Tyres	Carlisle ACT HD 26 x 8 x 12 in.
Rear Tyres	Carlisle ACT HD 26 x 10 x 12 in.
Wheels	12 in. cast-aluminum

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	1
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	;

DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,000 lb (454 kg)
LxWxH	118 x 46 x 57 in. (300 x 117 x 145 cm)
Wheelbase	90 in. (228.5 cm)
Ground Clearance	10.5 in. (26.7 cm)
Seat Height	33.8 in. (85.8 cm)
Rack Capacity	Front: 120 lb (54.4 kg)/Rear: 350 lb (159 kg)
Storage Capacity	2.9 gal (10.9 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)
Person Capacity	2

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC outlet, 15-A connector
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	70 W headlights
Winch	Prewired for available winch
Seat	Convertible Rack System (CRS)
Handlebar	Standard
Protection	Central Skid Plate

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	100 hours / 12 months / 3000 km

		Can-Am Outlander Max 6X6 DPS 450	Polaris Ranger 500	Honda Pioneer 520
Engine Size (cc)		427 cc	500 cc	518 cc
No. of Cylinders	=	1	1	1
Horsepower	+	38 hp	32 hp	Not listed
Transmission	=	CVT with extra low L-range	Automatic PVT; shaft	5 speed with reverse; manual and automatic modes
Traction Options	+	4WD or 6WD selectable (ultimate traction)	On Demand True AWD/2WD/Versatrac turf mode	2WD or 4WD
Power Steering	+	Tri-Mode Adjustable Dynamic Power Steering (DPS)	No	No
Front Suspension	=	Double A-arm	MacPherson Strut	Independent Double-Wishbone
Rear Suspension		DoubleTorsional trailing arm Independent (TTI2) with quick release sweay bar	Dual A-arm IRS	Independent Double-Wishbone
Wheel Size	=	12"	12"	12"
Wheel Material	+	Aluminium	Steel	Steel
Tyre Diameter	+	26"	25"	24"
Tyre Ply Rating	=	6 ply	6 ply	4 ply
Towing Capacity	+	750 kg	680 kg	454 kg
Total Cargo Capacity		213 kg	226.8 kg	204 kg
Ground Clearance	+	27 cm	25 cm	22 cm
Overall Length	+	300 cm	279 cm	267 cm
Overall Width	+	117 cm	147 cm	127 cm
In-Line Vineyard Ready Seating	+	Yes	No	No
Vehicle Dry Weight	=	454 kg	483 kg	482 kg - Kerb
Fuel Capacity		20.5 L	34 L	15.4 L
Speed Limiting Device	+	Programmable speed limiting safety key	No	No
Anti Theft Device	+	DESS security key system	No	No
Warranty Period		2 years/15,000 km, whichever comes first	1 year unlimited km	3 years unlimited km
Seating Capacity	=	2	2	2
Display	=	4.5" Digital Display	2" LCD	Analog speedo with LCD insert

2023 CAN-AM OUTLANDER MAX 6X6 DPS 650



PACKAGE HIGHLIGHTS

- · Unmatched uphill and downhill stability
- · Incredible traction and soft ground performance
- Towing and cargo carrying capability to rival most mid sized SSVs
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS™)
- · Continuously Variable Transmission (CVT) with extra low L-gear
- Visco-Lok[†] QE auto-locking front differential
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release rear sway bar
- 14 in. cast-aluminum wheels
- 26 in. ITP Terracross[†] radial tyres
- · Dump dual-level cargo box with modular accessories
- 2 person capability, with removable passenger seat

Tundra Green / 650

ENGINE	650	
Туре	62 hp, Rotax [®] 650 cc, V-twin, liquid-cooled	
Fuel Delivery System	Electronic Fuel Injection (EFI)	
Transmission	CVT, P/R/N/H/extra-low L, standard engine braking	
Drive Train	Selectable 4WD/6WD with Visco-Lok† QE auto-locking front differential	
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel	
Front Shocks	Oil	
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel	
Rear Shocks	Oil	
TYRES & WHEELS		
Front Tyres	ITP Terracross 26 x 8 x 14 in.	
Rear Tyres	ITP Terracross 26 x 10 x 14 in.	
Wheels	14 in. cast-aluminum	
BRAKES		
ront Dual 214 mm disc brakes with hydraulic twin-piston calipers		

Dual 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,100 lb (499 kg)
LxWxH	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)
Wheelbase	90 in. (228.5 cm)
Ground Clearance	11 in. (27.9 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Front: 100 lb (45 kg)/Rear: 700 lb (318 kg)
Storage Capacity	Dual-level cargo box with sidewalls and tailgate 18.5 gal (70 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)
Person Capacity	2

FEATURES

,		
Gauge 4.5 in. digital display		
Instrumentation	DC outlet, 15-A connector	
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	
Lighting	LED headlights	
Winch Prewired for available winch		
Seat Convertible Rack System (CRS)		
Handlebar Standard		
Protection	Central Skid Plate	

WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first	
Service Intervals	100 hours / 12 months / 3000 km	

Rear

all the	\$	Can-Am Outlander Max 6X6 DPS 650	Polaris Ranger 570 HD EPS (ADC)	Honda Pioneer 700-2
Engine Size (cc)		650 cc	567 cc	675 cc
No. of Cylinders	+	2	1	1
Horsepower	+	62 hp	44 hp	36.1 hp
Transmission	=	CVT with extra low L-range	Automatic PVT; shaft	3 speed with reverse; manual and automatic modes
Traction Options	+	4WD or 6WD selectable (ultimate traction)	On Demand True AWD/2WD/Versatrac turf mode	2WD, 4WD, 4WD Lock
Power Steering	+	Tri-Mode Adjustable Dynamic Power Steering (DPS)	Electronic Power Steering	Electric Power Steering
Front Suspension	+	Arched double A-arm with front sway bar	MacPherson Strut	Independent Double-wishbone
Rear Suspension	+	Double Torsional Trailing arm Independent (TTI2) with quick release sway bar	Dual A-arm IRS	Independent Double-wishbone
Wheel Size	+	14"	12"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Diameter	+	26"	25"	25"
Tyre Ply Rating	=	6 ply	6 ply	4 ply
Towing Capacity	+	750 kg	680.4 kg	680 kg
Total Cargo Capacity		363 kg	453.6 kg	408 kg
Ground Clearance	+	27.9 cm	25.4 cm	27 cm
Overall Length	+	317 cm	279 cm	291 cm
Overall Width	+	123 cm	147 cm	152.5 cm
Vehicle Dry Weight	=	499 kg	499 kg	583 kg - Kerb
Fuel Capacity		20.5 L	34.1 L	30 L
Speed Limiting Device	+	Programmable speed limiting safety key	Drivers seatbelt limiter 25kph	Drivers seatbelt limiter 25kph
Anti Theft Device	+	DESS security key system	No	No
Warranty Period		2 years/15,000 km, whichever comes first	1 year unlimited km	3 years unlimited km
In-Line Vineyard Ready Seating	+	Yes	No	No
Seating Capacity	+	2	2	2
Display	+	4.5" Digital Display	2" LCD	Analog speedo with LCD insert

2023 CAN-AM RENEGADE 110 EFI



PACKAGE HIGHLIGHTS

- For ages 10 and up
- · Heavy duty design capable of 100+ kg riders
- 4-stroke engine with Electronic Fuel Injection (EFI)
- · Fully automatic continuously variable transmission (CVT)
- Independent A-arm front suspension
- Electric start
- Built-in throttle limiter

Catalyst Gray & Neo Yellow / 110 EFI

ENGINE	110 EFI
Type 112 cc 4-stroke single cylinder, air cooled	
Fuel Delivery System Electronic Fuel Injection (EFI) with built-in throttle limit	
Transmission	CVT, F/N/R
Drive Train	Chain driven/2WD Electric starting system
Power Steering	N/A

SUSPENSIONS

Front Suspension	Single A-arm 5 in. (12.7 cm) travel	
Front Shocks	Oil	
Rear Suspension	Swingarm 6 in. (15.2 cm) travel	
Rear Shocks	Oil	

TYRES & WHEELS

Front Tyres	19 x 7 x 8 in.	
Rear Tyres	18 x 9.5 x 8 in.	
Wheels	8 in. steel	

BRAKES

Front	Dual drum brakes	
Rear	Single drum brakes	

DIMENSIONS & CAPACITIES

Estimated Dry Weight	295 lb (134 kg)	
LxWxH	L x W x H 60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)	
Wheelbase	41 in (105 cm)	
Ground Clearance	8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle	
Seat Height	28 in. (71 cm)	
Rack Capacity	N/A	
Storage Capacity	N/A	
Towing Capacity	N/A	
Fuel Capacity	1.6 gal (6 L)	
Person Capacity	1	

FEATURES

Gauge	Neutral, reverse, fuel level, & check engine lights	
Instrumentation	N/A	
Lighting	Halogen running headlights	
Winch	N/A	
Seat	Standard	
Handlebar	Ergonomy & controls for ages 10 years and up	
Protection	Front bumper	

WARRANTY & EXTENDED SERVICE

Factory Warranty	6 months limited
Service Intervals	30 hours / 12 months / 500 km

0		Can-Am Renegade 110 EFI	Yamaha YFM90R - 2023	
Engine Size (cc)	+	112 cc	89.9 cc	
No. of Cylinders	=	1	1	
Transmission	=	CVT (no gears)	CVT (no gears)	
Front Suspension		Single A-arm	Single A-arm	
Rear Suspension	=	Swingarm	Swingarm	
Wheel Size		8"	8"	
Wheel Material	=	Steel	Steel	
Tyre Size	=	19"/18"	18"	
Ground Clearance		21.1 cm under frame / 11.4 cm under rear axle	10 cm	
Overall Length	+	154 cm	148.5 cm	
Overall Width	+	103 cm	102 cm	
Fuel Capacity		6 L	6.6 L	
Fuel Delivery System	=	Electronic Fuel Injection	Carburetor	
Seat Height		71 cm	75 cm	
Starter		Electric	Electric with backup kickstart	
Overall Weight		Dry 134 kg	Wet 126.5 kg	
Ages		10 and up	10 and up	
Maximum Rider Weight	+	102 kg	82 kg	

Suzuki Quadsport Z90	Kawasaki KFX 90	CFMoto Cforce 110
80 cc	90 cc	110 cc
1	1	1
CVT (no gears)	CVT (no gears)	CVT (no gears)
Single A-arm	Single A-arm	Independent double A-arm
Swingarm	Swingarm	Mono mid-placed shock absorber
8"	8"	10" / 8"
Steel	Steel	Steel
19"	18"	19" / 18"
15 cm	10 cm	11 cm
150.5 cm	142.5 cm	149 cm
87.5 cm	90.5 cm	95 cm
6 L	5.3 L	6.4 L
Carburetor	Carburetor	Electronic Fuel Injection
65 cm	65 cm	69 cm
Electric with backup recoil	Electric with kick backup	Electric
Dry 127 kg	Dry 122 kg	Wet 125 kg
12 and up	12 and up	6 to 12
90 kg	85 kg	Not listed

		OUTLANDER	RENEGADE 110 EFI		
		and the second	STATES	0-0-0	
COLOUR OPTIONS		Tundra Green		Catalyst Gray & Neo Yellow	
		450	650	110 EFI	
	Туре	38 hp, Rotax® 427 cc single cylinder, liquid-cooled	62 hp, Rotax® 650 cc, V-twin, liquid-cooled	112 cc 4-stroke single cylinder, air cooled	
NES	Fuel Delivery System	Electronic Fuel Injection (EFI)		Electronic Fuel Injection (EFI) with built-in throttle limiter	
ENGINES	Transmission	CVT, P/R/N/H/extra-low L, standard engine braking		CVT, F/N/R	
	Drive Train	Selectable 4WD/6WD with Visco-Lok [†] QE auto-locking front differential		Chain driven/2WD electric starting system	
	Power Steering	Tri-Mode Dynamic Po	ower Steering (DPS™)	N/A	
s	Front Suspension	Double A-arm 9 in. (22.9 cm) travel	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) trave	Single A-arm 5 in. (12.7 cm) travel	
SION	Front Shocks		Oil		
SUSPENSIONS	Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in, (22 cm) travel	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel	Swingarm 6 in. (15.2 cm) travel	
	Rear Shocks		Oil		
WHEELS	Front Tyres Rear Tyres Wheels	Carlisle [†] ACT HD 26 x 8 x 12 in. Carlisle [†] ACT HD 26 x 10 x 12 in. 12 in. cast-aluminum	ITP Terracross [†] 26 x 8 x 14 in. ITP Terracross [†] 26 x 10 x 14 in. 14 in. cast-aluminum	19 x 7 x 8 in. 18 x 9.5 x 8 in. 8 in. steel	
	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers		Dual drum brakes	
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Single drum brake	
	Estimated Dry Weight	1,000 lb (454 kg)	1,100 lb (499 kg)	295 lb (134 kg)	
	LxWxH	118 x 46 x 57 in. (300 x 117 x 145 cm)	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)	
IES	Wheelbase	90 in. (228.5 cm)		41 in (105 cm)	
PACIT	Ground Clearance	10.5 in. (26.7 cm)	11 in. (27.9 cm)	8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle	
NS/C⊅	Seat Height		34.5 in. (87.7 cm)	28 in. (71 cm)	
NSIO	Rack Capacity	Front: 100 lb (45 kg)/Rear: 200 lb (90 kg)	Front: 100 lb (45 kg)/Rear: 700 lb (318 kg)	N/A	
DIMENSIONS/CAPACITIES	Storage Capacity	2.9 gal (10.9 L)	Dual-level cargo box with sidewalls and tailgate 18.5 gal (70 L)	N/A	
	Towing Capacity	1,650 lb (750 kg)		N/A	
	Fuel Capacity	5.4 gal (20.5 L)		1.6 gal (6 L)	
	Gauge	4.5 in. digital display		Neutral, reverse, fuel level & check engine lights	
	Instrumentation	DC outlet, 15-A connector		N/A	
	Ignition	Ignition - RF Digitally Encoded Security System (D.E.S.S.™)		Кеу	
JRES	Lighting	70 W headlights	LED headlights	Halogen running headlights	
FEATURES	Winch	Prewired for available winch		N/A	
	Seat	Convertible Rack System (CRS)		Standard	
	Handlebar	Standard		Ergonomy & controls for 10 years old and up	
	Protection	Central Skid Plate		Front bumper	

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH.



ATV ACCESSORY COMPATIBILITY GUIDE

We've made things super simple.

- Check your model year
- Choose engine and model
- Learn your **PLATFORM CODE**

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

Model year	Model	Engine configuration	Platform code
2015	Outlander L	450, 500	G2L
2010	Outlander	500, 650, 800, 1000	G2
	Outlander L MAX	450, 500	G2L
	Outlander MAX	500, 650, 800, 1000	G2
	6x6	650, 1000	G2
	Renegade	500, 800, 1000	G2S
2016	Outlander L	450, 570	G2L
2010	Outlander	570, 650, 850, 1000	G2
	Outlander L MAX	450, 570	G2L
	Outlander MAX	570, 650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2017	Outlander	450, 570	G2L
2018	Outlander	650, 850, 1000	G2
2010	Outlander MAX	450, 570	G2L
	Outlander MAX	650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2019	Outlander	450, 570	G2L
2020	Outlander	650, 850, 1000R	G2
2021	Outlander MAX	450, 570	G2L
2022	Outlander MAX	650, 850, 1000R	G2
2022	6x6	450	G2L
2023	6x6	650, 1000	G2
	Renegade	570, 650, 850, 1000R	G2S





LINQ: EASY ON, EASY OFF CARGO

LINQ ACCESSORIES

Compatibility/requirements

 No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. 	OUTLANDER 450/570	OUTLANDER	RENEGADE
LinQ Accessories with 16" Base	 LinQ anchors mounted 16 inches apart, center-to-center. Lower loading capacity than the LinQ with 36" base accessories. Can be used on Can-Am ATV and SSV vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles. 		
LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White	LinQ Adapter Plate 715007273 &	LinQ Anchor Adapter Kit 715004960	LinQ Luggage Rack 715001734 & LinQ Anchor Adapter Kit
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ 4.5 Gal (17 L) Sport Bag 860202447			715004960 OR
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	LinQ Base Installation Kit 715008125		LinQ Adapter Plate 715007274 & LinQ Base Installation Kit 715008125
LinQ Tool Kit 715006829			
LinQ Roll-Top Bag 715008110			
LinQ Accessories with 36" Base	 Mount on LinQ racks often used by Can-Am ORV vehicles. Higher loading capacity than the LinQ with 16" base accessories. Usage is limited to Can-Am ORV vehicles. 		
LinQ 12 Gal (45 L) Cargo Box 715003879	LinQ Base		LinQ Luggage Rack 715001734
LinQ 23 Gal (86 L) Trunk Box 715004923	715002350		
LinQ 32 Gal (121 L) Trunk Box 715001747 (2-up) 715001749 (MAX)	No compatibility		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	LinQ Base 715002350	No further requirements	
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black / 715004698 • Gray	No compatibility		
LinQ Premium Storage Bag by OGIO 715002923 • Black			
LinQ Heavy Duty Basket 715001215	LinQ Base 715002350		
LinQ Low Profile Basket 715004282			
LinQ Holders			
LinQ 4" Rack 715001711 • Silver / 715001665 • Black	Not compatible *Alternative 5" or 8" Rack	No further requirements	LinQ Luggage Rack 715001734
LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black	Extensions (715001913 or 715001914) are available for G2L		
LinQ Mounted Gear Grips 715005340	LinQ Base		
LinQ Tool Holder 715007358	715002350		
LinQ Gun Boot Rack 715002112 715002113	Not compatible *Alternative Gun Boot Racks (715001918 or 715001919) are available for G2L]	No compatibility

LinQ Accessories with 16" base

LinQ Modular Box				715005494 · (10 L) 715007112 · (20 L)	
	 Allows stacking of other mo Always have the right box si Can be installed on any LinC See table for installation loc 	a base with a 16" width.	right gear accessible.	715006830 · (30 L)	
Thermal Insert For LinQ Mod	ular Box (10 L)	G2, G2L, G2S	219401110		
	 Insulated liner. Fits very well in the LinQ Modular Box (10 L). Can contain five 473 ml cans or six 355 ml cans. 				
LinQ Tool Kit		G2, G2L, G2S		715006829	
	 Includes: Cutter pliers Long-nose pliers Locking plier Ratchet wrench %" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	 Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive Socket 8 mm %" drive 	- Combined wrench 19 mm - Combined wrench 18 mm - Combined wrench 15 mm - Combined wrench 13 mm - Combined wrench 10 mm - Combined wrench 8 mm	 Socket Torx T40 %" drive Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirements. 	
LinQ 4.2 Gal (16 L) Cooler		G2, G2L, G2S		■ 219400964 · Black 295100698 · Gray	
a ga	 All the benefits of LinQ—sir Rotomolded construction for durability. Premium-quality foam insul 				
LinQ Tool Box		G2, G2L, G2S		715008111	
	 High precision injected HDPE construction provides rigidity and durability. 5 gal (19 L) maximum capacity. Weather-resistant, sealed and lockable cover. Marinized for salt water purposes. See table for installation location and requirements. 				
LinQ Roll-Top Bag		G2, G2L, G2S		715008110	
une	 Fully waterproof Roll-Top dry confine your equipment. LinQ mounted using heavy- High capacity storage soluti Bottom foam liner for additional storage for ad	duty rigid plastic base. ion 10.6 gal (40 L).	 Integrated handle for easy to vehicle. Marinized for salt water pur See table for installation loc 	poses.	

SR 5.5	5 Gal (2	1 L) LinG	Bag
--------	----------	-----------	-----

G2, G2L, G2S

860202449

- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag		G2, G2L, G2S	860202447
		62, 621, 623	800202447
The second se	 4.5 gal (17 L) capacity. 		

- Rigid bottom, semi-rigid top.
- See table for installation location and requirements.

LinQ Accessories with 36" base

LinQ 12 Gal (45 L) Cargo Box		G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S	715003879
	 LinQ mounted for easy on, e 	asy off installation.	

- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box		G2 (except 6x6 models), G2L, G2S	715004923
	 LinQ mounted for easy on, e Lockable and weather-resis Holds cargo safely and secu Comfort pads for passenge See table for installation loc 	stant. urely while riding. r.	
LinQ 32 Gal (121 L) Trunk Box		G2 (except MAX models & 6x6), G2S European Version (EC compliant)	715001747 715001748 · No rear tail light

- LinQ Retrofit Adapter Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colours to match your vehicle (sold separately).
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk	Box for Outlander Max	G2 (MAX models only except 6x6 models) European Version (EC compliant)	715001749 715001750 · No rear tail light.
		ed on active rides as well as longer recreational rides thanks to -fitted with a portion made of closed cell foam that won't abso	
	 Very easy to embark even whether the second s	hen driver is seated.	

• Trunk Box Panels available in many colours to match your vehicle (sold separately).

L (^

.inQ 32 Gal (121 L) Trunk Box Not illustrated)		EUROPEAN VERSION (EC co	mpliant)	
	 Colour panels to match the No rear tail light. 	LinQ 32 gal (121 L) Trunk Box 1	to your vehicle.	
		 715001397 · Black 715001398 · Yellow 715006124 · Viper Red 715002483 · White 	71500612	22 · Manta Green 21 · Can-Am Red 23 · Orange Crush
inQ 11.5 Gal (43 L) Audio Ca	rgo Box	G2 (front only for 6x6 & MAX	models 2013-2014), G2L, G2S	715003018
	 Mounts on/off easily to hold and securely. The Bluetooth enabled rece speakers are smartly conce in the cover. Automatic shut-off function turning the system off after 	iver and 6.5" (16.5 cm) aled and integrated protects your battery by		ality on the market to sweeten -in full range high-efficiency
inQ 8 Gal (30 L) Cooler Box		G2 (except 6x6 models), G2S		 715004778 · Black 715004698 · Gray
	 Premium-quality foam insul Integrated, fully-removable Robust rubber latches keep Weather-resistant. Convenient drain plug. See table for installation loc 	the cover tightly closed.		
inQ Premium Storage Bag by	V OGIO	G2 (except 6x6 models), G2L,	, G2S	715002923 · Black
	 LinQ mounted for easy on, e Holds cargo safely and secu See table for installation loc 	urely while riding.		
inQ Low Profile Basket		G2, G2L (front only for MAX 8	a 6x6 models), G2S	715004282
	 Low profile, open basket inc Perfect for easy access to to Multiple bungee cord and ti Made of impact-resistant in See table for installation loc 	pols, rope, winch and plow acc e-down anchor points. jected polypropylene.	essories.	
inQ Heavy-Duty Basket		G2, G2L (front only for MAX 8	k 6x6 models), G2S	715001215
AND THE REAL PROPERTY	 Made of high-strength, low- LinQ mount for easy on, eas Can be placed on both from See table for installation loc 	y off installation. t and back racks of vehicle.		
Large Cargo Box		G2, G2L (except 6x6)		715007001
	1 1 0,7	s. A fixtures for tool holder, and m	arks to allow the installation of ion of a divider and a slot for a d	a 16" accessory.

• It is installed on ATV platforms through the LinQ system and hooks to make it easily installable and removable.

tanan Di

LinQ Tool Holder		G2, G2S, G2L	715007358
	 Ultra-versatile tool holder. Convenient swivel-latch allo Sold in pairs. 	ows tools to be stored in any orientation.	
-inQ Gear Grips		G2, G2S, G2L	715005340
44	 Heavy-duty design for carry Quick-release button opens Heavy-duty base system but 	rovide a custom fit for a variety of items fro ing bows, fishing poles, rakes, farm tools a grip quickly for easy access to gear. ilt for the toughest adventures. Is a snap by combining the Gear Grips with	nd more.
LinQ Mounting			
LinQ Anchor Adapter Kit		G2, G2S	715004960
	 Tool-less installation and re 	cessories with LinQ base of 16" on LinQ ra moval. Rack (715001734) is required for installatio	
LinQ Base		G2L	715002350
58	 Made of polypropylene glas Allows you to install LinQ ac Sold in pack of 4. 		
LinQ Lock		G2, G2S, G2L,	860201968
	 Simple way to securely lock Lock cover protects lock from Corrosion resistant. Pack of 1, includes 2 keys. Not compatible with LinQ 4 		Tool Holder and LinQ Gear Grips.
LinQ Replacement Parts			715001707

RACKS & HOLDERS

LinQ Rack Extension – 4" (10	cm)	G2, G2S	715001711 · Silver 715001665 · Black
	 Fits front or rear. Strong and durable. Helps keep cargo securely i Easy and tool-less installation Anti-corrosion coating with LinQ Luggage Rack (71500) 	on thanks to the LinQ System. durable powder coat finish.	
LinQ Rack Extension – 6" (15	cm)	G2, G2S	715001712 · Silver 715001671 · Black
	 Fits front or rear. Strong and durable. Helps keep cargo securely i Easy and tool-less installation Anti-corrosion coating with LinQ Luggage Rack (71500) 	on thanks to the LinQ System. durable powder coat finish.	
Rack Extension – 5" (13 cm)		G2L	715001913
	 Fits front or rear. Made of carbon steel. Provides tie-down points to Easy installation on tubular Anti-corrosion coating with 	rack.	
Rack Extension – 8" (20 cm)		G2L	715001914
	 Fits front or rear. Made of carbon steel. Provides tie-down points to Easy installation on tubular Anti-corrosion coating with 	rack.	
LinQ Luggage Rack		G2S (except X mr models)	715001734
	Bolt-on rack. Enables use of LinQ mounter	ed accessories on the G2S.	
LinQ Base Plate		G2L	715007273
63	 Enables use of 16" wide Lin Requires LinQ base kit (715 	Q base accessories on G2L to extend cargo options and journ 008125).	ney opportunities.
LinQ Base Plate		G2S	715007274
	Enables use of 16" wide Lin Requires LinQ Base Kit (715	Q base accessories on G2S to extend cargo options and journ 5008125).	ney opportunities.

		G2L (except MAX models)		715001918
Gun Boot Rack		G2L (MAX models only)		715001919
× h	 Made of steel. Designed for the tubular racl 	k.	 For use with Gun Boot 6.0 Ir Can be mounted to either si 	
Gun Boot 6.0 Impact [†] By	Kolpin†	G2, G2L		715001419
	 Extra room for pistol-grip-typ small bipods. Easily fits firearms up to 51" Provides ample room for 2 % Hatchback design allows eas Ergonomically designed han points for sling. 	(130 cm) in total length. " (60 mm) scopes. sy access.	 Snap-close cover with locki Designed to accommodate rifles and shotguns. Includes removable, shock a Impact liner for superior inte Requires appropriate mount 	left and right hand bolt-action bsorbing foam and nylon protection.
LinQ Gun Boot Rack		G2 (except MAX, 6x6 & X mr 1000) G2 (MAX & X mr 1000 models only)		715002112
Not illustrated)				715002113
	 This lightweight Gun Boot Ra side of your Outlander using 		 For use with Gun Boot 6.0 Ir 	npact by Kolpin.
				715002354 · Single
Multi-Fit Holder		G2, G2L		715001945 · Double
po op	 Open U-shaped bracket for c and hunting weapons (rifle, b but easily accessible. Easy installation on tubular r or bumpers. 	bow) that are safely secured,	 For G2, the LinQ Rack Exter Sold in pairs. 	nsion (715001711) is required.
LinQ Gear Grips		G2L		715001421
YP	 Durable, flexible grips cushion a custom fit for a variety of items in diameter. Heavy-duty design for carrying l tools and more. Quick-release button opens grip 	from 1" to 4" (2.5 cm to 10 cm) bows, fishing poles, rakes, farm	 Heavy-duty base system bu adventures. Easy installation on tubular brackets or bumpers. Sold in pairs. 	·

CARGO & STORAGE

Log Bars	G2 (6x6 models only)	715001987
	g bars allow you to convert the cargo bed into a perfect transport spa e driver's safety is guaranteed by the protective front screen.	ace for 4' (120 cm) timber.
Hard Top	G2 (6x6 models only)	715002394



Locking secures your belongings.

• The cover raises assisted by gas cylinders.

CAN-AM ATVs ACCESSORIES 185

Cargo Box Pool		G2L (6x6 models only)	715005256		
	 Made of durable formed HI 	a large capacity cargo box for increased loading possibilities. DPE and shaped to maximize cargo space. water-resistant rear compartment. I easy installation.			
Tailgate Extension/Divider		G2 (6x6 models only)	715002017		
	 The sturdy tailgate extension provides a 10" (25 cm) extension to the cargo space. Thanks to the longer cargo bed, even large loads pose no problem. With the help of LinQ quick locks, the extension also acts as a solid space divider for the cargo bed. 				
Tarpaulin		G2 (6x6 models only)	715002416		
	 Fitted to cover all of the iter Prevents splash from enter Easily removable for quick and the second second				
18 Gal (70 L) Utility Box		G2 (6x6 models only)	715001999		
		ever you do, this handy 18 gal (70 L) utility box is your mobile s ent safe from the elements in all conditions. th handles for easy access.	storage.		
Cargo Box Net		G2 (6x6 models only)	715001371		
	Solid net designed to hook	to the bottom of the cargo box for secure and compact confir	ement of your cargo.		
Soft Storage Bag		G2, G2L, G2S	715003759		
	 3 -section bag. Transport gear in a weather 11.8 gal (45 L) capacity soft LinQ Luggage Rack (71500 	cargo bag designed with vehicle's rack in mind to maximize p	potential storage.		
Storage 2.6 Gal (10 L) Bag			269502121		
O I	 Roll-Top dry bag for fully pro Fits in rear compartment of 	btecting your cargo from the elements. Your vehicle.			

CAN-AM WINDSHIELDS

Deluxe Fairing		G2 (except X mr & 6x6), G2L	 715001232 · Black 715000935 · Yellow 2000 715002479 · Light Gray 	 715006125 · Squadron Green 715007073 · Tundra Green 		
6 8 9	 Innovative, richly featured w Quick tool-less removal oncomentation on the second second	e base brackets are mounted	 Optional mirrors and auxilia Requires low, high or extra l Tapered Handlebar Adapter with 1%" (28 mm) tapered a 	high windshield. Kit is required for vehicles		
Camo Decals for Black Deluxe (Not illustrated)	e Fairing	Deluxe Fairing	715002976 · Mossy Oak Break-Up Country Camo	715001684 • Next G-1 Vista Camo		
	 Camo pattern perfectly mat 	Camo pattern perfectly matches your camo vehicle.				
Tapered Handlebar Adapter K (Not illustrated)	ït	Deluxe Fairing		715002470		
	 Required to install Deluxe F aluminum handlebars. 	airing on an Outlander X-TP and	d on any vehicle equipped with	1 ⅛" (28 mm) tapered		
Extra High Windshield		Deluxe Fairing		715000936		
	 16" (41 cm) windshield prov For wind protection and wir Tool-less installation and re 		ainst the elements while touring	g.		
High Windshield		Deluxe Fairing		715001211		
	Tool-less installation and re	placement.				
Low Windshield		Deluxe Fairing		715001227		
		s you to keep your vehicle looki y of enjoying directional lighting placement.		e protection from the		
Accessories						
Auxiliary Windshield Lighting		Deluxe Fairing		715003115		
	 1,800 lumens. 2 x 10W LED Cree light kit.	eluxe Fairing for both increased to 350' (107 m), drawing less th				
Deluxe Mirror Kit		Deluxe Fairing		715002353		
	 Improved mounting system Wide rear view. Perfect fit with your Deluxe 					

Windshield Kits				
Extra High Windshield Kit		G2, G2L, G2S (except X mr mc	odels)	715003023
	 Made of polycarbonate with turbulence and rumble nois and smoother ride. Quick tool-less removal onc on handlebar. Fits straight and tapered has 	e at high speeds for a quieter e base brackets are mounted	 Improved design for enhance Steering Cover (709400939) Mossy Oak models. 16" (41 cm) windshield. For ultimate wind protection) is required for XT and
High Windshield Kit		G2, G2L, G2S (except X mr mc	odels)	715006382
	 Made of polycarbonate with turbulence and rumble nois and smoother ride. Quick tool-less removal onc on handlebar. Fits straight and tapered hard 	e at high speeds for a quieter e base brackets are mounted	 Improved design for enhance Steering Cover (709400939) Mossy Oak models. 11" (28 cm) windshield. For wind protection and wind) is required for XT and
Low Windshield Kit		G2, G2L, G2S (except X mr mc	odels)	715003021
	 Made of polycarbonate with turbulence and rumble nois and smoother ride. Quick tool-less removal onc on handlebar. Fits straight and tapered had 	e at high speeds for a quieter e base brackets are mounted	 Improved design for enhance Steering Cover (709400939 Mossy Oak models. 6" (15 cm) windshield. Allows you to keep your veh giving you some protection) is required for XT and icle looking sporty while

HANDLEBARS & MIRRORS

Handlebar Wind Deflectors		G2, G2L, G2S	
com am	 Rugged injected plastic con Include removable cap for a Mounting kit sold separately 	ir flow adjustment.	
		715000537 · White / Black 71 715001706 · Black / Black 71	5003813 · Orange / Black 5003814 · Octane Blue / Black 5006117 · Squadron Green / Black 5006118 · Viper Red / Black
Passenger Wind Deflectors		G2 and G2L (MAX models only)	715001669
	 These wind deflectors fit on Easy to install and remove. 	the passenger handles and provide greater comfort w	hile riding.
Full Wrap Aluminum Mountin	ng Kit	G2, G2L, G2S	715001378
0	 Lightweight black die cast a 	luminum construction	

- Lightweight black die cast aluminum construction.
- Includes complete hardware.
 - Handlebar wind deflectors sold separately.

Aluminum Tapered Handlebar		G2, G2L, G2S	715000550
tan an	 1%" - 1 1%" (22 mm - 28 mm) ta Includes all hardware, center 	apered handlebar made of 6061-T6 aluminum. er steering foam and cover.	

1100

Xt Handlebar Protector Kit

G2, G2L

• Not compatible with Mud Strap (715003053).

Doesn't require a windshield or fairing to be mounted.



Mirrors Left - ¾" (10 mm)		G2, G2L, G2S		708200963	
	 True vision surface 5" x 3" (13 cm x 8 cm). Matte finish. Stem includes %" (10 mm) thread. Bracket (715000190) is required for installation on DS 450. Bracket not required for installation on Outlander and Renegade. 				
Mirrors Right – 3/8" (10 mm) (Not illustrated)		G2, G2L, G2S		709400523	
	 True vision surface 5" x 3" (1 Matte finish. Stem includes %" (10 mm) t 		 Bracket (715000190) require right hand brake. 	ed except for vehicles with	
Handlebar Mirrors	_	G2, G2L, G2S		715005366	



 Adjustable handlebar mounted convex mirrors.
 The convex surface allows improved visibility with a wider field of view.

SEATS

	G2L (except MAX models)	715003941
	G2 (except 6x6 & MAX models)	715003940
Driver Backrest	G2 (6x6 models only, except MAX)	715003611

• Provides the rider's back with that extra support that makes riding that extra mile way more comfortable.

• Adjusts horizontally to match the driver's height and preference.


Mounts and locks in firmly onto the vehicle.

Outlander Max Passenger Seat Kit

at Kit	G2 2015 & up, G2L (MAX models only)	715002373
 Perfect to replace used or data 	amaged passenger seat.	



HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

Lighter than aluminum.

Superior stress crack resistance.

High impact strength.

OUTLANDER, RENEGADE

			G2				G	2L	G	2S	
		2016 8	& Prior	2017	-2018	2019	& Up			2017- 2018 Models	2019 & Up
		Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except Max & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HI	MWPE Skid P	late Pro	tection	Kit							
		715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
In	dividual HMV	VPE Ski	d Plates	S	I		I	I			
1	A-Arm Protectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
2	Underbelly Plates Footwell portion not compatible with Renegade X mr	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
3	Trailing Arm Protectors	-	-	715003466	715003466	715004823	715004823	715003466 (2015 to 2020 models only)	715003466 (2015 to 2020 models only)	715003466	715004823

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick High Strength 5052 H32 Aluminum.

Ultimate durability.

High strength.

OUTLANDER

	G2					G2L		
	2016	& prior	2017-2018		2019 & up		Any year	
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only
Aluminum Skid Plate Protection	on Kit							
	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
Individual Aluminum Skid Plat	tes							
A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
2 Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922
5 Trailing Arm Protectors	_	_	715008595	715008595	715004821	715004821	715008595	715008595
6 Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
⑦ Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick High Strength 5052 H32 Aluminum.

Ultimate durability.


High strength.

G2S				
2016 & prior	2017-2018	2019 & up		
715002139	715004201	715004808		
715001667	715001667	715004820		
715000925	715000925	715000925		
715002078	715002078	715002078		
715001359	715001359	715001359		
715001129	715008595	715004821		
715000920	715000920	715000920		
715002028	715002028	715002028		
	715002139 715001667 715000925 715002078 715001359 715001129 715000920	G2S 2016 & prior 2017-2018 715002139 715004201 715001667 715001667 715000925 715000925 715001359 715002078 715001359 715001359 71500129 715008595 715000920 715000920		

RENEGADE

192 CAN-AM ATVs ACCESSORIES

HMWPE & ALUMINUM SKID PLATES



Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE

Made of ¼" (6 mm) thick abrasion resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

ALUMINUM

Made with High Strength ³/₆" (4.5 mm) thick 5052 H32 Aluminum.

- Ultimate durability.
- High strength.

OUTLANDER 6X6

		G2 6x6		G2L 6x6
	2016 & prior	2017 - 2018	2019 & up	Any year
Individual HMWPE Skid Plates	S			
(1) HMWPE A-Arm Protectors	715002924	715002924	715004822	715002924
(2) HDPE Full Underbelly Skid Plate	715005290 (except Max)	715005290	715005290 (except Max)	715005259
	715003647 (Max Only)	715003647	715003647 (Max Only)	(Max Only)
③ HMWPE Trailing Arm Protectors	-	715003466	715004823	715003466 (2020 models & prior only)
Individual Aluminum Skid Plat	tes			
(1) Aluminum A-Arm Protectors	715001667	715001667	715004820	715001667
(2) Aluminum Full Underbelly Skid Plate				
③ Aluminum Trailing Arm Protectors		715008595	715004821	715008595

BUMPERS & GUARDS

Bumpers

Bumpers		1	I
Expedition Front Bumper		G2, G2L (except X mr models & X xc models 2022 & up)	715007233
5	 Protects and doesn't obstru Integrated mounting spots 	-	
Expedition Rear Bumper		G2, G2L	715007234
	 Protects and doesn't obstru Inside and outside anticorre 	tubes for complete protection of the vehicle's rear. uct the vehicle's taillights. osion coating with a durable powder coat finish. per installation requires 705008164 and 705008165.	
NEW X mr Front Bumper		G2S 2023 & up	715008198
	Enhanced vehicle front pro	tection. Required as a mounting point for Radiator Relocator	(715008898).
XT Front Bumper		G2	715004837
	 Standard on XT, XT-P, Moss 	added on base Outlander model to convert vehicle into XT m	odel.
XT Rear Bumper		G2	715004920
	 Standard on XT, XT-P, Moss 	added on base Outlander model to convert vehicle into XT m	odel.
XT Front Bumper		G2L	715001910
	 Winch compatible. Large tube construction. Protects vehicle against ob Standard on XT models. 	stacles.	
XT Rear Bumper		G2L	715001911
	 Large tube construction. Protects vehicle against ob Standard on XT models. 	stacles.	

		G2	715001286*
Extreme Front Bumper		G2L	715004279
	 Ultra-sturdy build. Enhances front-vehicle pro Compatible with XT Front E Fits the Apache[™] 360 Tracl *Not compatible with Front Hitch 	Bumper. k System (when side panels are removed).	
Complete Rancher Protecti	on Kit	G2, G2L (except X mr & 6x6 models)	715003463
	in contact with, while also e • Made tough and designed farmer, rancher and forestr	tor Extensions (715003460) for installation on MAX mod 715003461). 15003462).	nt, rear and full side protection for
Rancher Front Bumper		G2, G2L (except X mr models)	715003461
	vehicle and the animals. • The flat front portion facilita • The full frontage coverage • Inside and outside anti-cor	on and plates allow you to use your ATV within cattle her ates gently prodding cattle or pushing light objects, e.g. extends to provide an extra layer of defense to your hea rosion coating with durable powder coat finish. systems, plows and front hitch.	closing a fence.
Rancher Rear Bumper		G2, G2L (except 6x6 models)	715003462
	 Coverage extends to provid 	thin cattle herds and guarding the safety of both the veh de an extra layer of defense to your tail lights. rosion coating with durable powder coat finish. systems.	nicle and the animals.
Renegade Extreme Front B	umper	G2S 2022 and prior (except X mr models)	715002469
	Enhanced vehicle front pro Required as a mounting po	tection. int for Radiator Relocator (715008898).	
Guards	G2 2012 to 2018 with stock X	T Bumper, G2 2012 & up with Rancher Bumper,	
	G2L with Rancher Bumper, (e	xcept X mr and 6X6 models)	715003459
Body Side Protector	G2 2019 & up with XT Bumpe G2L with XT Bumpers, (excep	ers, (except X mr and 6X6 models)	715004940* 715003614
		rd designed to pull double duty, protecting your ATV and	

Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.

- Built of durably bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with Self Clearing Footwell.
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation.
- Requires Body Side Protector Extensions (715003460) for installation on MAX models.

*Not compatible with Front and Rear Rancher Bumpers.

Body Side Protector Extensions (Not illustrated)	G2, G2L (MAX models only)	715003460
This specially designed extended the look of Outlander MAX is a second of Ou	ension for the Body Side Protector is made specifically to fit an models.	d seamlessly integrate into

Mud Flaps		G2 (with stock fender flares)	715007089
6	 Keeps mud, snow and debri Adds aesthetic appearance Requires stock fender flare. Sold in pairs. 	-	s behind you.
	G2 2012-2018 (except with 30	" tyres) (except 6x6 models)	715001764*
	G2 2019 & up (with 30" tyres) (715004250**
	G2L		715001909***
Fender Flares	G2L European vehicles only 20	015 & up	715004487
	 Made of injected plastic that Gives vehicle added flair for 	nsions and all mounting hardware. 9 & up (except X mr models).	you enjoy riding in the mud.
Fender Flare Extensions		G2 (except 6x6 models) G2L	715005111* 715003615**
Fender Flares	*Must be used with Fender Flare **Must be used with Fender Flare		705012695
		Flares for sporty look and full body protection from sions and all mounting hardware.	n dirt and water.
Flatbed Protection Tubes		G2 (6x6 models only)	715002030
	 Bolt-on bumpers for the side Protect the exterior plastic c areas or loading cargo onto 	components of the flatbed from rocks, trees and oth	er obstacles when traversing enclosed
Flatbed Protection Tubes		G2L (6x6 models only)	715005266
L?	 Bolt-on bumpers for the side Protect the exterior plastic c areas or loading cargo onto 	components of the flatbed from rocks, trees and oth	er obstacles when traversing enclosed

LIGHTS & ELECTRICAL

ntegrated Heated Grips &	I numb I hrottle Combo	G2, G2L, G2S (2021 & up)		715005072
	 Heat levels for grips and the vehicle screen. Ergonomic button integrate Single button for both grips Five temperature settings for Adjustable heat ratio betwe 	d on LH grip. and thumb heat selection. or the thumb and grips.	 Hold button to reach maxin Remembers your last heat IP67-rated waterproof seal ECE compliant. Plug-and-play installation. Clamp-on grips, no glue re 	setting. ing keeps the elements out.
		up models equipped with 850 er 00R engine, T Category models		715003250 Not compatible with Intelligent Throttle Control (iTC)
leated Grips & Thumb Fhrottle Combo	G2, G2L, G2S (2020 & up mod and 2019 & up models with 10	els equipped with 850 engine 000R engine, T Category models)	715008739 Compatible with Intelligent Throttle Control (iTC)
	 LED dimmer facilitates read 4 temperature settings with and grips. Returns to previous heat set 	individual controls for thumb	 One-touch shutdown. Wiring Cable is required fo only. 	r installation on G2L models
Viring Cable		G2L		710004567
vot mustrated)	Required for installation of I	Heated Hand Grips & Throttle C	Combo.	/1000458/
leated Visor Outlet		G2, G2L		715001246
	 Optional visor outlet that de Quick and easy installation. Sold individually. Heated Visor not included. 	vehicle to maintain your agility. livers fog-free riding.		1
leated Passenger Grips &	Visor Outlet	G2, G2L (MAX models only)		715008794
	Replace your stock passeng Dual temperature switch int Heated visor outlet integrate	egrated into seat arm for 3-zon	e heated handles and grips.	
JSB Power Outlet Kit		G2, G2L, G2S		219400510
USB	Dual port USB connectors.	levices while riding [.] (smartpho able of recharging all device typ	, ,	
Seat Heater		G2, G2L		715007211
	 25 W seat heater delivers ch One temperature only. Heated pad and electrical h Heavy Duty Seat Cover (715) 	-	tallation.	
Heavy-Duty Seat Cover		G2, G2L		715007212
07.	 Heavy-duty materials to cov Abrasion- and tear-resistant Simply installs by stretching securely in place. 		lastic holds the cover	

Electronic Device Holder		G2, G2L (except 6x6 & X mr me	odels)	715004919
	 Robust injected-polypropyle the right fit and easy installa Adjustable unit safely holds with a length or width mesu and 5.1" (13.0 cm) with or w Integrated storage (0.6 gal / 	ation. smartphones or small tablets rring between 2.9" (7.5 cm) ithout protective case.	 Guiding wire grooves to past the lid. Possibility of relocating 12V USB outlet in storage comp sold separately). Not compatible with windsh 	power outlet or installing artment (USB power outlet
		L.		
3.5" (9 cm) LED Lights (2 X 1 Lights	4W) LED Driving	G2, G2L (except X mr models)		715003666
	 14W LED lights producing 1 		 Sold in pairs. 	
	 Equipped with 6 high power cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. 	r LEDs in a heavy-duty die ts — if one attachment point	 EC compliant. Spot lens for a narrow and l when driving at higher spee Expedition Front Bumper (7 Cable (715007275) required 	eds. 15007233) and Light Power
3.5" (9 cm) LED Lights (2 X 1	4W) LED Flood Lights	G2, G2L (except X mr models)		715003665
22	 14W LED lights producing 1 Equipped with 6 high power cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. 	LEDs in a heavy-duty die	 Sold in pairs. EC compliant. Flood lens for a wide light b applications like plowing or riding conditions. Expedition Front Bumper (7 Cable (715007275) required 	for cornering, dusty or foggy 15007233) and Light Power
4" (10 cm) Round LED Lights	s (2 x 25 W)	G2, G2L (except X mr models)		715002935
Cart-out	 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and so Can-Am branded grill. 	witch.	 Sold in pairs. Not EC compliant. Expedition Front Bumper (7 Cable (715007275) required 	
10" (25 cm) Double Stacked L	ED Light Bar (60 Watts)	G2, G2L (except X mr models)		715002933
(BREESE)	 Equipped with 12 5W Cree I 5,400 lumens. Rugged and waterproof. Packs a big punch for its siz 		 EC compliant. Expedition Front Bumper (7 Cable (715007275) required 	
Light Power Cable		G2, G2L		715007275
	 Required for installation of t 	he 10'' (25 cm) LED Light Bar, th	ne 3.5" (9 cm) and 4" (10 cm) Ll	ED Lights.
Bluetooth Handlebar Sound	bar by Mtx	G2, G2L, G2S		219400840
	 Bluetooth speaker with the fingertip control. Rugged IP66-rated weather for outdoor use. Driven by 150 watts of quali Seamless integration and openabled devices. 	unbeatable convenience of -resistant speaker designed ty audio power.	Includes input, ground and port and 3.5" (8.89 cm) com Not compatible with XT Har EC compliant. Note: We recommend you use 32 AIFF, WAV formats to match the p compressed formats will probably	ignition wires, plus auxiliary nector cable. ndlebar Protector Kit. 0 Kbps MP3 - 192-256 Kbps AAC otential of the speaker. More
Multi Position Light Mount H	Kit	G2, G2L, G2S		715004274
статита	 Multi-position plastic clamp 	s that fit on various tubing sizes of the 2" (5 cm) Square LED Lig		

Baja Designs High Beam Kit		G2 (2022 and prior)		715004284
	your stock high beam lights • Each spot is equipped with	s to these powerful Baja Desig 4 Cree LEDs producing 4,900	on right into the original high beans Squadron Pro LED Lights bean lumens at 40 watts. both near field applications and	comes child's play.
2" (5 cm) Square LED Lights (2 X 10 Watts)	G2, G2L, G2S		715004293
		ree light kit. to 350' (107 m), drawing less t Kit is required for installation.	han 1 amp per light.	
AM [†] LED Spotlight		G2, G2L, G2S		710005423
	 540 lumens LED light (9W) rubber-coated double ball ; 		-equipped with 1" (2.5 cm) diam	
Center Console Day Light		G2S (except X mr)		715000691
	Mountable on top end of ce Enhances look of vehicle.	enter console.		
Battery Charger/Maintainer				715005061
	 Keeps stored lead-acid batt Charges and maintains sm. Microprocessor controlled added precision, safety and Automatically detects 6- or Reverse hook-up protection charger from damage. 	all batteries. multi-stage charging for d battery life. 12-volt batteries.	 Auto-voltage detection. Press the display button to Content: 3 amp battery cha adapter, 24" (61 cm) fused weather cap, owner's man Not EC compliant. 	rger, clamp adapter, DC ring leads harness with
ump Starter				715005062
	 IPX3 water-resistant and er 4 LED battery indicators for charge level. Compact design, will conve glove box or any other stora 2.4A + 1A/5V USB ports for USB devices. 	r easy read on battery eniently fit in your backpack, age compartment.	 Smart cable provides prote short circuit, low voltage, h reverse charging. Built-in LED light (3 modes Content: 300CA jump start MC-USB to USB charging o Not EC compliant. 	igh temperature and
Quick Connect Battery Cable				715005408
		and charge different items wit arger/Maintainer (715005061).		

Quick Connect Cable with Battery Indicator

715006055



• Quickly and easily connect and charge different batteries with your charger.

3-colour LED indicator provides constant battery health indication.

Sold individually.

GPS RAM ⁺ Mount for Har	ndlebar	G2, G2L, G2S		715001985 While supplies last
	Convenient bracket for inst	alling the Garmin Montana GPS	(not included) onto your unit's	handlebar.
Digitally Encoded Securi Green Key	ty System (D.E.S.S.)	G2, G2S (2018 & up)		710005232
30	(D.E.S.S) key snaps easily or riders easy and quick starts	s every time. h the vehicle wirelessly so the e key code matches the	to 3 modes: - Work mode: Limits vehicle but does not limit engine t	corque. cle speed to 70 kph (44 mph) l.

WINCHES

Can-Am HD Winches

Can-Am HD 2500 Winch

G2, G2L

G2, G2L

G2. G2L. G2S

715006414

- · Heavy-duty four-way roller fairlead.
- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- · Sealed solenoid for all-weather protection.
- · Wired Remote Control sold separately.

Can-Am HD 3500 Winch

 Heavy-d 	uty	fou	J٢	-W	/ay	roller	fairlead.
_							

- · Ergonomic clutch handle.
- · Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- · Wired Remote Control sold separately.

- · Plug-and-play wiring and attachment brackets.
- · Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.
- EC-compliant.

715006415

- · Plug-and-play wiring and attachment brackets.
- · Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.

· Limited lifetime warranty (mechanical), 3-year warranty

• Pulling strength capability of 2,500 lb (1,134 kg). • 50 ft. of 3/16" (15 m of 4.8 mm) wire steel cable.

• Wire harness (715002453) required for installation.

· Winch mounting plate is required for G2S

(STD & X xc 2022 & prior only).

• EC-compliant.

(electrical).

Roller fairlead.

• EC-compliant.

WARN[†] VRX Winches

WARN VRX 25 Winch

	 Extreme IP68-rated waterproof sealing keeps the elements out.
	 Durable all-metal construction.
WARN WARN	Black powder-coated finish and stainless-steel fasteners for corrosion resistance.
	Delevation and the design based on 70 second state (MADN)

train.

train.

- Robust new clutch design based on 70+ years of WARN 4WD hub lock know-how.
- · Handlebar-mounted rocker control.
- Load-holding brake for great control.

Load-holding brake for great control.

· Smooth and reliable all-metal three-stage planetary gear

Smooth and reliable all-metal three-stage planetary gear

715006107

WARN VRX 35 Winch	G2, G2L, G2S	715006108
	 Extreme IP68-rated waterproof sealing keeps the elements out. 	 Limited lifetime warranty (mechanical), 3-year warranty (electrical).
	 Durable all-metal construction. 	 Pulling strength capability of 3,500 lb (1,361 kg).
S LEAR	 Black powder-coated finish and stainless-steel fasteners 	■ 50 ft. of ⅔₂″ (15 m of 5.5 mm) wire steel cable.
WARN WARN	for corrosion resistance.	 Roller fairlead.
	 Robust new clutch design based on 70+ years of WARN 	 Wire harness (715002453) required for installation.
-	4WD hub lock know-how.	 Winch mounting plate is required for G2S
	 Handlebar-mounted rocker control. 	(STD & X xc 2022 & prior only).

- (STD & X xc 2022 & prior only).
- EC-compliant.

WARN VRX 35-S Winch

WARN VRX 35-S Winch		G2, G2L, G2S		715006109
WARN WARN	 Extreme IP68-rated waterprovelements out. Durable all-metal constructions and the second second	on. and stainless-steel fasteners ased on 70+ years of WARN control.	 Limited lifetime warranty (m (electrical). Pulling strength capability o 50 ft. of ¾6" (15 m of 4.8 mm Cast aluminum fairlead. Wire harness (715002453) r Winch mounting plate is req (STD & X xc 2022 & prior on EC-compliant. 	f 3,500 lb (1,361 kg).) synthetic rope. equired for installation. uired for G2S

Wireless Remote Control		WARN Winches	715002542
	 The system is quick mounting hardware 	and easy to install, thanks to a wiring harness with ar e.	n integrated antenna and all necessary
	 The system allows y 	you to operate your winch from anywhere within a 50'	(15.2 m) radius,
	increasing your rec • All components are		
	- All components are		
	WARN Winches		715006378
		(715006414 & 715006415)	715006555
Nired Remote Control		(715008140 & 715008141) h owners to add the hand-held • Wired Rem	715008121 note & Remote Socket included.
A	remote to their wind	- 20-0011011	ant.
	 This kit allows wincles to vehicles with a st 	h owners to add the handheld remote tock winch.	
6 -1	 Works in conjunction 	on with the mini-rocker switch.	
Winch Accessories Kit			
			715002409
$ \frown $	Get the most out of Double your pulling	your winch. power, change your pulling direction and keep your v	winch in proper working order
WARH		s, snatch block, shackle and winching gloves.	
n			
WARN Hawse Fairlead		WARN Winches	
		WARN WINCHES	715007698
	 Double powder-coa 		715007698
Wann	 Required to use the 	ated construction. Synthetic Winch.	715007698
	Required to use theCable (715004254)	ated construction. Synthetic Winch. on WARN winches.	715007698
	Required to use theCable (715004254)	ated construction. Synthetic Winch.	715007698
	Required to use theCable (715004254)	ated construction. Synthetic Winch. on WARN winches. Ithetic winch cables only.	
	Required to use theCable (715004254)	ated construction. • Synthetic Winch. on WARN winches. • Thetic winch cables only. • WARN Winches	715007699
	 Required to use the Cable (715004254) To be used with syn 	ated construction. Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch	<u>715007699</u> 710007459
	 Required to use the Cable (715004254) To be used with syn 	ated construction. • Synthetic Winch. on WARN winches. • Thetic winch cables only. • WARN Winches	715007699 710007459
	Required to use the Cable (715004254) To be used with syn	ated construction. Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch	<u>715007699</u> 710007459
	Required to use the Cable (715004254) To be used with syn	ated construction. Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch	<u>715007699</u> 710007459
	Required to use the Cable (715004254) To be used with syn	ated construction. Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch	<u>715007699</u> 710007459
Roller Fairlead	 Required to use the Cable (715004254) To be used with syn To be used with syn Features top, bottor winching. 	Ated construction. I Synthetic Winch. on WARN winches. Athetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother of I	715007699 710007459 peration from any direction for easier
	Required to use the Cable (715004254) To be used with syn Features top, bottor winching.	Anted construction. I Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother of Can-Am HD Winches	<u>715007699</u> 710007459
Roller Fairlead	Required to use the Cable (715004254) To be used with syn Features top, bottor winching.	Anted construction. I Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother of Can-Am HD Winches Can-Am HD Winches	715007699 710007459 peration from any direction for easier
Roller Fairlead	Required to use the Cable (715004254) To be used with syn Features top, bottor winching. trap Kit Heavy-duty winch-reference	Anted construction. I Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother of Can-Am HD Winches Can-Am HD Winches	715007699 710007459 peration from any direction for easier
Roller Fairlead	Required to use the Cable (715004254) To be used with syn Features top, bottor winching. trap Kit Heavy-duty winch-reference	Anted construction. I Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother of Can-Am HD Winches Can-Am HD Winches	715007699 710007459 peration from any direction for easier
Roller Fairlead	Required to use the Cable (715004254) To be used with syn Features top, bottor winching. trap Kit Heavy-duty winch-re	Anted construction. I Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother of Can-Am HD Winches Can-Am HD Winches	peration from any direction for easier
Roller Fairlead	 Required to use the Cable (715004254) To be used with syn To be used with syn Features top, bottor winching. 	Anted construction. I Synthetic Winch. on WARN winches. Ithetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother of Can-Am HD Winches Can-Am HD Winches	715007699 710007459 peration from any direction for easier

Replacement Wire Rope – ATV WARN Winches

-0

Synthetic Winch Cable

Play it safe, always carry a replacement wire rope.

- 3,500 lb (1,588 kg) pulling strength.
- 50 ft. of 32" (15.2 m of 5.5 mm) aircraft grade steel wire.

	ATV WARN Winches
 Easier to manipulate than st 	eel cable.
B 1 11 11 1 11	

- Replaces the original cable on any factory installed WARN winch or sold as an accessory by BRP.
 - Kit includes synthetic rope and rock guard sleeve.
 - Always use with the new Hawse Fairlead (715007698).
 - 50 ft. (15.2 m) of 3/16" (15.2 m of 4.8 mm) synthetic rope.

G2S

3,500 lb (1,588 kg) pulling strength.

Adds functionality to your Renegade.

Winch Mounting Plate



 Fits Can-Am winches by WARN. 	

Winch Wire Harness

G2 2021 & up, G2S 2021 & up and G2L 715002453

- Required plug-and-go wiring to install WARN winch only.
- Not required for Can-Am HD winches.

<u>HITCHES</u>

Hitches			
Rear Hitch		G2, G2L (except 6x6 models), G2S	715001925
	 E-coat finish. Fixed hitch ball mounting br Provides fixed mounting poi This hitch offers 1,300 lb (59) Hitch ball not included. 	nt for trailer ball to provide vehicle with towing capabilities.	
Front and Rear Hitch Drawba	r	G2, G2L, G2S	715008350
2	 Standard on 2" (5 cm) receiv It offers 1,650 lb (750 kg) of t Hitch ball not included. Forged steel. 		

715004254

715000927

Rear Receiver Hitch		G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2	715005186
10.00	 E-coat finish. 		
9 19	 Does not affect ground clear 	rance.	
	 Trailer ball not included. 		
	 On 4X4 use, this hitch offers 	1,500 lb (680 kg) of towing capacity.	
	 On 6x6 use, this hitch offers 	1,654 lb (750 kg) of towing capacity.	
	 Compliant with European T 	regulations.	
	 Not compatible with G2L module 	odels with Rear Skid Plates.	
Front Receiver Hitch		G2	715000921
	 Front receiver hitch for Outla 	ander with or without a winch.	
	 This hitch offers 1,300 lb (59 	0 kg) of towing capacity.	
	 Allows you to maneuver you 	r trailer easily in tight, confined areas.	
	 Hitch bar sold separately. 		
	 Not compatible with Extrem 	e Front Bumper, Rancher Bumper and ProMount Plows.	
Rubber Receiver Plug			705204503
· · · · · · · · · · · · · · · · · · ·			
	 Rubber cap for 2" (5 cm) hite 	ch receiver.	
	• Rubber cap for 2" (5 cm) hite	ch receiver.	
	• Rubber cap for 2" (5 cm) hite	ch receiver.	
RETERET	• Rubber cap for 2" (5 cm) hite	ch receiver.	
	• Rubber cap for 2" (5 cm) hite	ch receiver.	

Renegade Snorkel Kit		G2S (2020 & prior) G2S (2021 & up)	715006000
	 Comprehensive kit. Extended air intakes and CV CVT outlet integrates into po Ideal for muddy conditions. 	/T exhaust.	
		G2S 2023 & up	715008898
Renegade Radiator Relocat	tor Kit	G2S 2022 & prior	715001929
	 Radiator not included. 	ice loss in muddy conditions. and hoses. I system bleeding and maintenance. Imper (715002469) required for G2S 2022 and prior or X mr F	ront Bumper (715008198)
Mud Strap		G2, G2L, G2S	715003053
		dle. ir weight for improved traction in demanding conditions. dlebar Protector Kit (703100352).	

Radiator Protector		G2, G2S (except G2S with 500	engine)	715001744
	 Metal shield that mounts ov 	er radiator face, providing prote	ection from stones and branche	28.
Outlander Snorkel Kit		G2 2015 & up, G2L (except X r	nr & 6x6 models)	715005999
	 Comprehensive kit. Extended air intakes and CV CVT outlet integrates into perform the second s	od cover. sle without XT Handlebar Protec	ctor Kit.	
Outlander Snorkel Kit		G2 (X mr models only), G2L (X	mr models only)	715002518
	 Comprehensive kit. Extended air intakes and CV CVT outlet integrates into pr Must be installed on a vehic Protector Kit. Ideal for muddy conditions. Not compatible with windsh 	od cover. de without XT Handlebar	 Raised horn only. Provides higher intake. For best fit and finish, approis required. 	opriate gauge support
Outlander Radiator Relocato	r Kit	G2, G2L (except 6x6 models)		715001930
	 Relocates radiator to top mo Prevents cooling performan Uses existing radiator. Includes support, hardware Engineered for easy cooling Radiator not included. 	ice loss in muddy conditions.	ance.	
X mr Traction Plates		G2 (MAX models only), G2L		715001752
		iver when riding in extreme mu ding position to maximize vehic		
Self-Clearing Footwells		G2 2015 & up, G2L		715004759
	 Made from aluminum. Replace original footwells. Feature large evacuation po Aggressive design for impro Not compatible with Body S Sold in pairs. 		umulation in footwells.	
Footpeg Kit		G2, G2L		715001131
		ed grip and more stability durin ed grip during hard cornering.	g vigorous riding.	

Foam Air Filter by Twinair[†]

G2, G2S, G2L

715001333

• Maximizes performance by increasing air flow throughout RPM range.

Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments.

	G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited – except 6x6) G2S (Base model with 500 & 570 engines only)	715003199 · Front
	G2L (except Mossy Oak, PRO, 6x6 and X mr models)	715007203 · Front
	G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only – except 6x6) G2S (Base model with 500 & 570 engines only)	715003200 · Rear
Heavy-Duty Springs	G2 2019 & up (Base, DPS & XT models, except 6x6)	715005159 · Front & Rear
	 Heavy-duty springs provide enhanced stiffness. Perfect for snow clearing and hauling heavy loads. Improves handling and helps prevent accidental overturns. Kit includes 4 springs. Standard on Outlander PRO and Mossy Oak models. 	

Front Shock Covers		G2, G2L, G2S	715500301
	 F eature ventilation holes. 		



Offer added protection in rough terrain and weather conditions.

Sold in pairs.

Yoshimura

Yoshimura Slip-On Exhaust ·	- Outlander	G2 (except 6x6 models)	715005480
	 Made from 304-grade stainl 	less steel.	
2	 Better sounding, better look 	ing and lighter than stock muffler.	
and the	 USDF/USDA approved spar 	rk arrester.	
	 Non-EPA compliant (for raci 	ing application only).	
	 Not EC compliant. 		
C C	 Fuel injection system tuning 	g not required.	
	 Not compatible with CARB 8 	& T Category models 2018 & up, NRMM & 650 Engine 2022 &	up.
r∕oshimura Slip-On Exhaust ∙	- Renegade	G2S 2012 & up (except 570 engine and X mr models)	715005481
4	 Made from 304-grade stainl 	less steel	1
and the second se	•	ing and lighter than stock muffler.	
	5,		
	 USDF/USDA approved spar 	rk arrester.	
	 USDF/USDA approved spar Non-EPA compliant (for raci 		
	 USDF/USDA approved spar Non-EPA compliant (for raci Not EC compliant. 		
	 Non-EPA compliant (for raci 	ing application only).	

Emergency Accessories

Emergency Kit

- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tyre-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

715006102

COVERS, DECALS & ADD-ONS

		G2 (except MAX models)	715001737
		G2 (MAX and X mr 1000R models only)	715001736
		G2L (except MAX models)	715002026
		G2L (MAX models only)	715002025
Trailering Covers		G2S (except X mr models)	715000683
Ū	- Hoose duty conversed of		
	 Heavy-duty canvas made of Protect windshield and cold 	f UV-resistant solution-dyed polyester.	
		reinforced with a double canvas layer.	
	 Opening for fuel cap access 		
		cover protects your vehicle during transportation.	
	 Quick and easy installation. 		
	 Designed to perfectly fit you 	ur vehicle with or without Can-Am accessories.	
		G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr	715001720
		G2, G2L (MAX and X mr 1000R models only)	715001668
		G2 (6x6 models only)	715002492
		G2, G2L (except MAX models)	715001597 · Mossy Oak
			Break-Up Country Camo
Storage Covers		G2 MAX, G2 X mr 1000, G2L MAX	715001735 · Mossy Oak Break-Up Country Camo
	 Weather-resistant storage c 	covers.	
AL PACIFIC	 For vehicle storage only. 		
Calle The sta	 UV-resistant solution-dyed p 	polyester construction.	
	 Quick and easy installation. 		
Contraction of the second	 Designed to perfectly fit you 	ur vehicle with or without Can-Am accessories.	
-			
-			
Flor			
Flag			715000277 · Yellow
Flag	Make sure everyone knows		715000277 · Yellow
Flag	 Perfect for the dunes and new perfect for the dunce for the d		715000277 · Yellow
	 Perfect for the dunes and ne 8-ft. (2.4 m) length. 	ew riders.	715000277 · Yellow
Flag Can-am	 Perfect for the dunes and new perfect for the dunce for the d	ew riders.	715000277 · Yellow
	 Perfect for the dunes and ne 8-ft. (2.4 m) length. 	ew riders.	715000277 · Yellow
can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. 	ew riders.	715000277 · Yellow
Can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. 	ew riders.	
Can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. 	ew riders.	715000277 · Yellow 715000127
Can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. 	ew riders.	
Can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. Includes flag mount (71500 	ew riders.	715000127
Can-am	 Perfect for the dunes and not set in the dunes of the dunes o	iew riders. 10127).	
Can-am	Perfect for the dunes and no 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you	ew riders. 10127). Ir powersport vehicle or securing loads.	715000127
Can-am	 Perfect for the dunes and not set. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 	ew riders. 00127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame).	715000127 295100737
Can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. Includes flag mount (71500 Includes flag mount (71500 Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-doi 	ew riders. 00127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). lown strap with heavy-duty stitching that delivers a 500 lb (22)	715000127 295100737
Can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-dr 1,500 lb (680 kg) break stream 	ew riders. 00127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). lown strap with heavy-duty stitching that delivers a 500 lb (22) ngth.	715000127 295100737 6 kg) working load strength an
Can-am	 Perfect for the dunes and ne 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-di 1,500 lb (680 kg) break street Convenient retractable pusl 	ew riders. 00127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). lown strap with heavy-duty stitching that delivers a 500 lb (22)	715000127 295100737 6 kg) working load strength an
Can-am	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-di 1,500 lb (680 kg) break streption Convenient retractable puss tightens the strap snugly to 	ew riders. 10127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). own strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap	715000127 295100737 6 kg) working load strength an 0, while the ratchet mechanism
Can-am	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-di 1,500 lb (680 kg) break streption Convenient retractable puss tightens the strap snugly to 	ew riders. 10127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). own strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap secure your vehicle or load into place.	715000127 295100737 6 kg) working load strength an 0, while the ratchet mechanism
Elag Mount Not illustrated) Bolt-On [†] Retractable Ratc	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-di 1,500 lb (680 kg) break streit Convenient retractable puss tightens the strap snugly to Rubber ratcheting handle pussed to the strap strest of the strest of the	ew riders. 10127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). own strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap secure your vehicle or load into place.	715000127 295100737 6 kg) working load strength an o, while the ratchet mechanismever surface it hooks into.
Flag Mount Not illustrated)	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-di 1,500 lb (680 kg) break streit Convenient retractable puss tightens the strap snugly to Rubber ratcheting handle pussed to the strap strest of the strest of the	ew riders. 10127). ur powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). own strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap secure your vehicle or load into place.	715000127 295100737 6 kg) working load strength an o, while the ratchet mechanisr rever surface it hooks into.
Flag Mount Not illustrated)	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-d 1,500 lb (680 kg) break stret Convenient retractable pusl tightens the strap snugly to Rubber ratcheting handle pusl tightens the strap snugly to Sold in pairs. 	ew riders. 10127). Ir powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). If a surf	715000127 295100737 6 kg) working load strength an o, while the ratchet mechanismever surface it hooks into.
Flag Mount Not illustrated)	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-d 1,500 lb (680 kg) break stret Convenient retractable pusl tightens the strap snugly to Rubber ratcheting handle pusl tightens the strap snugly to Rubber ratcheting handle pusl tightens the strap snugly to Sold in pairs. 	ew riders. 10127). Ir powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). Iown strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap is secure your vehicle or load into place. Irovides firm grip, and the hook is vinyl coated to protect what g load. with Can-Am, Sea-Doo, and Ski-Doo logos.	715000127 295100737 6 kg) working load strength an o, while the ratchet mechanismever surface it hooks into.
Flag Mount Not illustrated)	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-d 1,500 lb (680 kg) break stret Convenient retractable pusl tightens the strap snugly to Rubber ratcheting handle pusl tightens the strap snugly to Rubber ratcheting handle pusl tightens the strap snugly to A00 lb (181 kg) safe working 1" x 10' (2.5 cm x 3 m) strap Deluxe ratchet with rubber 	ew riders. 10127). Ir powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). Iown strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap is secure your vehicle or load into place. Irovides firm grip, and the hook is vinyl coated to protect what g load. with Can-Am, Sea-Doo, and Ski-Doo logos.	715000127 295100737 6 kg) working load strength an o, while the ratchet mechanismever surface it hooks into.
Flag Mount (Not illustrated) Bolt-On [†] Retractable Ratc	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-du 1,500 lb (680 kg) break stretter Convenient retractable pust tightens the strap snugly to Rubber ratcheting handle pust sold in pairs. 400 lb (181 kg) safe working 1" x 10' (2.5 cm x 3 m) strap Deluxe ratchet with rubber located S hooks. 	ew riders. 10127). Ir powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). Iown strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap is secure your vehicle or load into place. Irovides firm grip, and the hook is vinyl coated to protect what g load. with Can-Am, Sea-Doo, and Ski-Doo logos.	715000127 295100737 6 kg) working load strength and strengh and strength and strengh and strength and
Flag Flag Mount (Not illustrated) Bolt-On [†] Retractable Ratc Contemporation (Contemporation) Ratchet Tie-Downs Contemporation (Contemporation) Contemporation	 Perfect for the dunes and no. 8-ft. (2.4 m) length. Includes flag mount (71500 heting Tie-Downs Perfect for transporting you Mounts easily: Bolts on any 1" x 6' (2.5 cm x 1.8 m) tie-d 1,500 lb (680 kg) break stret Convenient retractable pusl tightens the strap snugly to Rubber ratcheting handle pusl tightens the strap snugly to Rubber ratcheting handle pusl tightens the strap snugly to A00 lb (181 kg) safe working 1" x 10' (2.5 cm x 3 m) strap Deluxe ratchet with rubber 	ew riders. 10127). Ir powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). Iown strap with heavy-duty stitching that delivers a 500 lb (22 ngth. h button automatically slackens, spools and stores away strap is secure your vehicle or load into place. Irovides firm grip, and the hook is vinyl coated to protect what g load. with Can-Am, Sea-Doo, and Ski-Doo logos.	715000127 295100737 6 kg) working load strength and strengh and strength and strengh and strength and

Т

Heavy-Duty Ratchet Tie-Do	own		715008308
	 1,000 lb (454 kg) safe worki 1.5" x 6' (38 mm x 1.8 m) stress Deluxe ratchet with rubber Black-coated clip hooks. 12" (300 mm) webbing inclipheck of two. 	rap with BRP brands. handle.	
Shifter Lock		G2, G2L	715007337
	 Secure the vehicle's shifter Prevents the vehicle from g 	by locking it in position. Joing into neutral without the lock key.	
Lockable Gas Tank Cap		G2, G2L, G2S	860200387
	 Protects your fuel. Meets EPA requirements. 		
		G2L	715002498
License Plate Bracket		G2S	715001401
	Provides specific area to in Mounts to rear of vehicle.	stall license plate.	

APACHE TRACK SYSTEMS

Apache Track Systems

Apache Track System			1
Apache Backcountry Track Sy	stem	G2 (except 6x6 models), G2S, G2L	715005247
	 Contact patch is 23% bigge Impressive added ground c Aggressive track design with 	st flotation level and deep-snow performance on the market. er than the Apache 360 LT. clearance of 7" (18 cm), keeps the vehicle out of deep snow. th 2" (5 cm) lug height for maximum traction on snow. ting Kit and engine and air intake pre-filters are required.	
dler Wheel Kit		Apache Backcountry Track System (rear tracks only)	860201230 · 141 mm
00	 Reduces drag and rolling re Includes 2 wheels, brackets Add up to 2 kits per rear tra Can extend slider life in har 	s and hardware. ck.	
Sliders with Vespel [†] Inserts		Apache Backcountry Track System	503194815
•	 Use DuPont Vespel inserts Longer life. Can be cut to desired lengt 8 needed per vehicle. Sold individually. 		
Rail Ice Scratchers		Apache Backcountry Track System	860201728
HAN - CO	 Rail mounted, small, light. 	on in hard and icy conditions. ncept to allow reversing without damage. se.	
Apache 360 & 360 LT			
Apache 360 Track System		G2 (except 6x6 models), G2L, G2S	715006323
A	-	-	

- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
 - Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
 - Average ground clearance increase of 4.5" (11.4 cm).
 - 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Reliable heavy-duty build.
- EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and air intake pre-filters are required.

Apache 360 LT 6x6

Apache 360 LT (6x6) Track System

G2, G2L (6x6 only)

715005104

- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 LT Mounting Kit, Track DPS Module and Engine & Pre-Filter Kit are required.
- Reliable heavy-duty build.
- EC compliant.
- Exclusively for the Outlander 6x6.
- Recommended for use on snow only.

Apache Accessories

Apache Backcountry Mounting Kit	G2 2018 & prior, G2S 2018 & prior, G2L	715004830
Not illustrated)	G2 2019, G2S 2019	715004796
Required for in	nstallation of the Apache Backcountry Track System.	
DPS module as	nd pre-filter are required and sold separately.	
Track DBS Modulo		
(Not illustrated) • An innovative I track control a	G2, G2L, G2S DPS module that ensures speedometer accuracy and optimized steerin Ind riding ease.	715007338 g assist, which make for perfec
(Not illustrated) • An innovative I track control a	DPS module that ensures speedometer accuracy and optimized steerin	
track control a	DPS module that ensures speedometer accuracy and optimized steerin nd riding ease.	g assist, which make for perfea
(Not illustrated) • An innovative I track control a	DPS module that ensures speedometer accuracy and optimized steerin Ind riding ease. stall the Apache and Backcountry Track Systems.	g assist, which make for perfea
(Not illustrated) • An innovative I track control a	DPS module that ensures speedometer accuracy and optimized steering and riding ease. stall the Apache and Backcountry Track Systems. G2 2018 & prior (except 6x6 models) G2S 2018 & prior, G	g assist, which make for perfec

DPS module and pre-filter not included.

Apache Track System Accessories

Air Intake Pre-Filter			715003483
	 Filter blocks particles larger Easy, tool-less installation. Necessary to maintain vehie Required to install the Apace 	cle warranty when tracks are installed. che and Backcountry Track Systems. , 650 X mr, 850, 1000, 1000R engines and G2L PRO.	
Engine Air Intake Pre-Filter		G2, G2L, G2S	715004729
	 Adds extra protection to you Filter blocks particles larger 	ur engine in harsh riding conditions. r than 0.005" (0.13 mm).	

• Necessary to maintain vehicle warranty when tracks are installed.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L		745004000		715004729	
2018 & Prior G2, G2S	715005247	715004830	715007338	& 715003483 (standard on G2	715004729
2019 & Up G2, G2S	-	715004796	-	models and G2L PRO model)	

Apache 360 and Apache 360 L	Г				
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715006323	745007007		715004729	
2018 & Prior G2, G2S	(Apache 360) OR - 715005103	715007207	715007338	& 715003483 (standard on G2	715004729
2019 & Up G2, G2S	(Apache 360 LT)	715007206	-	models and G2L PRO model)	

Apache 360 LT 6x6					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Prior G2 6x6		715004991		715004729	
2019 & Up G2L 6x6	715005104	715004991	715007338	& 715003483 (standard on G2	715004729
2019 & Up G2 6x6	-	715005105	-	models and G2L PRO model)	

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Reference C	hart						
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	60" Flex2
Plow Kit	715007753	715008178	715007754	715008179	715007755	715008180	715008181
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004203
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752	715007752
Mounting Plate	715007751	715007751	715007751	715007751	715007751	715007751	715007751

Steel Plows			
Can-Am ProMount Steel Plow 54" (137 cm) Blade	Kits	G2, G2L, G2S	715007753 · Black 715008178 · Yellow
	These kits include: Can-Am ProMount Steel B Push Frame with Quick-Att Mounting Plate		
an-Am ProMount Steel Plow 0" (152 cm) Blade	Kits	G2, G2L, G2S	715007754 · Black 715008179 · Yellow
	These kits include: Can-Am ProMount Steel B Push Frame with Quick-Att Mounting Plate		
an-Am ProMount Steel Plow 6" (168 cm) Blade	Kits	G2, G2L, G2S	715007755 · Black 715008180 · Yellow
	These kits include: Can-Am ProMount Steel B Push Frame with Quick-Att Mounting Plate		
	es	l	

- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
 - Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
 - Clears 50" (127 cm) when plow is fully angled.
 - Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades 60" (152 cm) Blade	Fits ProMount Push Frame	715004202 · Black 715005317 · Yellow
 Blades available individually 	to create your own kit.	

- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blade 66" (168 cm) Blade	es	Fits ProMount Push Frame	715006337 715006338	
	 Blades available individually 	to create your own kit.		

- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade	Fits ProMount Push Frame	715004474 · Black 715006021 · Yellow
• Blade	es available individually to create your own kit.	

- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
 - Clears 66" (168 cm) when plow is fully angled.
 - Blade height of 17" (43 cm).

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount Flex2 – 60	" (152 cm) Plow Kit	G2, G2L, G2S	715008181
	These kits include: Can-Am ProMount Flex2 E Push Frame with Quick-Att Mounting Plate		

NEW Can-Am ProMount Flex2 - 66" (168 cm) **Plow Kit**

G2, G2L, G2S



- This kit includes:
- Can-Am ProMount Flex2 blade - Push Frame with Quick-Attach System
- Mounting plate

715008182 · Black

Angle Plows				
Can-Am ProMount Angle Bla 60" (152 cm) Steel Oneway S		G2, G2L, G2S		715007261
POLICIES.	further out of the way. • Wing end of plow measures • One-way "winged" state plo	25" (63 cm) high and tapers d w designed to throw snow hig		-
an-Am ProMount Angle Bla 6" (168 cm) Steel Oneway S		G2, G2L, G2S		715007263
1100.00 	further out of the way. • Wing end of plow measures • One-way "winged" state plo	25" (63 cm) high and tapers d w designed to throw snow hig		-
an-Am ProMount Angle Bla 2" (183 cm) Steel Oneway S		G2, G2L, G2S		715007264
	 One-way "winged" state plo 	25" (63 cm) high and tapers d w designed to throw snow hig signed to keep snow away fro		sory (sold separately).
	ade Rubber Flap	ow projections in various snow	v conditions.	715007299
lot illustrated) Can-Am ProMount F an-Am ProMount Flex2 Bla	ade Rubber Flap • Allows for more efficient sn • Iex2 Plows	ow projections in various snov	v conditions.	715007299
Iot illustrated) Can-Am ProMount F San-Am ProMount Flex2 Bla	ade Rubber Flap • Allows for more efficient sn • Iex2 Plows ades – 60" (152 cm) • Plow blade made of UHMW	Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate	 Blade design provides best 	715004203 snow roll-off at any angle. roMount Blade accessories t atility.
ProMount One-Way State Bl Jot illustrated) Can-Am ProMount Flex2 Bla Blade IEW Can-Am ProMount Flex	ade Rubber Flap • Allows for more efficient sn • Iex2 Plows • Plow blade made of UHMW absorbing material prevents accidental impacts occur. • Replaceable wear blade. • Large pin designed for easy snow buildup at pivot point.	Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate	 Blade design provides best Compatible with Can-Am P further enhance plow versa 	715004203 snow roll-off at any angle. roMount Blade accessories to stility.
Can-Am ProMount F Can-Am ProMount Flex2 Bla Blade	ade Rubber Flap • Allows for more efficient sn • Iex2 Plows • Plow blade made of UHMW absorbing material prevents accidental impacts occur. • Replaceable wear blade. • Large pin designed for easy snow buildup at pivot point.	Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate Fits ProMount Push Frame PE, flexible and impact s damaging your plow when	 Blade design provides best Compatible with Can-Am P further enhance plow versa Clears 54" (137 cm) when p Blade design provides best Clears 60" (152 cm) when p Blade height of 17" (43 cm) 	715004203 snow roll-off at any angle. roMount Blade accessories t stility. plow is fully angled. 715006265 snow roll-off at any angle. plow is fully angled. roMount Blade accessories t
Iot illustrated) Can-Am ProMount F Can-Am ProMount Flex2 Bla lade	ade Rubber Flap Allows for more efficient sn Iex2 Plows ades – 60" (152 cm) Plow blade made of UHMW absorbing material prevents accidental impacts occur. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. x2 66" (168 cm) Blade Plow blade made of UHMW absorbing material prevents accidental impact occurs. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point.	Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate Fits ProMount Push Frame PE, flexible and impact s damaging your plow when	 Blade design provides best Compatible with Can-Am P further enhance plow versa Clears 54" (137 cm) when p Blade design provides best Clears 60" (152 cm) when p Blade height of 17" (43 cm) Compatible with Can-Am P 	715004203 snow roll-off at any angle. roMount Blade accessories to tility. plow is fully angled. 715006265 snow roll-off at any angle. plow is fully angled. roMount Blade accessories to

System	ne with Quick-Attac	n G2, G2L, G2S		715007752
	 roughest use. Mid-mount carriage pro and traction. Designed for maximum Features a self aligning 	designed to withstand the vides ultimate push strength	 Plow Roller Fairlead and Pl recommended to extend w Can-Am ProMount Mounti installation. Blade swivels left or right, Large pin designed for eas dirt and snow buildup at pi 	low Limit Switch vinch cable lifespan. ng Plate required for 5 positions. y blade rotation to eliminate
an-Am ProMount Mounting	Plate	G2, G2L, G2S		715007751
			•	clearance.
Can-Am ProMount Push Frar	ne Extension	G2, G2L, G2S		715006257
		nstalled with Apache Track Syste		
an-Am ProMount Edge Mar	kers	G2, G2L, G2S		715004206
	 Help locate the edges o Height: 24" (60 cm). Sold in pairs. Compatible with Can-Ar ProMount Steel 54" (13") 	n ProMount Steel and Flex2 Blade	es with or without Blade Extensi	ons (except for the Can-Am
an-Am ProMount Drift Cutt	ers	G2, G2L, G2S		715006258
	 Help keep snow in the p Dimensions: 17" x 13" (4 Sold in pairs. Compatible with Can-Ar ProMount Steel 54" (13) 	43.2 cm x 33 cm). n ProMount Steel and Flex2 Blade	es with or without Blade Extensi	ions (except for the Can-Am
Can-Am ProMount Curved W	ear Blade	G2, G2L G2S		715007791 · 60" (152 cm 715007792 · 66" (168 cm
	The increased surface a	ith a folded back bottom lip. Illows for less digging while plowi gravel, grass, paver stone and othe	•	
Can-Am ProMount Plastic W	ear Blade	G2, G2L, G2S		715004480 · 54" (137 cm 715004481 · 60" (152 cm 715004482 · 66" (168 cm 715004483 · 72" (183 cm
		es on smooth driveways and mark	able surfaces.	. 10001100 - 72 (100011
and a state of the second				

Can-Am ProMount Blade	Extensions	G2, G2L, G2S	715004205 · Black 715005319 · Yellow
	 Longer Wear Blade of 	n-Am ProMount Blades (except for Car can be installed to further extend the e	n-Am ProMount Steel 54" (137 cm) Blade). Extra length already provided by the extensions. s (except for the Can-Am ProMount Steel 54" (137 cm)
Back Drag Blade		ProMount Plows (60" and mo	re) 715007794
	affect the scraping. Increased capacity t	hicle is moving forward so as not to	 Lifts the blade off the ground so that it scrapes ever Adjustable in length for compatibility with 60 ", 66" and 72" blades. Compatible with ProMount blades (Flex and Steel).
Plow Roller Fairlead		G2, G2L, G2S	705009222
	 Can be used with all 	er roller reduces wear on wire rope fo ProMount plows. unting plate kit (715007751).	plow application.
Pulley Kit for Alpine Supe	er-Duty Plow	G2, G2L	715000279
	•	in conjunction with the winch when u crease winch efficiency. XT Front Bumper.	sing a snow plow.
Synthetic Winch Cable fo	or Plowing		715000540
	 8' (2.4 m) section of Stands up to repeate 	or plowing applications. durable, extra-strong synthetic rope. ed, sharp angle pulls used to lift heavy your winch rope for plow season to sa	
Plow Limit Switch		G2, G2L, G2S	715006259
	•	push frame and vehicle damage.	
Can-Am ProMount Plow	Angling System	G2, G2L, G2S	715007801
	from the driver's sea • Using one hand to co	ontrol all plow motions will allow you and manage your plowing tasks.	 Push Frame (715007752) is required. Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper. Winch and plow sold separately.

TYRES & RIMS

Turroo			
Tyres			
			705401333 · Front 705401334 · C€
Carlisle ACT Tyre		G2 (500-1000 XT models only)	705501769 · Rear 705501770 · CE
	 Front - 26" x 8" x 12". Rear - 26" x 10" x 12". 		
			705400606 · Front 705400326 · C€
Carlisle ACT Tyre		G2 (400 XT models only)	705500598 · Rear CE
60	• Front - 25" x 8" x 12". • Rear - 25" x 11" x 12".		
			705402562 · Front
Carlisle ACT HD Tyre	 Front - 26" x 8" x 12". 		705502940 · Rear
	• Rear - 26" x 10" x 12".		705401331 · Front
			705401332 · CE
Carlisle Badlands A/R Tyre		G2 (500-1000 Base models only)	705501767 · Rear 705501768 · CC
	• Front - 26" x 8" x 12". • Rear - 26" x 10" x 12".		
			705402890 · Front 705400607 · €€
Carlisle Trail Wolf Tyre		G2 (400 Base models only) G2L (450/570)	705503225 · Rear 705502165 · C€
	• Front - 25" x 8" x 12". • Rear - 25" x 11" x 12".	1	
			705402973 · Front
ITP TerraCross Tyre		G2 XTP, G2 Limited	705502858 · Rear
00	snow, sand and mud. • Features extreme-duty con	Il command every bit of traction from the ground while still man nstruction for improved puncture protection and extra-tough ru tread pattern and wide footprint make it one of the toughest ar	Ibber compound for increased

			705400600 · Front 705400475 · €€
TP Holeshot ATR Tyre		G2S	705500926 · Rear 705500820 · C€
	 Front - 205/80R12 - 25" x Rear - 270/60R12 - 25" x 1 		
TP Mega Mayhem		G2 X mr 570 & 650 2018 & up G2S X mr 570 2018 & up	705402131 · Front 705502645 · Rear
60	 1.5" tread depth mud thro Surprisingly smooth ride of 6-ply rated. Front - 28" x 9" x 12". Rear - 28" x 11" x 12". 	•	
TP Cryptid Tyre		G2 X mr 850 & 1000R 2018 & up G2S X mr 1000R 2018 & up	705402671
		paddle-like shoulder configuration provide maximum side bite fong ride comfort on trails and hard pack.	or climbing in and out of the
Gorilla Silverback Tyre		G2 (850 & 1000 models only)	705401501
	 AT30X9-14 Gorilla Silverb. Sold individually. Not EC compliant. 30" x 9" x 14". 	ack mud tyre.	
Maxxis Mudzilla Tyre		G2 (X mr 570 & 650 models only)	705501836 · Rear
	 Not EC compliant. Rear - 28" x 10" x 12". 		
Kenda Klaw MXR Tyre		DS 90 X	V42711DGF01HLL • Front
	 Front - 20" x 6" x 10". Rear - 18" x 10.5" x 8". 		

			705401853 · Front	Black and machined
			705401852 · Front 705401851 · Front	 Black with clear coat Silver with clear coat
			705502402 · Rear	Black and machined
		G2 DPS, G2 XT, G2 MAX 650, G2 MAX XT, G2 MAX	705502401 · Rear	Black with clear coat
4" Rim		Limited	705502400 · Rear	Silver with clear coat
PROPER	 Premium cast aluminu and clear coat rim. Center hole: 72 mm. 	um black painted with machining	 Front - 14" x 6.5" offset = 40 Rear - 14" x 8.5" offset = 50 	mm.
STO DE	Bolt circle pattern: 4/36	mm.	Note: Matching Nuts - 250100100 Matching Cap - 705400928) Black, 250100082 Chrome/
			705402309 · Front	■ Black and machined
			705402222 · Front 705402307 · Front	Black with clear coat Silver with clear coat
			705502770 · Rear	Black and machined
411 Dim		G2 DPS, G2 XT, G2 MAX Limited, G2 North Edition,	705502702 · Rear	Black with clear coat
4" Rim		G2 MAX North Edition	705502768 · Rear	Silver with clear coat
NARZ	 Front - 14" x 6.5" offset Rear - 14" x 8.5" offset 			
	/			
PARA A				
			705401848 · Front	Black and machined
Dutlander X mr and Defer	Cast aluminum rim wit Front - 14" x 6.5" offset	X mr models front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match		Black and machined Black
Outlander X mr and Defer	Cast aluminum rim wit Front - 14" x 6.5" offset	front and rear wheels th trend setting explosive styling so t = 10 mm.	705401849 · Front you can ride—and look—like a tr	■ Black
Outlander X mr and Defer	Cast aluminum rim wit Front - 14" x 6.5" offset	front and rear wheels th trend setting explosive styling so t = 10 mm.	705401849 · Front you can ride—and look—like a tr	■ Black
	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501	front and rear wheels th trend setting explosive styling so t = 10 mm.	705401849 · Front you can ride—and look—like a tr ning Cap - 705401541	Black
	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim.	705401849 · Front you can ride—and look—like a tr ning Cap - 705401541 705401127 · Front	 Black railblazer. Black with clear coat
Outlander X mr and Defer	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset =	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. = 41 mm.	705401849 · Front you can ride—and look—like a tr ning Cap - 705401541 705401127 · Front	 Black railblazer. Black with clear coat
	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. = 41 mm.	705401849 · Front you can ride—and look—like a tr ning Cap - 705401541 705401127 · Front	 Black railblazer. Black with clear coat
	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset =	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. = 41 mm.	705401849 · Front you can ride—and look—like a tr ning Cap - 705401541 705401127 · Front	 Black railblazer. Black with clear coat
	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset =	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. = 41 mm.	705401849 · Front you can ride—and look—like a tr ning Cap - 705401541 705401127 · Front	 Black railblazer. Black with clear coat
Outlander Rim (Camo Mo	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset =	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. = 41 mm.	705401849 · Front you can ride—and look—like a training Cap - 705401541 705401127 · Front 705501493 · Rear	Black Black with clear coat Black with clear coat Black with clear coat
Outlander Rim (Camo Mo	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset = Rear - 12" x 7.5" offset Black with clear coat a Needs 16 bolts (25000 Choice of beadlock co	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. = 41 mm. = 51 mm. G2, G2L, G2S aluminum rim. D0787) for installing the beadlock. olour (not included).	705401849 · Front you can ride—and look—like a training Cap - 705401541 705401127 · Front 705501493 · Rear 705401678 · Front	Black Black with clear coat Black with clear coat Black with clear coat Black with clear coat Black
	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset = Rear - 12" x 7.5" offset Black with clear coat a Needs 16 bolts (25000)	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. G2, G2L, G2S aluminum rim. D0787) for installing the beadlock. shour (not included). = 41 mm.	705401849 · Front you can ride—and look—like a training Cap - 705401541 705401127 · Front 705501493 · Rear 705401678 · Front	Black Black with clear coat Black with clear coat Black with clear coat Black with clear coat Black
Outlander Rim (Camo Mo	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset = Rear - 12" x 7.5" offset Black with clear coat a Needs 16 bolts (25000 Choice of beadlock co Front - 12" x 6" offset =	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. G2, G2L, G2S aluminum rim. D0787) for installing the beadlock. shour (not included). = 41 mm.	705401849 · Front you can ride—and look—like a training Cap - 705401541 705401127 · Front 705501493 · Rear 705401678 · Front	Black Black with clear coat Black with clear coat Black with clear coat Black with clear coat Black
Outlander Rim (Camo Mo Outlander Rim (Camo Mo Outlander Rim Outlander Rim Outlander Rim Outlander Rim Outlander Rim	Cast aluminum rim wit Front - 14" x 6.5" offset Note: Matching Nuts - 2501 del) Black with clear coat a Front - 12" x 6" offset = Rear - 12" x 7.5" offset Black with clear coat a Needs 16 bolts (25000 Choice of beadlock co Front - 12" x 6" offset =	front and rear wheels th trend setting explosive styling so t = 10 mm. 100100 Black, 250100082 Chrome/Match G2, G2L, G2S aluminum rim. = 41 mm. = 51 mm. G2, G2L, G2S aluminum rim. D0787) for installing the beadlock. blour (not included). = 41 mm. = 51 mm. G2, G2L, G2S	705401849 · Front you can ride—and look—like a training Cap - 705401541 705401127 · Front 705501493 · Rear 705502244 · Rear 705401763 · Can-Am Red	Black Black with clear coat Black with clear coat Black with clear coat Black Black Black Compared to the second

14" Beadlock Rim		G2	705401594 · Front 705503191 · Rear	 ■ Black ■ Black
	 Black with clear coat aluminu Choice of beadlock colour (no Needs 16 bolts (250000787) f Front - 14" x 6.5" offset = 41 m Rear - 14" x 8" offset = 51 mm 	ot included). for installing the beadlock nm.		
14" Beadlock Ring		G2	705401586 · Manta Green 705401702 · Octane Blue	705401837 · Can-Am Red
	Cast aluminum beadlock. Must be installed on Front Rir Note: Matching Nuts - 250100184 E	. ,	, ,	



PARTS AND MAINTENANCE

Genuine Parts	223
Lubricant & Oil Change Kit	228
Maintenance Products	229
Care Products	231



GENUINE PARTS

Oil Filters

Dil Filters	Models	Oil Filter	Sealing Ring (Oil Filter Cover)	Sealing Ring (Drain Plug)
	Defender/Defender MAX HD10, HD9	420256188	420230923	420552280
RUTAX	Defender/Defender MAX HD7	420256188	420230922	420552280
	Maverick X3	420956123	420230923	420552280
	Maverick Trail & Sport	420256188	420230923	420552280
	G2S, G2 & G2L	420256188	420230923	420552280
RIMANS SEX-EX	Commander	420256188	420230922	420552280
	Complete Engi	ine Oil Change Kit al	so available — see page 22	28

Air Filters

Premium Air Filter	 Premium quality filter. Prevents airborne contaminants from reaching your engine. Protects internal components against premature wear. 				
	Models				
	Defender/Defender MAX	715900394			
	Maverick X3	715900422			
计相当的 國家 医鼻骨 机合用合体 医角度的神经	Maverick Trail & Sport (Engines 700 & 1000)	715900394			
	Maverick Trail & Sport (Engine 1000R)	715900422			
	G2S, G2 & G2L	707800371			
	Commander (Engines 700 & 1000R)	715900394			
	Commander (Engine 1000R)	715900422			
Performance Air Filter by Twin Air [†]	 The best choice for the harshest conditions. Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow. Washable and reusable. 				
	Models				
	Maverick X3	715002895			
Thrito All?	Maverick Trail & Sport	715002895			
	G2S, G2 & G2L	715001333			
	G2S, G2 & G2L Commander	715001333 715001956			
CVT Air Filter (Not illustrated)	· · · · · · · · · · · · · · · · · · ·				
	Commander				
	Commander Models	715001956			
	Commander Models Defender MAX (except X mr)	715001956 706600419			
	Commander Models Defender/Defender MAX (except X mr) Maverick X3	715001956 706600419 706600416			
	Commander Models Defender/Defender MAX (except X mr) Maverick X3 Maverick Trail & Sport (except X mr)	715001956 706600419 706600416 706600417			
	Commander Models Defender/Defender MAX (except X mr) Maverick X3 Maverick Trail & Sport (except X mr) Maverick Trail & Sport X mr	715001956 706600419 706600416 706600417 706600418			

Spark Plug	Models	
	Defender HD10	715900244
	Defender HD9	715900642
	Defender HD7	715900785
DCPR	Maverick X3 and Maverick X3 Turbo RR	415130363
	Maverick Trail & Sport 1000R	715900244
	Maverick Trail & Sport 1000	715900642
	Maverick Trail 700	715900785
	ATV 450/850/1000R	715900352
	ATV 570/650/1000	715900642
	Commander 700	715900785
	Commander 1000R	715900244

Batteries

Yuasa[†] Batteries

• Top of the line models from the leading preferred original equipment battery supplier in North America.

	Models	3 A Wet (YTX4L-BS)	10 A Wet (YTX12-BS)	18 A Wet (YTX20L-BS)	30 A, requires Battery Holder (715004431)
	Defender/Defender MAX	_	_	296000444	515176151 Except Base and DPS models.
T VUASA	Maverick X3	—	—	296000444	_
Pb Pb	Maverick Trail & Sport	-	_	296000444	_
e #	G2S, G2 & G2L	-	_	296000444	_
Se YUASA	DS 50, 70 & 90	V31500MAA020	_	_	_
TTAD CAS	Renegade 70,110	V31500MAA020			
NONEMALARIE	DS 250	_	715900031		
	Commander	-	_	296000444	_

Premium CV Axle

Premium quality design ideal for off-roading, heavy-duty and low speed torque usage.
Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.

	Models	Front Left	Front Right	Rear
	Defender MAX	705401937	705401936	705502451
	Defender XT-P	705402353	705402353	705502451
	Defender HD10	705401937	705401936	705502451
	Defender HD9	705401937	705401936	705502451
All and	Defender HD7	705401937	705401936	705502478 (L) 705502479 (R)
	Maverick Sport (ABS)	705402443	705402443	705502756
Carl and	Maverick Sport Base, DPS	705402031	705402030	705502552
	Maverick Trail (W/O ABS)	705402008	705402007	705502541
	Maverick Trail (ABS)	705402442	705402442	705502755
	Commander	705401871	705401872	705502411
	All ATVs: Please contact your d	ealer or visit our online store at can-	amoffroad.com for sugges	ted fitment.
Performance CV Axle	 High-performance design ide and acceleration for racing, d 	al for off-road use with superior wh unes, trails and desert riding.	eel power	
(Not illustrated)	 Includes CVs, shaft and boots 	with the best suited geometry for y	our Can-Am vehicle.	
	Models	Front Left	Front Right	Rear
	Defender X mr	705402420	705402420	_
	Maverick Sport X mr/X rc	705402282	705402282	705502757

Brakes

Metallic Brake Pad Kit	 Built strong to last long – heavy-duty construction stands up to hard braking. Designed to handle demanding riding conditions with challenging braking environments such as mud and dunes. Created specifically for use with Can-Am vehicles. 					
	Models	Front Left	Front Right	Rear Left	Rear Right	
	Defender MAX HD9/HD10	715900379	715900380	715900386	715900387	
	Defender HD10	715900379	715900380	715900381	715900382	
	Defender HD9	715900379	715900380	715900381	715900382	
	Defender HD7	715900379	715900380	_	715900387	
	Maverick X3	715900379	715900380	715900386	715900387	
	Maverick Trail & Sport	715900379	715900380	715900386	715900387	
	G2S, G2 & G2L	715900248	715900249	715900248	715900249	
	Commander	715900379	715900380	715900386	715900387	

Please contact your dealer or visit our online store at Can-Amoffroad.com for suggested fitment.

Parts

A-Arm Bushing Kit

• This bushing kit includes 2 bushings, a sleeve and a wear plate, as illustrated.

• All you need to renew your suspension A-Arms.

	Upper	706202044
	Upper (Maverick X3, Trail & Sport, Commander)	706203084
Joints	Lower	706202045



Robust design for off-road usage and sealed for prolonged durability.

	2020 models and prior	293350118
Wheel Bearings	2021 & up models	293350126
(Not illustrated)	Maverick X3	293350141

- Sealed bearings for additional protection from water and dirt.

Comes with clamps and grease.

CV Boot Kit

Models	Front Wheel Side	Front Differential Side	Rear Wheel & Differential Side
Defender	705401345	705401355	705501864
Maverick X3	705401354	705401354	715900450
Maverick Sport (ABS, X xc, X mr, X rc)	705401354	705401355	705501864
Maverick Sport (w/o ABS), Maverick Trail	705401345	705401355	705501864
G2, G2L, G2S (except X mr)	705401345	705401346	705501864
X mr	705401354	705401355	705501864
Commander	705401345	705401355	705501864





BRP Premium Drive Belt

High-performance design ideal for off-road use.

BRP-specific calibration adjusted to best suit your Can-Am vehicle.

	Models	Premium Belt	CVT Gasket Cover	Upgrades
and and a second	Defender HD10	422280652	420450400	_
	Defender HD9	422280656	420450400	422280652
	Defender HD7	422280225	_	_
1	Maverick X3	422280652	420450405	_
DRIVE BELT	Maverick Trail & Maverick Sport 1000	422280656	420450400	422280652
DENTRAINEMENT	Maverick Trail 700	422280225	_	_
	G2, G2S 450 CC & less	422280283	420430126	_
A COLORING	G2, G2S 500 CC & more	422280366	420430126	_
	G2L Outlander 450 & Outlander MAX 450	422280283	420630292	_
Charles and the second se	Commander 2020 & prior	422280366	420450126	_
	Commander 2021 & Up 1000 CC	422280656	420450400	422280652
	Commander 700	422280225	_	_
Driven Pulley Adapter Tool	 Spreads the secondary clutch open for easy be 	elt replacement.		
Puller/Locking Tool Not illustrated)	Allows you to spread the secondary clutch ope	n for easy belt replacement.		
	Models	Driven Pull	ley Adapter	Puller/Locking Too
	Defender HD10-HD9	70820	00720	529000088
	Defender HD7	-	_	529036098
	Maverick Trail & Sport	70820	00720	529000088
	Maverick X3	70820	00720	529000088
	G2, G2S		_	529036098
	G2L Outlander 450 & Outlander MAX 450	-	_	529036098
	Commander		_	529036352

pDrive Pulley Service kits

	SSV pDrive (MY22)	420629231
Ramp Roller Maintenance Set	SSV pDrive (MY23)	Coming winter 2023

pDrive Ramp Roller Set



	SSV pDrive (MY22)	420629224
Torque Roller Maintenance Set	SSV pDrive (MY23)	Coming winter 2023

pDrive Torque Roller Set



LUBRICANT & OIL CHANGE KIT

Lubricant

XPS 4T 10W-50 Synthetic Oil

9779234 · 1 qt / 946 ml

9779235 · 1 US gal / 3.785 L



- Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.
- · Formulated using carefully selected and strenuously tested base stocks and custom additives.
- Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.

XPS 4T 0W-40 Synthetic Oil		9779139 · 1 qt / 946 ml	9779140 · 1 US gal / 3.785 L
+40° C +104° F +104° F	 Powersport formula with premium anti-wear and The best choice for high-performance snowmob Provides superior engine and transmission prote Delivers optimal performance in high and low ter 	ile, ATV and SXS 4-stroke engines us ection against heat, rust and corrosio	

- · Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optimal performance in high and low temperatures.

	1	I.
XPS 4T 5W-40 Synthetic Blend Oil	9779133 · 1 qt / 946 ml	9779134 · 1 US gal / 3.785 L



 Off-road formula with premium anti-wear and anti-corrosion additives.
 Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharge powersports engines.
Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions

Oil Change Kit

*

Engine Oil Change Kit		Models	
	 Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money. 	5W-40 Synthetic Blend Oil / 450cc or less	9779256
XPS	 Includes XPS Synthetic or Synthetic Blend Oil, oil filter, O-rings and washer. 	0W-40 Synthetic Oil / 450cc or less	9779257
HUMAN OF COMMENT		5W-40 Synthetic Blend Oil / 500 cc or more V-twin engine	9779258
		0W-40 Synthetic Oil / 500 cc or more V-twin engine	9779259
		10W-50 Synthetic Oil / 500 cc or more V-twin engine	9779252
		5W-40 Synthetic Blend Oil / 900 ACE	9779260
		10W-50 Synthetic Oil / 900 ACE	9779261

MAINTENANCE PRODUCTS

	75W-90	9779158 · 1 qt / 946 ml
Synthetic Gear Oil	75W-140	9779160 · 1 qt / 946 ml

Uses custom additives to provide the best performance in Visco-Lok[™] and Smart-Lok[™] differentials.

- Allows higher loads, superior shear stability and reduced oxidation.
- Exceptional wear protection and superior performance at all operating temperatures.



Extended Life Pre-Mixed Coolant

9779150 · 1 qt / 946 ml



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- Long-life, 5-year formula specially formulated for BRP vehicles.
- Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

Anti-Corrosive Lubricant	9779166 · US 12 oz / 340 g 9779167 · CDN 12 oz / 340 g
	9779107 · CDN 12 02 / 340 g



Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

 Extreme Duty Suspension Grease
 9779708 · 14 oz / 400 g

 (Not illustrated)
 • Designed to work specifically with the components found in Can-Am vehicle suspensions.
 • It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

DOT 4 Brake Fluid	

- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.



9779151 · 12 fl oz / 355 ml

Racing Brake Fluid RS600

9779152 · 12 fl oz / 355 ml

- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.



Fuel Stabilizer

9779171 · 8 fl oz / 236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.

CARE PRODUCTS

Cleaner and Degreaser, All Pu	ii pooc	9779328 · 22 fl oz / 650 ml	9779329 · 2 qt / 1.89 L
	 Ready-to-use formula. Cleans toughest dirt and grime. Phosphate free eco-friendly formula. Low-foam easy rinse formula. 		
Natte Finish Waterless Clean	er		9779330 · 22 fl oz / 650 ml
	 Easy waterless use. Perfect for matte, flat and denim surfaces. Contains no wax or silicone. Leaves no unwanted streaks or marks. 		
Aulti-Surface and Glass Clea	ner		9779331 · 22 fl oz / 650 ml
	 Easy waterless spray and wipe use. Polymer formula cleans and protects. Contains no wax or silicone. Leaves no unwanted streaks or marks. 		
Nud and Dust Off-Road Wash		9779340 · 33 fl oz / 946 ml	9779341 · 2 qt / 1.89 L
	 Specially formulated for off-road vehicles, it breat The formula is biodegradable, eco-friendly with quick rinsing. Effective on oil, grease and other stubborn grim Safe for use on all surfaces. 	no phosphates or corrosive chemi	
Black Plastic and Rubber Res	torer		9779335 · 7.6 fl oz / 225 ml
A Constant of the second	 Restores plastic, rubber and vinyl. Long-lasting formula. Protects against UV rays. 		
Foaming Wash		9779337 · 16 fl oz / 473 ml	9779338 · 2 qt / 1.89 L
turit	 Concentrated formula for off-road vehicles, it pre The pH neutral formula is safe for wax and paint Works in pressure washers or by hand. 		prevent scratching.
a sector of			

Quick Detailer Gloss Enhancing		9779332 · 4 fl oz / 118 ml	9779333 · 16 fl oz / 473 ml
7	 Quick detail spray wax. Leaves a high gloss finish at every wipe. 		

- Nanotechnology polymer formula.
- 5
- Repels dirt.
- No water needed.

EVERY FARMER SHOULD OWN A CAN-AM

The Can-Am Defender makes your job easier on the farm. The stability, suspension, handling, and power; there's really no comparison. Above all, it's got all the features & technology to make it safe for the whole family. Every farmer should own one.

Sir David Fagan

New Zealand Farmer. 16-time Record Winner Shearer. Can-Am Owner.

EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM







ski-doo Lynx Ser 200. Can-am ROTAX. ALUMA mater QUINTREX





MY23 830201329

A BRP BRAND